



Central Health Medicare Plan

2024 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 24239, Version Number 17

This formulary was updated on 11/01/2024. For more recent information or other questions, please contact Central Health Medicare Plan Member Service at (877) 657-2498 (TTY users should call (800) 899-2114), 24 hours a day / 7 days a week, or visit www.centralhealthplan.com.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Central Health Medicare Plan. When it refers to “plan” or “our plan,” it means Central Health Medicare Plan.

This document includes list of the drugs (formulary) for our plan which is current as of 11/01/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2024, and from time to time during the year.

What is the Central Health Medicare Plan Formulary?

A formulary is a list of covered drugs selected by Central Health Medicare Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Central Health Medicare Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Central Health Medicare

Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but Central Health Medicare Plan may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Central Health Medicare Plan’s Formulary?”

Drugs removed from the market. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, [or] add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30 day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Central Health Medicare Plan’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the

2024 Part D Model Formulary (Comprehensive)

remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 11/01/2024. To get updated information about the drugs covered by Central Health Medicare Plan please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 113. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Central Health Medicare Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Central Health Medicare Plan requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Central Health Medicare Plan before you fill your prescriptions. If you don't get approval, Central Health Medicare Plan may not cover the drug.

2024 Part D Model Formulary (Comprehensive)

- **Quantity Limits:** For certain drugs, Central Health Medicare Plan limits the amount of the drug that Central Health Medicare Plan will cover. For example, Central Health Medicare Plan provides 18 tablets per 28 days prescription for sumatriptan succinate oral. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Central Health Medicare Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Central Health Medicare Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Central Medicare Health Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Central Health Medicare Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Central Health Medicare Plan’s formulary?” on page 1 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Central Health Medicare Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Central Health Medicare Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Central Health Medicare Plan.
- You can ask Central Health Medicare Plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Central Health Medicare Plan Formulary?

You can ask Central Health Medicare Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

2024 Part D Model Formulary (Comprehensive)

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Central Health Medicare Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Central Health Medicare Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who change treatment settings due to changes in level of care are also considered in Transition. These members will be provided with an appropriate transition refill.

For more information

For more detailed information about your Central Health Medicare Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Central Health Medicare Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day / 7 days a week. TTY users should call 1-877-486-2048. Or visit <http://www.medicare.gov>.

Central Health Medicare Plan Formulary

The formulary provides coverage information about the drugs covered by Central Health Medicare Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 113.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., HUMIRA) and generic drugs are listed in lower-case italics (e.g., *atorvastatin*).

The information in the Requirements/Limits column tells you if Central Health Medicare Plan has any special requirements for coverage of your drug.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

EX: Excluded Drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count toward your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.

GC: Gap Coverage. We provide coverage of this prescription drug in the Coverage Gap. Please refer to our Evidence of Coverage for more information about this coverage.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

NEDS: Non-Extended Day Supply Medication. This drug is only available as a 30-day supply or less.

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

V: This vaccine is provided to adults at no cost when used based on recommendations by the Centers for Disease Control and Prevention's (CDC) Advisory Committee on Immunization Practices (ACIP).

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| ANTI - INFECTIVES | | |
| ANTIFUNGAL AGENTS | | |
| ABELCET INTRAVENOUS SUSPENSION | 4 | B/D PA |
| <i>amphotericin b injection recon soln</i> | 4 | B/D PA; MO |
| <i>casprofungin intravenous recon soln</i> | 4 | |
| <i>clotrimazole mucous membrane troche</i> | 2 | MO |
| CRESEMBA ORAL CAPSULE | 5 | PA; NEDS |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 400 mg/200 ml</i> | 4 | PA |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i> | 4 | PA; MO |
| <i>fluconazole oral suspension for reconstitution</i> | 2 | MO |
| <i>fluconazole oral tablet</i> | 2 | MO |
| <i>flucytosine oral capsule</i> | 5 | MO; NEDS |
| <i>griseofulvin microsize oral suspension</i> | 4 | MO |
| <i>griseofulvin microsize oral tablet</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---|
| <i>griseofulvin ultramicrosize oral tablet</i> | 4 | MO |
| <i>itraconazole oral capsule</i> | 4 | MO; QL (120 per 30 days) |
| <i>itraconazole oral solution</i> | 4 | MO |
| <i>ketoconazole oral tablet</i> | 2 | MO |
| <i>miconazole intravenous recon soln</i> | 5 | MO; NEDS |
| <i>nystatin oral suspension</i> | 2 | MO |
| <i>nystatin oral tablet</i> | 2 | MO |
| <i>posaconazole oral tablet, delayed release (dr/ec)</i> | 5 | PA; MO; QL (96 per 30 days); NEDS |
| <i>terbinafine hcl oral tablet</i> | 2 | MO |
| <i>voriconazole intravenous recon soln</i> | 5 | PA; MO; NEDS |
| <i>voriconazole oral suspension for reconstitution</i> | 5 | PA; MO; NEDS |
| <i>voriconazole oral tablet</i> | 4 | PA; MO |
| ANTIVIRALS | | |
| <i>abacavir oral solution</i> | 3 | MO |
| <i>abacavir oral tablet</i> | 3 | MO |
| <i>abacavir-lamivudine oral tablet</i> | 3 | MO |
| <i>acyclovir oral capsule</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>acyclovir oral suspension 200 mg/5 ml</i> | 4 | MO |
| <i>acyclovir oral tablet</i> | 2 | MO |
| <i>acyclovir sodium intravenous solution</i> | 4 | B/D PA; MO |
| <i>adefovir oral tablet</i> | 4 | MO |
| <i>amantadine hcl oral capsule</i> | 2 | MO |
| <i>amantadine hcl oral solution</i> | 2 | MO |
| <i>amantadine hcl oral tablet</i> | 2 | MO |
| APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE | 5 | MO; NEDS |
| APTIVUS ORAL CAPSULE | 5 | MO; NEDS |
| <i>atazanavir oral capsule</i> | 4 | MO |
| BARACLUDGE ORAL SOLUTION | 5 | MO; NEDS |
| BIKTARVY ORAL TABLET | 5 | MO; NEDS |
| CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE | 5 | MO; NEDS |
| <i>cidofovir intravenous solution</i> | 5 | B/D PA; MO; NEDS |
| CIMDUO ORAL TABLET | 5 | MO; NEDS |
| COMPLERA ORAL TABLET | 5 | MO; NEDS |
| <i>darunavir oral tablet</i> | 5 | MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| DELSTRIGO ORAL TABLET | 5 | MO; NEDS |
| DESCOVY ORAL TABLET | 5 | MO; NEDS |
| DOVATO ORAL TABLET | 5 | MO; NEDS |
| EDURANT ORAL TABLET | 5 | MO; NEDS |
| <i>efavirenz oral capsule</i> | 4 | MO |
| <i>efavirenz oral tablet</i> | 4 | MO |
| <i>efavirenz-emtricitabin-tenofovir oral tablet</i> | 5 | MO; NEDS |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet</i> | 5 | MO; NEDS |
| <i>emtricitabine oral capsule</i> | 4 | MO |
| <i>emtricitabine-tenofovir (tdf) oral tablet</i> | 4 | MO |
| EMTRIVA ORAL SOLUTION | 3 | MO |
| <i>entecavir oral tablet</i> | 4 | MO |
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG | 5 | PA; MO; QL (28 per 28 days); NEDS |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG | 5 | PA; MO; QL (56 per 28 days); NEDS |
| EPCLUSA ORAL TABLET 200-50 MG | 5 | PA; MO; QL (56 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| EPCLUSA ORAL TABLET 400-100 MG | 5 | PA; MO; QL (28 per 28 days); NEDS |
| <i>etravirine oral tablet</i> | 5 | MO; NEDS |
| EVOTAZ ORAL TABLET | 5 | MO; NEDS |
| <i>famciclovir oral tablet</i> | 2 | MO |
| <i>fosamprenavir oral tablet</i> | 4 | MO |
| FUZEON SUBCUTANEOUS RECON SOLN | 5 | MO; NEDS |
| <i>ganciclovir sodium intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>ganciclovir sodium intravenous solution</i> | 2 | B/D PA |
| GENVOYA ORAL TABLET | 5 | MO; NEDS |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 5 | PA; MO; QL (28 per 28 days); NEDS |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 5 | PA; MO; QL (56 per 28 days); NEDS |
| HARVONI ORAL TABLET 45-200 MG | 5 | PA; MO; QL (56 per 28 days); NEDS |
| HARVONI ORAL TABLET 90-400 MG | 5 | PA; MO; QL (28 per 28 days); NEDS |
| INTELENCE ORAL TABLET 25 MG | 4 | MO |
| ISENTRESS HD ORAL TABLET | 5 | MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| ISENTRESS ORAL POWDER IN PACKET | 5 | MO; NEDS |
| ISENTRESS ORAL TABLET | 5 | MO; NEDS |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 5 | MO; NEDS |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 3 | MO |
| JULUCA ORAL TABLET | 5 | MO; NEDS |
| LAGEVRIO (EUA) ORAL CAPSULE | 6 | GC; QL (40 per 180 days) |
| <i>lamivudine oral solution</i> | 3 | MO |
| <i>lamivudine oral tablet</i> | 3 | MO |
| <i>lamivudine-zidovudine oral tablet</i> | 3 | MO |
| <i>lopinavir-ritonavir oral solution</i> | 4 | MO |
| <i>lopinavir-ritonavir oral tablet</i> | 3 | MO |
| <i>maraviroc oral tablet</i> | 5 | MO; NEDS |
| <i>nevirapine oral suspension</i> | 4 | |
| <i>nevirapine oral tablet</i> | 3 | MO |
| <i>nevirapine oral tablet extended release 24 hr</i> | 4 | MO |
| NORVIR ORAL POWDER IN PACKET | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| ODEFSEY ORAL TABLET | 5 | MO; NEDS |
| <i>oseltamivir oral capsule</i> | 3 | MO |
| <i>oseltamivir oral suspension for reconstitution</i> | 3 | MO |
| PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG | 6 | GC; QL (20 per 180 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG | 6 | GC; QL (30 per 180 days) |
| PIFELTRO ORAL TABLET | 5 | MO; NEDS |
| PREVYMIS INTRAVENOUS SOLUTION | 5 | PA; NEDS |
| PREVYMIS ORAL TABLET | 5 | PA; MO; QL (30 per 30 days); NEDS |
| PREZCOBIX ORAL TABLET | 5 | MO; NEDS |
| PREZISTA ORAL SUSPENSION | 5 | MO; NEDS |
| PREZISTA ORAL TABLET 150 MG, 75 MG | 4 | MO |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE | 4 | MO |
| RETROVIR INTRAVENOUS SOLUTION | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| REYATAZ ORAL POWDER IN PACKET | 5 | MO; NEDS |
| <i>ribavirin oral capsule</i> | 3 | MO |
| <i>ribavirin oral tablet 200 mg</i> | 3 | MO |
| <i>rimantadine oral tablet</i> | 4 | MO |
| <i>ritonavir oral tablet</i> | 3 | MO |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR | 5 | MO; NEDS |
| SELZENTRY ORAL SOLUTION | 3 | MO |
| SELZENTRY ORAL TABLET 25 MG, 75 MG | 3 | MO |
| STRIBILD ORAL TABLET | 5 | MO; NEDS |
| SUNLENCA ORAL TABLET | 5 | NEDS |
| SUNLENCA SUBCUTANEOUS SOLUTION | 5 | NEDS |
| SYMTUZA ORAL TABLET | 5 | MO; NEDS |
| SYNAGIS INTRAMUSCULAR SOLUTION | 5 | MO; LA; NEDS |
| <i>tenofovir disoproxil fumarate oral tablet</i> | 4 | MO |
| TIVICAY ORAL TABLET 10 MG | 3 | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | MO; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| TIVICAY PD ORAL TABLET FOR SUSPENSION | 5 | MO; NEDS |
| TRIUMEQ ORAL TABLET | 5 | MO; NEDS |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION | 5 | MO; NEDS |
| TRIZIVIR ORAL TABLET | 5 | NEDS |
| TROGARZO INTRAVENOUS SOLUTION | 5 | MO; LA; NEDS |
| <i>valacyclovir oral tablet 1 gram</i> | 2 | MO; QL (120 per 30 days) |
| <i>valacyclovir oral tablet 500 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>valganciclovir oral recon soln</i> | 5 | MO; NEDS |
| <i>valganciclovir oral tablet</i> | 3 | MO |
| VEKLURY INTRAVENOUS RECON SOLN | 5 | NEDS |
| VEMLIDY ORAL TABLET | 5 | MO; NEDS |
| VIRACEPT ORAL TABLET | 5 | MO; NEDS |
| VIREAD ORAL POWDER | 5 | MO; NEDS |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 4 | MO |
| VOSEVI ORAL TABLET | 5 | PA; MO; QL (28 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| XOFLUZA ORAL TABLET 40 MG, 80 MG | 3 | MO |
| <i>zidovudine oral capsule</i> | 3 | MO |
| <i>zidovudine oral syrup</i> | 3 | MO |
| <i>zidovudine oral tablet</i> | 2 | MO |
| CEPHALOSPORINS | | |
| <i>cefaclor oral capsule</i> | 2 | MO |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i> | 2 | MO |
| <i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i> | 2 | |
| <i>cefaclor oral tablet extended release 12 hr</i> | 4 | MO |
| <i>cefadroxil oral capsule</i> | 2 | MO |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2 | MO |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | 4 | MO |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|------------------|-----------------------------|
| <i>cefazolin injection recon soln 10 gram, 100 gram, 300 gram</i> | 4 | |
| <i>cefazolin intravenous recon soln 1 gram</i> | 4 | |
| <i>cefdinir oral capsule</i> | 2 | MO |
| <i>cefdinir oral suspension for reconstitution</i> | 3 | MO |
| <i>cefepime in dextrose,iso-osm intravenous piggyback</i> | 4 | |
| <i>cefepime injection recon soln</i> | 4 | MO |
| <i>cefixime oral capsule</i> | 4 | MO |
| <i>cefixime oral suspension for reconstitution</i> | 4 | MO |
| <i>cefoxitin in dextrose, iso-osm intravenous piggyback</i> | 4 | PA |
| <i>cefoxitin intravenous recon soln 1 gram, 2 gram</i> | 4 | PA; MO |
| <i>cefoxitin intravenous recon soln 10 gram</i> | 4 | PA |
| <i>cefpodoxime oral suspension for reconstitution</i> | 4 | MO |
| <i>cefpodoxime oral tablet</i> | 4 | MO |
| <i>cefprozil oral suspension for reconstitution</i> | 2 | MO |
| <i>cefprozil oral tablet</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|------------------|-----------------------------|
| <i>ceftazidime injection recon soln 1 gram, 2 gram</i> | 4 | PA; MO |
| <i>ceftazidime injection recon soln 6 gram</i> | 4 | PA |
| <i>ceftriaxone in dextrose,iso-os intravenous piggyback</i> | 4 | MO |
| <i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i> | 4 | MO |
| <i>ceftriaxone injection recon soln 10 gram</i> | 4 | |
| <i>ceftriaxone intravenous recon soln</i> | 4 | MO |
| <i>cefuroxime axetil oral tablet</i> | 2 | MO |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 4 | PA; MO |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram</i> | 4 | PA; MO |
| <i>cefuroxime sodium intravenous recon soln 7.5 gram</i> | 4 | PA |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 2 | MO |
| <i>cephalexin oral suspension for reconstitution</i> | 2 | MO |
| <i>tazicef injection recon soln</i> | 4 | PA; MO |
| <i>tazicef intravenous recon soln</i> | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------------|
| TEFLARO INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |
| ERYTHROMYCINS / OTHER MACROLIDES | | |
| <i>azithromycin intravenous recon soln</i> | 4 | PA; MO |
| <i>azithromycin oral packet</i> | 3 | MO |
| <i>azithromycin oral suspension for reconstitution</i> | 2 | MO |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i> | 2 | |
| <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> | 2 | MO |
| <i>clarithromycin oral suspension for reconstitution</i> | 2 | MO |
| <i>clarithromycin oral tablet</i> | 2 | MO |
| <i>clarithromycin oral tablet extended release 24 hr</i> | 2 | MO |
| DIFICID ORAL TABLET | 5 | MO; QL (20 per 10 days); NEDS |
| <i>e.e.s. 400 oral tablet</i> | 4 | MO |
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> | 4 | MO |
| <i>erythrocin (as stearate) oral tablet 250 mg</i> | 4 | |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---|
| <i>erythromycin ethylsuccinate oral tablet</i> | 4 | MO |
| <i>erythromycin oral capsule, delayed release (dr/ec)</i> | 4 | MO |
| <i>erythromycin oral tablet</i> | 4 | MO |
| <i>erythromycin oral tablet, delayed release (dr/ec)</i> | 4 | MO |
| MISCELLANEOUS ANTIINFECTIVES | | |
| <i>albendazole oral tablet</i> | 5 | MO; NEDS |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i> | 4 | PA; MO |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION | 5 | PA; LA; NEDS |
| <i>atovaquone oral suspension</i> | 4 | MO |
| <i>atovaquone- proguanil oral tablet</i> | 4 | MO |
| <i>aztreonam injection recon soln</i> | 4 | PA; MO |
| <i>bacitracin intramuscular recon soln</i> | 4 | |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION | 5 | PA; MO; LA; QL (84 per 56 days); NEDS |
| <i>chloramphenicol sod succinate intravenous recon soln</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>chloroquine phosphate oral tablet</i> | 2 | MO |
| <i>clindamycin hcl oral capsule</i> | 2 | MO |
| <i>clindamycin in 5 % dextrose intravenous piggyback</i> | 4 | PA; MO |
| <i>clindamycin phosphate injection solution</i> | 4 | PA; MO |
| COARTEM ORAL TABLET | 4 | MO |
| <i>colistin (colistimethate na) injection recon soln</i> | 4 | PA; MO; QL (30 per 10 days) |
| <i>dapsone oral tablet</i> | 3 | MO |
| DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG | 5 | MO; NEDS |
| <i>daptomycin intravenous recon soln 500 mg</i> | 5 | MO; NEDS |
| EMVERM ORAL TABLET,CHEWABLE | 5 | MO; NEDS |
| <i>ertapenem injection recon soln</i> | 4 | PA; MO; QL (14 per 14 days) |
| <i>ethambutol oral tablet</i> | 3 | MO |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/50 ml</i> | 4 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/100 ml</i> | 4 | PA |
| <i>gentamicin injection solution 40 mg/ml</i> | 4 | PA; MO |
| <i>gentamicin sulfate (ped) (pf) injection solution</i> | 4 | PA; MO |
| <i>hydroxychloroquine oral tablet 200 mg</i> | 2 | MO |
| <i>imipenem-cilastatin intravenous recon soln</i> | 4 | PA; MO |
| <i>isoniazid injection solution</i> | 4 | |
| <i>isoniazid oral solution</i> | 2 | MO |
| <i>isoniazid oral tablet</i> | 2 | MO |
| <i>ivermectin oral tablet</i> | 3 | PA; MO; QL (20 per 30 days) |
| <i>lincomycin injection solution</i> | 4 | PA |
| <i>linezolid in dextrose 5% intravenous piggyback</i> | 4 | PA; MO |
| <i>linezolid oral suspension for reconstitution</i> | 5 | MO; NEDS |
| <i>linezolid oral tablet</i> | 4 | MO |
| <i>linezolid-0.9% sodium chloride intravenous parenteral solution</i> | 4 | PA |
| <i>mefloquine oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------|
| <i>meropenem intravenous recon soln 1 gram</i> | 4 | PA; QL (30 per 10 days) |
| <i>meropenem intravenous recon soln 500 mg</i> | 4 | PA; QL (10 per 10 days) |
| <i>metro i.v. intravenous piggyback</i> | 4 | PA; MO |
| <i>metronidazole in nacl (iso-os) intravenous piggyback</i> | 4 | PA; MO |
| <i>metronidazole oral tablet</i> | 2 | MO |
| <i>neomycin oral tablet</i> | 2 | MO |
| <i>nitazoxanide oral tablet</i> | 5 | MO; NEDS |
| <i>paromomycin oral capsule</i> | 4 | |
| <i>pentamidine inhalation recon soln</i> | 4 | B/D PA; MO; QL (1 per 28 days) |
| <i>pentamidine injection recon soln</i> | 4 | MO |
| <i>praziquantel oral tablet</i> | 4 | MO |
| PRIFTIN ORAL TABLET | 3 | MO |
| PRIMAQUINE ORAL TABLET | 4 | MO |
| <i>pyrazinamide oral tablet</i> | 4 | MO |
| <i>pyrimethamine oral tablet</i> | 5 | PA; MO; NEDS |
| <i>quinine sulfate oral capsule</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>rifabutin oral capsule</i> | 4 | MO |
| <i>rifampin intravenous recon soln</i> | 4 | MO |
| <i>rifampin oral capsule</i> | 3 | MO |
| SIRTURO ORAL TABLET | 5 | PA; LA; NEDS |
| STREPTOMYCIN INTRAMUSCULAR RECON SOLN | 5 | PA; MO; QL (60 per 30 days); NEDS |
| <i>tigecycline intravenous recon soln</i> | 5 | PA; MO; NEDS |
| <i>tinidazole oral tablet</i> | 3 | MO |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE | 5 | MO; QL (224 per 56 days); NEDS |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization</i> | 5 | PA; MO; QL (280 per 28 days); NEDS |
| <i>tobramycin inhalation solution for nebulization</i> | 5 | PA; MO; QL (224 per 28 days); NEDS |
| <i>tobramycin sulfate injection recon soln</i> | 4 | PA; QL (9 per 14 days) |
| <i>tobramycin sulfate injection solution</i> | 4 | PA; MO |
| TRECTOR ORAL TABLET | 4 | MO |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 500 MG/100 ML | 3 | PA; QL (1000 per 10 days) |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 750 MG/150 ML | 3 | PA; QL (4050 per 10 days) |
| VANCOMYCIN INJECTION RECON SOLN | 4 | PA; QL (1 per 10 days) |
| <i>vancomycin intravenous recon soln 1,000 mg</i> | 4 | PA; MO; QL (20 per 10 days) |
| <i>vancomycin intravenous recon soln 10 gram</i> | 4 | PA; QL (2 per 10 days) |
| <i>vancomycin intravenous recon soln 5 gram</i> | 4 | PA; QL (4 per 10 days) |
| <i>vancomycin intravenous recon soln 500 mg</i> | 4 | PA; MO; QL (10 per 10 days) |
| <i>vancomycin intravenous recon soln 750 mg</i> | 4 | PA; MO; QL (27 per 10 days) |
| <i>vancomycin oral capsule 125 mg</i> | 4 | PA; MO; QL (40 per 10 days) |
| <i>vancomycin oral capsule 250 mg</i> | 4 | PA; MO; QL (80 per 10 days) |
| VIBATIV INTRAVENOUS RECON SOLN 750 MG | 5 | PA; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------|
| XIFAXAN ORAL TABLET 200 MG | 3 | QL (9 per 30 days) |
| XIFAXAN ORAL TABLET 550 MG | 5 | MO; QL (90 per 30 days); NEDS |
| PENICILLINS | | |
| <i>amoxicillin oral capsule</i> | 1 | MO; GC |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 400 mg/5 ml</i> | 1 | MO; GC |
| <i>amoxicillin oral suspension for reconstitution 200 mg/5 ml, 250 mg/5 ml</i> | 2 | MO |
| <i>amoxicillin oral tablet</i> | 1 | MO; GC |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 2 | MO |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution</i> | 2 | MO |
| <i>amoxicillin-pot clavulanate oral tablet</i> | 2 | MO |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i> | 4 | MO |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>amoxicillin-pot clavulanate oral tablet, chewable 400-57 mg</i> | 2 | |
| <i>ampicillin oral capsule 500 mg</i> | 2 | MO |
| <i>ampicillin sodium injection recon soln</i> | 4 | PA; MO |
| <i>ampicillin sodium intravenous recon soln</i> | 4 | PA |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i> | 4 | PA; MO |
| <i>ampicillin-sulbactam injection recon soln 15 gram</i> | 4 | PA |
| <i>ampicillin-sulbactam intravenous recon soln</i> | 4 | PA |
| AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML | 4 | MO |
| BICILLIN C-R INTRAMUSCULAR SYRINGE | 3 | PA; MO |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML | 4 | PA; MO |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 600,000 UNIT/ML | 4 | PA |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>dicloxacillin oral capsule</i> | 2 | MO |
| <i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i> | 4 | PA |
| <i>nafcillin injection recon soln 1 gram, 2 gram</i> | 4 | PA; MO |
| <i>nafcillin injection recon soln 10 gram</i> | 5 | PA; NEDS |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback</i> | 4 | PA |
| <i>oxacillin injection recon soln 1 gram, 10 gram</i> | 4 | PA |
| <i>oxacillin injection recon soln 2 gram</i> | 4 | PA; MO |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML | 4 | PA |
| <i>penicillin g potassium injection recon soln</i> | 4 | PA; MO |
| <i>penicillin g sodium injection recon soln</i> | 4 | PA; MO |
| <i>penicillin v potassium oral recon soln</i> | 2 | MO |
| <i>penicillin v potassium oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>pfizerpen-g injection recon soln</i> | 4 | PA |
| <i>piperacillin-tazobactam intravenous recon soln 13.5 gram, 40.5 gram</i> | 4 | |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i> | 4 | MO |
| QUINOLONES | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> | 1 | MO; GC |
| <i>ciprofloxacin hcl oral tablet 750 mg</i> | 2 | MO |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback</i> | 4 | PA; MO |
| <i>ciprofloxacin oral suspension, microcapsule recon 500 mg/5 ml</i> | 4 | |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i> | 4 | PA |
| <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> | 4 | PA; MO |
| <i>levofloxacin intravenous solution</i> | 4 | PA |
| <i>levofloxacin oral solution</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>levofloxacin oral tablet</i> | 2 | MO |
| <i>moxifloxacin oral tablet</i> | 3 | MO |
| <i>moxifloxacin-sod.chloride(iso) intravenous piggyback</i> | 4 | PA; MO |
| SULFA'S / RELATED AGENTS | | |
| <i>sulfadiazine oral tablet</i> | 4 | MO |
| <i>sulfamethoxazole-trimethoprim intravenous solution</i> | 4 | PA; MO |
| <i>sulfamethoxazole-trimethoprim oral suspension</i> | 2 | MO |
| <i>sulfamethoxazole-trimethoprim oral tablet</i> | 1 | MO; GC |
| TETRACYCLINES | | |
| <i>demeclocycline oral tablet</i> | 4 | MO |
| <i>doxy-100 intravenous recon soln</i> | 4 | PA; MO |
| <i>doxycycline hyclate intravenous recon soln</i> | 4 | PA |
| <i>doxycycline hyclate oral capsule</i> | 2 | MO |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg, 50 mg</i> | 2 | MO |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>doxycycline monohydrate oral suspension for reconstitution</i> | 4 | MO |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i> | 2 | MO |
| <i>minocycline oral capsule</i> | 2 | MO |
| <i>minocycline oral tablet</i> | 4 | MO |
| <i>mondoxyne nl oral capsule 100 mg</i> | 2 | |
| <i>tetracycline oral capsule</i> | 4 | MO |

URINARY TRACT AGENTS

| | | |
|---|---|----|
| <i>methenamine hippurate oral tablet</i> | 3 | MO |
| <i>methenamine mandelate oral tablet</i> | 2 | MO |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> | 3 | MO |
| <i>nitrofurantoin monohyd/m-cryst oral capsule</i> | 3 | MO |
| <i>trimethoprim oral tablet</i> | 2 | MO |

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

ADJUNCTIVE AGENTS

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>dexrazoxane hcl intravenous recon soln</i> | 5 | B/D PA; MO; NEDS |
| ELITEK INTRAVENOUS RECON SOLN | 5 | MO; NEDS |
| KEPIVANCE INTRAVENOUS RECON SOLN 5.16 MG | 5 | NEDS |
| KHAPZORY INTRAVENOUS RECON SOLN 175 MG | 5 | B/D PA; NEDS |
| <i>leucovorin calcium oral tablet</i> | 3 | MO |

| | | |
|--|---|------------------|
| <i>levoleucovorin calcium intravenous recon soln</i> | 5 | B/D PA; MO; NEDS |
|--|---|------------------|

| | | |
|--|---|--------------|
| <i>levoleucovorin calcium intravenous solution</i> | 5 | B/D PA; NEDS |
|--|---|--------------|

| | | |
|-----------------------------------|---|------------|
| <i>mesna intravenous solution</i> | 2 | B/D PA; MO |
|-----------------------------------|---|------------|

| | | |
|--------------------|---|----------|
| MESNEX ORAL TABLET | 5 | MO; NEDS |
|--------------------|---|----------|

| | | |
|-----------------------------------|---|----------|
| VISTOGARD ORAL GRANULES IN PACKET | 5 | PA; NEDS |
|-----------------------------------|---|----------|

| | | |
|-----------------------------|---|------------------|
| XGEVA SUBCUTANEOUS SOLUTION | 5 | B/D PA; MO; NEDS |
|-----------------------------|---|------------------|

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

| | | |
|---------------------------------------|---|------------------------------------|
| <i>abiraterone oral tablet 250 mg</i> | 5 | PA; MO; QL (120 per 30 days); NEDS |
|---------------------------------------|---|------------------------------------|

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>abiraterone oral tablet 500 mg</i> | 5 | PA; MO; QL (60 per 30 days); NEDS |
| ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION | 5 | B/D PA; MO; NEDS |
| ADCETRIS INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; NEDS |
| ADSTILADRIN INTRAVESICAL SUSPENSION | 5 | PA; NEDS |
| AKEEGA ORAL TABLET | 5 | PA; LA; QL (60 per 30 days); NEDS |
| ALECENSA ORAL CAPSULE | 5 | PA; MO; QL (240 per 30 days); NEDS |
| ALIQOPA INTRAVENOUS RECON SOLN | 5 | B/D PA; LA; NEDS |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA; QL (30 per 30 days); NEDS |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA; QL (60 per 30 days); NEDS |
| ALUNBRIG ORAL TABLETS,DOSE PACK | 5 | PA; QL (30 per 180 days); NEDS |
| <i>anastrozole oral tablet</i> | 2 | MO |
| ANKTIVA INTRAVESICAL SOLUTION | 5 | PA; MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>arsenic trioxide intravenous solution 1 mg/ml</i> | 5 | B/D PA; NEDS |
| <i>arsenic trioxide intravenous solution 2 mg/ml</i> | 5 | B/D PA; MO; NEDS |
| ASPARLAS INTRAVENOUS SOLUTION | 5 | PA; NEDS |
| AUGTYRO ORAL CAPSULE | 5 | PA; MO; QL (240 per 30 days); NEDS |
| AYVAKIT ORAL TABLET | 5 | PA; LA; QL (30 per 30 days); NEDS |
| <i>azacitidine injection recon soln</i> | 5 | B/D PA; MO; NEDS |
| <i>azathioprine oral tablet 50 mg</i> | 2 | B/D PA; MO |
| <i>azathioprine sodium injection recon soln</i> | 2 | B/D PA; MO |
| BALVERSA ORAL TABLET | 5 | PA; LA; NEDS |
| BAVENCIO INTRAVENOUS SOLUTION | 5 | B/D PA; LA; NEDS |
| BELEODAQ INTRAVENOUS RECON SOLN | 5 | B/D PA; NEDS |
| <i>bendamustine intravenous recon soln</i> | 5 | B/D PA; MO; NEDS |
| BENDEKA INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| BESPONSA INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; LA; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--|
| <i>bexarotene oral capsule</i> | 5 | PA; MO; NEDS |
| <i>bexarotene topical gel</i> | 5 | PA; MO; NEDS |
| <i>bicalutamide oral tablet</i> | 2 | MO |
| <i>bleomycin injection recon soln</i> | 2 | B/D PA; MO |
| BLINCYTO INTRAVENOUS KIT | 5 | B/D PA; NEDS |
| BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG | 5 | B/D PA; NEDS |
| <i>bortezomib injection recon soln 3.5 mg</i> | 5 | B/D PA; MO; NEDS |
| BOSULIF ORAL CAPSULE 100 MG | 5 | PA; MO; QL (90 per 30 days); NEDS |
| BOSULIF ORAL CAPSULE 50 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| BOSULIF ORAL TABLET 100 MG | 5 | PA; MO; QL (90 per 30 days); NEDS |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| BRAFTOVI ORAL CAPSULE | 5 | PA; MO; LA; QL (180 per 30 days); NEDS |
| BRUKINSA ORAL CAPSULE | 5 | PA; LA; QL (120 per 30 days); NEDS |
| <i>busulfan intravenous solution</i> | 5 | B/D PA; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| CABOMETYX ORAL TABLET | 5 | PA; MO; LA; QL (30 per 30 days); NEDS |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET | 5 | PA; LA; QL (60 per 30 days); NEDS |
| CALQUENCE ORAL CAPSULE | 5 | PA; LA; QL (60 per 30 days); NEDS |
| CAPRELSA ORAL TABLET 100 MG | 5 | PA; LA; QL (60 per 30 days); NEDS |
| CAPRELSA ORAL TABLET 300 MG | 5 | PA; LA; QL (30 per 30 days); NEDS |
| <i>carboplatin intravenous solution</i> | 2 | B/D PA; MO |
| <i>carmustine intravenous recon soln 100 mg</i> | 5 | B/D PA; MO; NEDS |
| <i>cisplatin intravenous solution</i> | 2 | B/D PA; MO |
| <i>cladribine intravenous solution</i> | 5 | B/D PA; MO; NEDS |
| <i>clofarabine intravenous solution</i> | 5 | B/D PA; NEDS |
| COLUMVI INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | 5 | PA; MO; QL (56 per 28 days); NEDS |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA; MO; QL (112 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY) | 5 | PA; MO; QL (84 per 28 days); NEDS |
| COPIKTRA ORAL CAPSULE | 5 | PA; LA; QL (60 per 30 days); NEDS |
| COSMEGEN INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; NEDS |
| COTELLIC ORAL TABLET | 5 | PA; MO; LA; QL (63 per 28 days); NEDS |
| <i>cyclophosphamide intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>cyclophosphamide oral capsule</i> | 3 | B/D PA; MO |
| CYCLOPHOSPHAMIDE ORAL TABLET 25 MG | 3 | B/D PA |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG | 3 | B/D PA; MO |
| <i>cyclosporine intravenous solution</i> | 2 | B/D PA |
| <i>cyclosporine modified oral capsule</i> | 3 | B/D PA; MO |
| <i>cyclosporine modified oral solution</i> | 3 | B/D PA |
| <i>cyclosporine oral capsule</i> | 3 | B/D PA; MO |
| CYRAMZA INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i> | 2 | B/D PA; MO |
| <i>cytarabine (pf) injection solution 20 mg/ml</i> | 2 | B/D PA |
| <i>cytarabine injection solution</i> | 2 | B/D PA; MO |
| <i>dacarbazine intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>dactinomycin intravenous recon soln</i> | 2 | B/D PA; MO |
| DANYELZA INTRAVENOUS SOLUTION | 5 | PA; NEDS |
| DARZALEX INTRAVENOUS SOLUTION | 5 | B/D PA; MO; LA; NEDS |
| <i>daunorubicin intravenous solution</i> | 2 | B/D PA |
| DAURISMO ORAL TABLET 100 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| DAURISMO ORAL TABLET 25 MG | 5 | PA; MO; QL (60 per 30 days); NEDS |
| <i>decitabine intravenous recon soln</i> | 5 | B/D PA; MO; NEDS |
| <i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/8 ml (10 mg/ml)</i> | 5 | B/D PA; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> | 5 | B/D PA; MO; NEDS |
| <i>doxorubicin intravenous recon soln 10 mg</i> | 2 | B/D PA |
| <i>doxorubicin intravenous recon soln 50 mg</i> | 2 | B/D PA; MO |
| <i>doxorubicin intravenous solution 10 mg/5 ml, 20 mg/10 ml, 50 mg/25 ml</i> | 2 | B/D PA; MO |
| <i>doxorubicin intravenous solution 2 mg/ml</i> | 2 | B/D PA |
| <i>doxorubicin, peg-liposomal intravenous suspension</i> | 5 | B/D PA; MO; NEDS |
| DROXIA ORAL CAPSULE | 3 | MO |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE | 3 | PA; MO |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE | 3 | PA; MO |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE | 3 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| ELIGARD SUBCUTANEOUS SYRINGE | 3 | PA; MO |
| ELREXFIO SUBCUTANEOUS SOLUTION | 5 | PA; NEDS |
| ELZONRIS INTRAVENOUS SOLUTION | 5 | PA; LA; NEDS |
| EMPLICITI INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; NEDS |
| ENVARBUS XR ORAL TABLET EXTENDED RELEASE 24 HR | 4 | B/D PA; MO |
| <i>epirubicin intravenous solution 200 mg/100 ml</i> | 2 | B/D PA |
| EPKINLY SUBCUTANEOUS SOLUTION | 5 | PA; NEDS |
| ERBITUX INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| <i>eribulin intravenous solution</i> | 5 | B/D PA; NEDS |
| ERIVEDGE ORAL CAPSULE | 5 | PA; MO; QL (30 per 30 days); NEDS |
| ERLEADA ORAL TABLET 240 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| ERLEADA ORAL TABLET 60 MG | 5 | PA; MO; QL (120 per 30 days); NEDS |
| <i>erlotinib oral tablet 100 mg, 150 mg</i> | 5 | PA; MO; QL (30 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| <i>erlotinib oral tablet 25 mg</i> | 5 | PA; MO; QL (60 per 30 days); NEDS |
| ERWINASE INJECTION RECON SOLN | 5 | B/D PA; NEDS |
| ETOPOPHOS INTRAVENOUS RECON SOLN | 4 | B/D PA; MO |
| <i>etoposide intravenous solution</i> | 2 | B/D PA; MO |
| <i>everolimus (antineoplastic) oral tablet</i> | 5 | PA; MO; QL (30 per 30 days); NEDS |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg</i> | 5 | PA; MO; QL (330 per 30 days); NEDS |
| <i>everolimus (antineoplastic) oral tablet for suspension 3 mg</i> | 5 | PA; MO; QL (240 per 30 days); NEDS |
| <i>everolimus (antineoplastic) oral tablet for suspension 5 mg</i> | 5 | PA; MO; QL (180 per 30 days); NEDS |
| <i>everolimus (immunosuppressive) oral tablet 0.25 mg</i> | 4 | B/D PA; MO |
| <i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i> | 5 | B/D PA; MO; NEDS |
| <i>exemestane oral tablet</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 5 | PA; MO; NEDS |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 4 | PA; MO |
| <i>floxuridine injection recon soln</i> | 2 | B/D PA |
| <i>fludarabine intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>fludarabine intravenous solution</i> | 2 | B/D PA |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 500 mg/10 ml</i> | 2 | B/D PA; MO |
| <i>fluorouracil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i> | 2 | B/D PA |
| FOLOTYN INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| FOTIVDA ORAL CAPSULE | 5 | PA; LA; QL (21 per 28 days); NEDS |
| FRUZAQLA ORAL CAPSULE 1 MG | 5 | PA; QL (84 per 28 days); NEDS |
| FRUZAQLA ORAL CAPSULE 5 MG | 5 | PA; QL (21 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| <i>fulvestrant intramuscular syringe</i> | 5 | B/D PA; MO; NEDS |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION | 5 | PA; NEDS |
| GAVRETO ORAL CAPSULE | 5 | PA; LA; QL (120 per 30 days); NEDS |
| GAZYVA INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| <i>gefitinib oral tablet</i> | 5 | PA; MO; QL (30 per 30 days); NEDS |
| <i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> | 2 | B/D PA; MO |
| <i>gemcitabine intravenous recon soln 2 gram</i> | 2 | B/D PA |
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | 2 | B/D PA; MO |
| GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML | 3 | B/D PA |
| <i>gengraf oral capsule</i> | 3 | B/D PA; MO |
| <i>gengraf oral solution</i> | 3 | B/D PA; MO |
| GILOTRIF ORAL TABLET | 5 | PA; MO; QL (30 per 30 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| GLEOSTINE ORAL CAPSULE | 5 | MO; NEDS |
| HALAVEN INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| <i>hydroxyurea oral capsule</i> | 2 | MO |
| IBRANCE ORAL CAPSULE | 5 | PA; MO; QL (21 per 28 days); NEDS |
| IBRANCE ORAL TABLET | 5 | PA; MO; QL (21 per 28 days); NEDS |
| ICLUSIG ORAL TABLET | 5 | PA; QL (30 per 30 days); NEDS |
| <i>idarubicin intravenous solution</i> | 2 | B/D PA; MO |
| IDHIFA ORAL TABLET | 5 | PA; MO; LA; QL (30 per 30 days); NEDS |
| <i>ifosfamide intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>ifosfamide intravenous solution 1 gram/20 ml</i> | 2 | B/D PA; MO |
| <i>ifosfamide intravenous solution 3 gram/60 ml</i> | 2 | B/D PA |
| <i>imatinib oral tablet 100 mg</i> | 5 | PA; MO; QL (180 per 30 days); NEDS |
| <i>imatinib oral tablet 400 mg</i> | 5 | PA; MO; QL (60 per 30 days); NEDS |
| IMBRUVICA ORAL CAPSULE 140 MG | 5 | PA; QL (120 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--|
| IMBRUVICA ORAL CAPSULE 70 MG | 5 | PA; QL (30 per 30 days); NEDS |
| IMBRUVICA ORAL SUSPENSION | 5 | PA; QL (324 per 30 days); NEDS |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG | 5 | PA; QL (30 per 30 days); NEDS |
| IMDELLTRA INTRAVENOUS RECON SOLN | 5 | PA; NEDS |
| IMFINZI INTRAVENOUS SOLUTION | 5 | B/D PA; MO; LA; NEDS |
| IMJUDO INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| INLYTA ORAL TABLET 1 MG | 5 | PA; MO; QL (180 per 30 days); NEDS |
| INLYTA ORAL TABLET 5 MG | 5 | PA; MO; QL (120 per 30 days); NEDS |
| INQOVI ORAL TABLET | 5 | PA; MO; QL (5 per 28 days); NEDS |
| INREBIC ORAL CAPSULE | 5 | PA; MO; LA; QL (120 per 30 days); NEDS |
| <i>irinotecan intravenous solution 100 mg/5 ml</i> | 2 | B/D PA; MO |
| <i>irinotecan intravenous solution 300 mg/15 ml, 500 mg/25 ml</i> | 5 | B/D PA; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| <i>irinotecan intravenous solution 40 mg/2 ml</i> | 5 | B/D PA; MO; NEDS |
| ISTODAX INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; NEDS |
| IWILFIN ORAL TABLET | 5 | PA; LA; QL (240 per 30 days); NEDS |
| IXEMPRA INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; NEDS |
| JAKAFI ORAL TABLET | 5 | PA; MO; QL (60 per 30 days); NEDS |
| JAYPIRCA ORAL TABLET 100 MG | 5 | PA; MO; QL (60 per 30 days); NEDS |
| JAYPIRCA ORAL TABLET 50 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| JEMPERLI INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| JEVTANA INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| JYLAMVO ORAL SOLUTION | 4 | B/D PA; MO |
| KADCYLA INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |
| KEYTRUDA INTRAVENOUS SOLUTION | 5 | PA; NEDS |
| KIMMTRAK INTRAVENOUS SOLUTION | 5 | PA; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5 | PA; MO; QL (49 per 28 days); NEDS |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5 | PA; MO; QL (70 per 28 days); NEDS |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5 | PA; MO; QL (91 per 28 days); NEDS |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA; MO; QL (21 per 28 days); NEDS |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 5 | PA; MO; QL (42 per 28 days); NEDS |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 5 | PA; MO; QL (63 per 28 days); NEDS |
| KOSELUGO ORAL CAPSULE | 5 | PA; NEDS |
| KRAZATI ORAL TABLET | 5 | PA; QL (180 per 30 days); NEDS |
| KYPROLIS INTRAVENOUS RECON SOLN | 5 | B/D PA; NEDS |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> | 5 | PA; MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| <i>lapatinib oral tablet</i> | 5 | PA; MO; QL (180 per 30 days); NEDS |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> | 5 | PA; MO; QL (28 per 28 days); NEDS |
| <i>lenalidomide oral capsule 2.5 mg, 20 mg</i> | 5 | PA; QL (28 per 28 days); NEDS |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) | 5 | PA; MO; QL (90 per 30 days); NEDS |
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | 5 | PA; MO; QL (60 per 30 days); NEDS |
| <i>letrozole oral tablet</i> | 2 | MO |
| LEUKERAN ORAL TABLET | 5 | MO; NEDS |
| <i>leuprolide subcutaneous kit</i> | 5 | PA; MO; NEDS |
| LIBTAYO INTRAVENOUS SOLUTION | 5 | PA; LA; NEDS |
| LONSURF ORAL TABLET | 5 | PA; MO; NEDS |
| LOQTORZI INTRAVENOUS SOLUTION | 5 | PA; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| LORBRENA ORAL TABLET 100 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| LORBRENA ORAL TABLET 25 MG | 5 | PA; MO; QL (90 per 30 days); NEDS |
| LUMAKRAS ORAL TABLET | 5 | PA; MO; NEDS |
| LUNSUMIO INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; NEDS |
| LYNPARZA ORAL TABLET | 5 | PA; MO; QL (120 per 30 days); NEDS |
| LYSODREN ORAL TABLET | 5 | NEDS |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) | 5 | PA; LA; NEDS |
| MARGENZA INTRAVENOUS SOLUTION | 5 | PA; NEDS |
| MATULANE ORAL CAPSULE | 5 | NEDS |
| <i>megestrol oral suspension 400 mg/10 ml (10 ml)</i> | 3 | PA |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 3 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--|
| <i>megestrol oral suspension 625 mg/5 ml (125 mg/ml)</i> | 4 | PA; MO |
| <i>megestrol oral tablet</i> | 3 | PA; MO |
| MEKINIST ORAL RECON SOLN | 5 | PA; MO; QL (1200 per 30 days); NEDS |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA; MO; QL (90 per 30 days); NEDS |
| MEKINIST ORAL TABLET 2 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| MEKTOVI ORAL TABLET | 5 | PA; MO; LA; QL (180 per 30 days); NEDS |
| <i>melphalan hcl intravenous recon soln</i> | 5 | B/D PA; NEDS |
| <i>mercaptopurine oral tablet</i> | 3 | MO |
| <i>methotrexate sodium (pf) injection recon soln</i> | 2 | B/D PA |
| <i>methotrexate sodium (pf) injection solution</i> | 2 | B/D PA; MO |
| <i>methotrexate sodium injection solution</i> | 2 | B/D PA; MO |
| <i>methotrexate sodium oral tablet</i> | 2 | B/D PA; MO |
| <i>mitomycin intravenous recon soln 20 mg, 5 mg</i> | 2 | B/D PA; MO |
| <i>mitomycin intravenous recon soln 40 mg</i> | 5 | B/D PA; MO; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| <i>mitoxantrone intravenous concentrate</i> | 2 | B/D PA; MO |
| MONJUVI INTRAVENOUS RECON SOLN | 5 | PA; LA; NEDS |
| <i>mycophenolate mofetil (hcl) intravenous recon soln</i> | 4 | B/D PA; MO |
| <i>mycophenolate mofetil oral capsule</i> | 3 | B/D PA; MO |
| <i>mycophenolate mofetil oral suspension for reconstitution</i> | 5 | B/D PA; MO; NEDS |
| <i>mycophenolate mofetil oral tablet</i> | 3 | B/D PA; MO |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec)</i> | 4 | B/D PA; MO |
| MYHIBBIN ORAL SUSPENSION | 5 | B/D PA; NEDS |
| MYLOTARG INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; LA; NEDS |
| <i>nelarabine intravenous solution</i> | 5 | B/D PA; MO; NEDS |
| NERLYNX ORAL TABLET | 5 | PA; MO; LA; NEDS |
| <i>nilutamide oral tablet</i> | 5 | PA; MO; NEDS |
| NINLARO ORAL CAPSULE | 5 | PA; MO; QL (3 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--|
| NUBEQA ORAL TABLET | 5 | PA; MO; LA; QL (120 per 30 days); NEDS |
| NULOJIX INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; NEDS |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i> | 5 | PA; MO; NEDS |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> | 4 | PA; MO |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i> | 4 | PA; MO |
| <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i> | 5 | PA; MO; NEDS |
| ODOMZO ORAL CAPSULE | 5 | PA; MO; LA; QL (30 per 30 days); NEDS |
| OGSIVEO ORAL TABLET 100 MG, 150 MG | 5 | PA; QL (56 per 28 days); NEDS |
| OGSIVEO ORAL TABLET 50 MG | 5 | PA; QL (180 per 30 days); NEDS |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION | 5 | PA; QL (96 per 28 days); NEDS |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4) | 5 | PA; QL (16 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5) | 5 | PA; QL (20 per 28 days); NEDS |
| OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6) | 5 | PA; QL (24 per 28 days); NEDS |
| OJJAARA ORAL TABLET | 5 | PA; QL (30 per 30 days); NEDS |
| ONCASPAR INJECTION SOLUTION | 5 | B/D PA; NEDS |
| ONIVYDE INTRAVENOUS DISPERSION | 5 | B/D PA; NEDS |
| ONUREG ORAL TABLET | 5 | PA; MO; QL (14 per 28 days); NEDS |
| OPDIVO INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| OPDUALAG INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| ORGOVYX ORAL TABLET | 5 | PA; LA; QL (30 per 28 days); NEDS |
| ORSERDU ORAL TABLET 345 MG | 5 | PA; QL (30 per 30 days); NEDS |
| ORSERDU ORAL TABLET 86 MG | 5 | PA; QL (90 per 30 days); NEDS |
| <i>oxaliplatin intravenous recon soln 100 mg</i> | 2 | B/D PA |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| <i>oxaliplatin intravenous recon soln 50 mg</i> | 2 | B/D PA; MO |
| <i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i> | 2 | B/D PA; MO |
| <i>oxaliplatin intravenous solution 200 mg/40 ml</i> | 2 | B/D PA |
| <i>paclitaxel intravenous concentrate</i> | 2 | B/D PA; MO |
| PADCEV INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |
| <i>paraplatin intravenous solution</i> | 2 | B/D PA |
| <i>pazopanib oral tablet</i> | 5 | PA; MO; QL (120 per 30 days); NEDS |
| PEMAZYRE ORAL TABLET | 5 | PA; LA; QL (28 per 28 days); NEDS |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 500 mg</i> | 5 | B/D PA; MO; NEDS |
| <i>pemetrexed disodium intravenous recon soln 100 mg</i> | 4 | B/D PA; MO |
| <i>pemetrexed disodium intravenous recon soln 750 mg</i> | 5 | B/D PA; NEDS |
| PERJETA INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--|
| PIQRAY ORAL TABLET | 5 | PA; MO; NEDS |
| POLIVY INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |
| POMALYST ORAL CAPSULE | 5 | PA; MO; LA; NEDS |
| PORTRAZZA INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| POTELIGEO INTRAVENOUS SOLUTION | 5 | PA; NEDS |
| PRALATREXATE INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| PROGRAF INTRAVENOUS SOLUTION | 3 | B/D PA; MO |
| PROGRAF ORAL GRANULES IN PACKET | 4 | B/D PA; MO |
| PURIXAN ORAL SUSPENSION | 5 | NEDS |
| QINLOCK ORAL TABLET | 5 | PA; LA; QL (90 per 30 days); NEDS |
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA; MO; LA; QL (180 per 30 days); NEDS |
| RETEVMO ORAL CAPSULE 80 MG | 5 | PA; MO; LA; QL (120 per 30 days); NEDS |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG | 5 | PA; MO; LA; QL (60 per 30 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--|
| RETEVMO ORAL TABLET 40 MG | 5 | PA; MO; LA; QL (90 per 30 days); NEDS |
| REVLIMID ORAL CAPSULE | 5 | PA; MO; LA; QL (28 per 28 days); NEDS |
| REZLIDHIA ORAL CAPSULE | 5 | PA; QL (60 per 30 days); NEDS |
| REZUROCK ORAL TABLET | 5 | PA; LA; QL (30 per 30 days); NEDS |
| <i>romidepsin intravenous recon soln</i> | 5 | B/D PA; NEDS |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA; MO; QL (150 per 30 days); NEDS |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA; MO; QL (90 per 30 days); NEDS |
| ROZLYTREK ORAL PELLETS IN PACKET | 5 | PA; MO; QL (336 per 28 days); NEDS |
| RUBRACA ORAL TABLET | 5 | PA; MO; LA; QL (120 per 30 days); NEDS |
| RUXIENCE INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| RYBREVANT INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| RYDAPT ORAL CAPSULE | 5 | PA; MO; QL (224 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------|
| RYLAZE INTRAMUSCULAR SOLUTION | 5 | PA; NEDS |
| RYTELO INTRAVENOUS RECON SOLN | 5 | PA; NEDS |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE RECON | 5 | PA; MO; NEDS |
| SARCLISA INTRAVENOUS SOLUTION | 5 | PA; LA; NEDS |
| SCEMBLIX ORAL TABLET 100 MG | 5 | PA; QL (120 per 30 days); NEDS |
| SCEMBLIX ORAL TABLET 20 MG | 5 | PA; QL (600 per 30 days); NEDS |
| SCEMBLIX ORAL TABLET 40 MG | 5 | PA; QL (300 per 30 days); NEDS |
| SIGNIFOR SUBCUTANEOUS SOLUTION | 5 | PA; NEDS |
| SIMULECT INTRAVENOUS RECON SOLN | 3 | B/D PA; MO |
| <i>sirolimus oral solution</i> | 5 | B/D PA; MO; NEDS |
| <i>sirolimus oral tablet</i> | 4 | B/D PA; MO |
| SOLTAMOX ORAL SOLUTION | 5 | MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------------|
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE | 5 | PA; MO; NEDS |
| <i>sorafenib oral tablet</i> | 5 | PA; MO; QL (120 per 30 days); NEDS |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| SPRYCEL ORAL TABLET 20 MG, 70 MG | 5 | PA; MO; QL (60 per 30 days); NEDS |
| STIVARGA ORAL TABLET | 5 | PA; MO; QL (84 per 28 days); NEDS |
| <i>sunitinib malate oral capsule</i> | 5 | PA; MO; QL (30 per 30 days); NEDS |
| TABLOID ORAL TABLET | 4 | MO |
| TABRECTA ORAL TABLET | 5 | PA; MO; NEDS |
| <i>tacrolimus oral capsule</i> | 3 | B/D PA; MO |
| TAFINLAR ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days); NEDS |
| TAFINLAR ORAL TABLET FOR SUSPENSION | 5 | PA; MO; QL (840 per 28 days); NEDS |
| TAGRISSE ORAL TABLET | 5 | PA; MO; LA; QL (30 per 30 days); NEDS |
| TALVEY SUBCUTANEOUS SOLUTION | 5 | PA; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| TALZENNA ORAL CAPSULE | 5 | PA; MO; QL (30 per 30 days); NEDS |
| <i>tamoxifen oral tablet</i> | 2 | MO |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG | 5 | PA; MO; QL (112 per 28 days); NEDS |
| TASIGNA ORAL CAPSULE 50 MG | 5 | PA; MO; QL (120 per 30 days); NEDS |
| TAZVERIK ORAL TABLET | 5 | PA; LA; NEDS |
| TECENTRIQ INTRAVENOUS SOLUTION | 5 | B/D PA; MO; LA; NEDS |
| TECVAYLI SUBCUTANEOUS SOLUTION | 5 | PA; NEDS |
| TEMODAR INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; NEDS |
| <i>temsirolimus intravenous recon soln</i> | 5 | B/D PA; MO; NEDS |
| TEPMETKO ORAL TABLET | 5 | PA; LA; NEDS |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 5 | PA; MO; QL (28 per 28 days); NEDS |
| THALOMID ORAL CAPSULE 150 MG, 200 MG | 5 | PA; QL (56 per 28 days); NEDS |
| <i>thiotepa injection recon soln 100 mg</i> | 5 | B/D PA; NEDS |
| <i>thiotepa injection recon soln 15 mg</i> | 5 | B/D PA; MO; NEDS |
| TIBSOVO ORAL TABLET | 5 | PA; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| TIVDAK INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |
| <i>topotecan intravenous recon soln</i> | 5 | B/D PA; MO; NEDS |
| <i>topotecan intravenous solution</i> | 5 | B/D PA; MO; NEDS |
| <i>toremifene oral tablet</i> | 5 | MO; NEDS |
| <i>torpenz oral tablet</i> | 5 | PA; QL (30 per 30 days); NEDS |
| TRAZIMERA INTRAVENOUS RECON SOLN | 5 | B/D PA; MO; NEDS |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 4 | PA; MO |
| <i>tretinoin (antineoplastic) oral capsule</i> | 5 | MO; NEDS |
| TRODELVY INTRAVENOUS RECON SOLN | 5 | PA; LA; NEDS |
| TRUQAP ORAL TABLET | 5 | PA; QL (64 per 28 days); NEDS |
| TUKYSA ORAL TABLET 150 MG | 5 | PA; LA; QL (120 per 30 days); NEDS |
| TUKYSA ORAL TABLET 50 MG | 5 | PA; LA; QL (300 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------------|
| TURALIO ORAL CAPSULE 125 MG | 5 | PA; LA; QL (120 per 30 days); NEDS |
| UNITUXIN INTRAVENOUS SOLUTION | 5 | B/D PA; NEDS |
| <i>valrubicin intravesical solution</i> | 5 | B/D PA; MO; NEDS |
| VANFLYTA ORAL TABLET | 5 | PA; QL (56 per 28 days); NEDS |
| VECTIBIX INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| VENCLEXTA ORAL TABLET 10 MG | 4 | PA; LA; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA; LA; QL (180 per 30 days); NEDS |
| VENCLEXTA ORAL TABLET 50 MG | 5 | PA; LA; QL (30 per 30 days); NEDS |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK | 5 | PA; LA; QL (42 per 180 days); NEDS |
| VERZENIO ORAL TABLET | 5 | PA; MO; LA; QL (60 per 30 days); NEDS |
| <i>vinblastine intravenous solution</i> | 2 | B/D PA; MO |
| <i>vincristine intravenous solution</i> | 2 | B/D PA; MO |
| <i>vinorelbine intravenous solution</i> | 2 | B/D PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|-------------------------------|-----------|--|
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA; MO; LA; QL (60 per 30 days); NEDS |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA; MO; LA; QL (180 per 30 days); NEDS |
| VITRAKVI ORAL SOLUTION | 5 | PA; MO; LA; QL (300 per 30 days); NEDS |
| VIZIMPRO ORAL TABLET | 5 | PA; MO; QL (30 per 30 days); NEDS |
| VONJO ORAL CAPSULE | 5 | PA; QL (120 per 30 days); NEDS |
| VORANIGO ORAL TABLET 10 MG | 5 | PA; QL (60 per 30 days); NEDS |
| VORANIGO ORAL TABLET 40 MG | 5 | PA; QL (30 per 30 days); NEDS |
| VOTRIENT ORAL TABLET | 5 | PA; MO; QL (120 per 30 days); NEDS |
| VYXEOS INTRAVENOUS RECON SOLN | 5 | B/D PA; NEDS |
| WELIREG ORAL TABLET | 5 | PA; LA; NEDS |
| XALKORI ORAL CAPSULE | 5 | PA; MO; QL (60 per 30 days); NEDS |
| XALKORI ORAL PELLETT 150 MG | 5 | PA; MO; QL (180 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|-----------------------------------|-----------|---------------------------------------|
| XALKORI ORAL PELLETT 20 MG, 50 MG | 5 | PA; MO; QL (120 per 30 days); NEDS |
| XATMEP ORAL SOLUTION | 4 | B/D PA; MO |
| XERMELO ORAL TABLET | 5 | PA; LA; QL (84 per 28 days); NEDS |
| XOSPATA ORAL TABLET | 5 | PA; LA; QL (90 per 30 days); NEDS |
| XPOVIO ORAL TABLET | 5 | PA; LA; NEDS |
| XTANDI ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days); NEDS |
| XTANDI ORAL TABLET 40 MG | 5 | PA; MO; QL (120 per 30 days); NEDS |
| XTANDI ORAL TABLET 80 MG | 5 | PA; MO; QL (60 per 30 days); NEDS |
| YERVOY INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| YONDELIS INTRAVENOUS RECON SOLN | 5 | B/D PA; NEDS |
| ZALTRAP INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| ZANOSAR INTRAVENOUS RECON SOLN | 4 | B/D PA; MO |
| ZEJULA ORAL TABLET 100 MG | 5 | PA; MO; LA; QL (90 per 30 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| ZEJULA ORAL TABLET 200 MG, 300 MG | 5 | PA; MO; LA; QL (30 per 30 days); NEDS |
| ZELBORAF ORAL TABLET | 5 | PA; MO; QL (240 per 30 days); NEDS |
| ZEPZELCA INTRAVENOUS RECON SOLN | 5 | PA; NEDS |
| ZIRABEV INTRAVENOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| ZOLADEX SUBCUTANEOUS IMPLANT | 4 | PA; MO |
| ZOLINZA ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days); NEDS |
| ZYDELIG ORAL TABLET | 5 | PA; MO; QL (60 per 30 days); NEDS |
| ZYKADIA ORAL TABLET | 5 | PA; MO; QL (90 per 30 days); NEDS |
| ZYNLONTA INTRAVENOUS RECON SOLN | 5 | PA; LA; NEDS |
| ZYNYZ INTRAVENOUS SOLUTION | 5 | PA; NEDS |
| AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH | | |
| ANTICONVULSANTS | | |
| APTIOM ORAL TABLET 200 MG | 5 | MO; QL (180 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------|
| APTIOM ORAL TABLET 400 MG | 5 | MO; QL (90 per 30 days); NEDS |
| APTIOM ORAL TABLET 600 MG, 800 MG | 5 | MO; QL (60 per 30 days); NEDS |
| BRIVIACT INTRAVENOUS SOLUTION | 4 | MO; QL (600 per 30 days) |
| BRIVIACT ORAL SOLUTION | 5 | MO; QL (600 per 30 days); NEDS |
| BRIVIACT ORAL TABLET | 5 | MO; QL (60 per 30 days); NEDS |
| <i>carbamazepine oral capsule, er multiphase 12 hr</i> | 3 | MO |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> | 2 | MO |
| <i>carbamazepine oral suspension 100 mg/5 ml (5 ml), 200 mg/10 ml</i> | 2 | |
| <i>carbamazepine oral tablet</i> | 2 | MO |
| <i>carbamazepine oral tablet extended release 12 hr</i> | 3 | MO |
| <i>carbamazepine oral tablet, chewable</i> | 2 | MO |
| <i>clobazam oral suspension</i> | 4 | PA; MO; QL (480 per 30 days) |
| <i>clobazam oral tablet</i> | 4 | PA; MO; QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------|
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> | 2 | MO; QL (300 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 2 mg</i> | 2 | MO; QL (300 per 30 days) |
| DIACOMIT ORAL CAPSULE | 5 | PA; LA; NEDS |
| DIACOMIT ORAL POWDER IN PACKET | 5 | PA; LA; NEDS |
| <i>diazepam rectal kit</i> | 4 | MO |
| DILANTIN 30 MG ORAL CAPSULE | 4 | MO |
| <i>divalproex oral capsule, delayed rel sprinkle</i> | 2 | MO |
| <i>divalproex oral tablet extended release 24 hr</i> | 2 | MO |
| <i>divalproex oral tablet, delayed release (dr/ec)</i> | 2 | MO |
| EPIDIOLEX ORAL SOLUTION | 5 | PA; MO; LA; NEDS |
| <i>epitol oral tablet</i> | 2 | MO |
| EPRONTIA ORAL SOLUTION | 4 | PA; MO |
| <i>ethosuximide oral capsule</i> | 3 | MO |
| <i>ethosuximide oral solution</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>felbamate oral suspension</i> | 5 | MO; NEDS |
| <i>felbamate oral tablet</i> | 4 | MO |
| FINTEPLA ORAL SOLUTION | 5 | PA; LA; QL (360 per 30 days); NEDS |
| <i>fosphephenytoin injection solution</i> | 2 | MO |
| FYCOMPA ORAL SUSPENSION | 5 | MO; QL (720 per 30 days); NEDS |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG | 5 | MO; QL (30 per 30 days); NEDS |
| FYCOMPA ORAL TABLET 2 MG | 4 | MO; QL (60 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG | 5 | MO; QL (60 per 30 days); NEDS |
| <i>gabapentin oral capsule 100 mg, 400 mg</i> | 2 | MO; QL (270 per 30 days) |
| <i>gabapentin oral capsule 300 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml</i> | 3 | MO; QL (2160 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i> | 3 | QL (2160 per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> | 2 | MO; QL (120 per 30 days) |
| <i>gabapentin oral tablet extended release 24 hr 300 mg</i> | 3 | PA; MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>gabapentin oral tablet extended release 24 hr 600 mg</i> | 3 | PA; MO; QL (90 per 30 days) |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG | 3 | PA; MO; QL (30 per 30 days) |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 450 MG, 750 MG, 900 MG | 3 | PA; MO; QL (60 per 30 days) |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 600 MG | 3 | PA; MO; QL (90 per 30 days) |
| <i>lacosamide intravenous solution</i> | 3 | MO; QL (1200 per 30 days) |
| <i>lacosamide oral solution</i> | 4 | MO; QL (1200 per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>lacosamide oral tablet 50 mg</i> | 3 | MO; QL (120 per 30 days) |
| <i>lamotrigine oral tablet</i> | 1 | MO; GC |
| <i>lamotrigine oral tablet disintegrating, dose pk</i> | 4 | MO |
| <i>lamotrigine oral tablet, chewable dispersible</i> | 2 | MO |
| <i>lamotrigine oral tablet, disintegrating</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>lamotrigine oral tablets,dose pack</i> | 4 | MO |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 500 mg/100 ml</i> | 2 | MO |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,500 mg/100 ml</i> | 2 | |
| <i>levetiracetam intravenous solution</i> | 2 | MO |
| <i>levetiracetam oral solution 100 mg/ml</i> | 2 | MO |
| <i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i> | 2 | |
| <i>levetiracetam oral tablet</i> | 2 | MO |
| <i>levetiracetam oral tablet extended release 24 hr</i> | 2 | MO |
| LIBERVANT BUCCAL FILM | 5 | PA; QL (10 per 30 days); NEDS |
| <i>methsuximide oral capsule</i> | 4 | MO |
| NAYZILAM NASAL SPRAY, NON-AEROSOL | 5 | PA; MO; QL (10 per 30 days); NEDS |
| <i>oxcarbazepine oral suspension</i> | 4 | MO |
| <i>oxcarbazepine oral tablet</i> | 3 | MO |
| <i>phenobarbital oral elixir</i> | 4 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| <i>phenobarbital oral tablet 100 mg, 15 mg, 30 mg, 60 mg</i> | 3 | PA |
| <i>phenobarbital oral tablet 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg</i> | 3 | PA; MO |
| <i>phenobarbital sodium injection solution 130 mg/ml</i> | 2 | MO |
| <i>phenobarbital sodium injection solution 65 mg/ml</i> | 2 | |
| <i>phenytoin oral suspension 100 mg/4 ml</i> | 2 | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> | 2 | MO |
| <i>phenytoin oral tablet, chewable</i> | 2 | MO |
| <i>phenytoin sodium extended oral capsule 100 mg</i> | 2 | MO |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> | 2 | |
| <i>phenytoin sodium intravenous solution</i> | 2 | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> | 3 | MO; QL (90 per 30 days) |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>pregabalin oral solution</i> | 3 | MO; QL (900 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| PRIMIDONE ORAL TABLET 125 MG | 4 | MO |
| <i>primidone oral tablet 250 mg, 50 mg</i> | 2 | MO |
| <i>roweepra oral tablet 500 mg</i> | 2 | MO |
| <i>rufinamide oral suspension</i> | 5 | PA; MO; NEDS |
| <i>rufinamide oral tablet 200 mg</i> | 4 | PA; MO |
| <i>rufinamide oral tablet 400 mg</i> | 5 | PA; MO; NEDS |
| SPRITAM ORAL TABLET FOR SUSPENSION | 4 | MO |
| <i>subvenite oral tablet 100 mg, 200 mg, 25 mg</i> | 1 | MO; GC |
| <i>subvenite oral tablet 150 mg</i> | 1 | GC |
| <i>subvenite starter (blue) kit oral tablets,dose pack</i> | 4 | MO |
| <i>subvenite starter (green) kit oral tablets,dose pack</i> | 4 | MO |
| <i>subvenite starter (orange) kit oral tablets,dose pack</i> | 4 | MO |
| SYMPAZAN ORAL FILM 10 MG, 20 MG | 5 | PA; MO; QL (60 per 30 days); NEDS |
| SYMPAZAN ORAL FILM 5 MG | 4 | PA; MO; QL (60 per 30 days) |
| <i>tiagabine oral tablet</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>topiramate oral capsule, sprinkle</i> | 2 | PA; MO |
| <i>topiramate oral tablet</i> | 2 | PA; MO |
| <i>valproate sodium intravenous solution</i> | 2 | MO |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2 | MO |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i> | 2 | |
| <i>valproic acid oral capsule</i> | 2 | MO |
| VALTOCO NASAL SPRAY, NON-AEROSOL | 5 | PA; MO; QL (10 per 30 days); NEDS |
| <i>vigabatrin oral powder in packet</i> | 5 | PA; MO; LA; NEDS |
| <i>vigabatrin oral tablet</i> | 5 | PA; MO; LA; NEDS |
| <i>vigadrone oral powder in packet</i> | 5 | PA; LA; NEDS |
| <i>vigadrone oral tablet</i> | 5 | PA; LA; NEDS |
| <i>vigpoder oral powder in packet</i> | 5 | PA; LA; NEDS |
| XCOPRI MAINTENANCE PACK ORAL TABLET | 5 | MO; QL (56 per 28 days); NEDS |
| XCOPRI ORAL TABLET 100 MG | 5 | MO; QL (120 per 30 days); NEDS |
| XCOPRI ORAL TABLET 150 MG, 200 MG | 5 | MO; QL (60 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------------|
| XCOPRI ORAL TABLET 25 MG | 5 | MO; QL (30 per 30 days); NEDS |
| XCOPRI ORAL TABLET 50 MG | 5 | MO; QL (240 per 30 days); NEDS |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14) | 4 | MO; QL (28 per 180 days) |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 5 | MO; QL (28 per 180 days); NEDS |
| ZONISADE ORAL SUSPENSION | 5 | PA; MO; NEDS |
| <i>zonisamide oral capsule</i> | 2 | PA; MO |
| ZTALMY ORAL SUSPENSION | 5 | PA; LA; QL (1100 per 30 days); NEDS |
| ANTIPARKINSONISM AGENTS | | |
| APOKYN SUBCUTANEOUS CARTRIDGE | 5 | PA; MO; LA; QL (90 per 30 days); NEDS |
| <i>apomorphine subcutaneous cartridge</i> | 5 | PA; QL (90 per 30 days); NEDS |
| <i>benztropine injection solution</i> | 2 | MO |
| <i>benztropine oral tablet</i> | 2 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------|
| <i>bromocriptine oral capsule</i> | 4 | MO |
| <i>bromocriptine oral tablet</i> | 4 | MO |
| <i>carbidopa oral tablet</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet extended release</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet,disintegrating</i> | 2 | |
| <i>carbidopa-levodopa-entacapone oral tablet</i> | 4 | MO |
| <i>entacapone oral tablet</i> | 4 | MO |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE | 5 | PA; QL (300 per 30 days); NEDS |
| NEUPRO TRANSDERMAL PATCH 24 HOUR | 4 | MO |
| <i>pramipexole oral tablet</i> | 2 | MO |
| <i>rasagiline oral tablet</i> | 4 | MO |
| <i>ropinirole oral tablet</i> | 2 | MO |
| <i>ropinirole oral tablet extended release 24 hr</i> | 4 | MO |
| <i>selegiline hcl oral capsule</i> | 2 | MO |
| <i>selegiline hcl oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| MIGRAINE / CLUSTER HEADACHE THERAPY | | |
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 3 | PA; MO; QL (1 per 30 days) |
| <i>dihydroergotamine injection solution</i> | 5 | NEDS |
| <i>dihydroergotamine nasal spray,non-aerosol</i> | 5 | QL (8 per 28 days); NEDS |
| <i>eletriptan oral tablet</i> | 4 | MO; QL (18 per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR | 3 | PA; MO; QL (2 per 30 days) |
| EMGALITY SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; MO; QL (2 per 30 days) |
| <i>ergotamine-caffeine oral tablet</i> | 3 | MO |
| <i>naratriptan oral tablet</i> | 3 | MO; QL (18 per 28 days) |
| NURTEC ODT ORAL TABLET,DISINTEGRATING | 3 | PA; QL (16 per 30 days) |
| QULIPTA ORAL TABLET | 3 | PA; MO; QL (30 per 30 days) |
| <i>rizatriptan oral tablet</i> | 2 | MO; QL (36 per 28 days) |
| <i>rizatriptan oral tablet,disintegrating</i> | 3 | MO; QL (36 per 28 days) |
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> | 4 | MO; QL (18 per 28 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> | 4 | MO; QL (36 per 28 days) |
| <i>sumatriptan succinate oral tablet</i> | 2 | MO; QL (18 per 28 days) |
| <i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml</i> | 4 | MO; QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> | 4 | QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> | 4 | QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> | 4 | MO; QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution</i> | 4 | MO; QL (8 per 28 days) |
| UBRELVY ORAL TABLET | 3 | PA; QL (20 per 30 days) |
| <i>zolmitriptan oral tablet</i> | 4 | MO; QL (18 per 28 days) |
| <i>zolmitriptan oral tablet,disintegrating</i> | 4 | MO; QL (18 per 28 days) |
| MISCELLANEOUS NEUROLOGICAL THERAPY | | |
| BRIUMVI INTRAVENOUS SOLUTION | 5 | PA; MO; QL (24 per 180 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------------|
| <i>dalfampridine oral tablet extended release 12 hr</i> | 3 | PA; MO; QL (60 per 30 days) |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> | 5 | PA; MO; QL (14 per 30 days); NEDS |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> | 5 | PA; MO; QL (120 per 180 days); NEDS |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> | 5 | PA; MO; QL (60 per 30 days); NEDS |
| <i>donepezil oral tablet 10 mg, 5 mg</i> | 1 | MO; GC |
| <i>donepezil oral tablet 23 mg</i> | 4 | MO |
| <i>donepezil oral tablet, disintegrating</i> | 1 | MO; GC |
| <i> fingolimod oral capsule</i> | 5 | PA; MO; QL (30 per 30 days); NEDS |
| FIRDAPSE ORAL TABLET | 5 | PA; LA; NEDS |
| <i>galantamine oral capsule, ext rel. pellets 24 hr</i> | 3 | MO |
| <i>galantamine oral solution</i> | 4 | MO |
| <i>galantamine oral tablet</i> | 3 | MO |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> | 5 | PA; QL (30 per 30 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> | 5 | PA; QL (12 per 28 days); NEDS |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> | 5 | PA; MO; QL (30 per 30 days); NEDS |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> | 5 | PA; MO; QL (12 per 28 days); NEDS |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE, DOSE PACK | 5 | PA; LA; QL (28 per 180 days); NEDS |
| INGREZZA ORAL CAPSULE | 5 | PA; LA; QL (30 per 30 days); NEDS |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE | 5 | PA; LA; QL (30 per 30 days); NEDS |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (1.6 per 28 days); NEDS |
| <i>memantine oral capsule, sprinkle, er 24hr</i> | 4 | PA; MO |
| <i>memantine oral solution</i> | 3 | PA; MO |
| <i>memantine oral tablet</i> | 2 | PA; MO |
| NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK | 3 | PA |
| NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR | 3 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| NUEDEXTA ORAL CAPSULE | 5 | PA; MO; NEDS |
| RADICAVA ORS ORAL SUSPENSION | 5 | PA; MO; NEDS |
| RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION | 5 | PA; MO; NEDS |
| <i>rivastigmine tartrate oral capsule</i> | 3 | MO |
| <i>rivastigmine transdermal patch 24 hour</i> | 4 | MO |
| <i>teriflunomide oral tablet</i> | 5 | PA; MO; QL (30 per 30 days); NEDS |
| <i>tetrabenazine oral tablet 12.5 mg</i> | 5 | PA; MO; QL (240 per 30 days); NEDS |
| <i>tetrabenazine oral tablet 25 mg</i> | 5 | PA; MO; QL (120 per 30 days); NEDS |
| VUMERITY ORAL CAPSULE,DELAY ED RELEASE(DR/EC) | 5 | PA; MO; QL (120 per 30 days); NEDS |
| ZEPOSIA ORAL CAPSULE | 5 | PA; MO; QL (30 per 30 days); NEDS |
| ZEPOSIA STARTER KIT (28-DAY) ORAL CAPSULE,DOSE PACK | 5 | PA; MO; QL (28 per 180 days); NEDS |
| ZEPOSIA STARTER PACK (7-DAY) ORAL CAPSULE,DOSE PACK | 5 | PA; MO; QL (7 per 180 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------|
| MUSCLE RELAXANTS / ANTISPASMODIC THERAPY | | |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | MO |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 4 | PA; MO |
| <i>dantrolene intravenous recon soln</i> | 2 | |
| <i>dantrolene oral capsule</i> | 4 | MO |
| LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML | 3 | B/D PA; MO |
| LIORESAL INTRATHECAL SOLUTION 50 MCG/ML | 3 | B/D PA |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 3 | MO |
| <i>pyridostigmine bromide oral tablet extended release</i> | 3 | |
| <i>revonto intravenous recon soln</i> | 2 | |
| <i>tizanidine oral tablet</i> | 2 | MO |
| NARCOTIC ANALGESICS | | |
| <i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 300 mg-30 mg /12.5 ml</i> | 2 | QL (4500 per 30 days); NEDS |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i> | 2 | MO; QL (4500 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i> | 2 | MO; QL (360 per 30 days); NEDS |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i> | 2 | MO; QL (180 per 30 days); NEDS |
| BELBUCA BUCCAL FILM | 3 | PA; MO; QL (60 per 30 days); NEDS |
| <i>buprenorphine hcl injection syringe</i> | 2 | NEDS |
| <i>buprenorphine hcl sublingual tablet</i> | 2 | MO |
| <i>buprenorphine transdermal patch transdermal patch weekly</i> | 4 | PA; MO; QL (4 per 28 days); NEDS |
| <i>endocet oral tablet</i> | 3 | QL (360 per 30 days); NEDS |
| <i>fentanyl citrate (pf) injection solution</i> | 2 | NEDS |
| <i>fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)</i> | 2 | NEDS |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 5 | PA; MO; QL (120 per 30 days); NEDS |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> | 4 | PA; MO; QL (120 per 30 days); NEDS |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 4 | PA; MO; QL (10 per 30 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 3 | MO; QL (5550 per 30 days); NEDS |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i> | 3 | MO; QL (390 per 30 days); NEDS |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | MO; QL (360 per 30 days); NEDS |
| <i>hydrocodone-ibuprofen oral tablet</i> | 3 | MO; QL (50 per 30 days); NEDS |
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml, 2 mg/ml</i> | 4 | NEDS |
| <i>hydromorphone injection solution 1 mg/ml</i> | 4 | NEDS |
| <i>hydromorphone injection solution 2 mg/ml</i> | 4 | MO; NEDS |
| <i>hydromorphone injection syringe 1 mg/ml, 4 mg/ml</i> | 4 | MO; NEDS |
| <i>hydromorphone injection syringe 2 mg/ml</i> | 4 | NEDS |
| <i>hydromorphone oral liquid</i> | 4 | MO; QL (2400 per 30 days); NEDS |
| <i>hydromorphone oral tablet</i> | 3 | MO; QL (180 per 30 days); NEDS |
| <i>hydromorphone oral tablet extended release 24 hr</i> | 4 | PA; MO; QL (60 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|------------------|-------------------------------------|
| <i>methadone injection solution</i> | 3 | NEDS |
| <i>methadone intensol oral concentrate</i> | 3 | PA; MO; QL (90 per 30 days); NEDS |
| <i>methadone oral concentrate</i> | 3 | PA; QL (90 per 30 days); NEDS |
| <i>methadone oral solution 10 mg/5 ml</i> | 3 | PA; MO; QL (600 per 30 days); NEDS |
| <i>methadone oral solution 5 mg/5 ml</i> | 3 | PA; MO; QL (1200 per 30 days); NEDS |
| <i>methadone oral tablet 10 mg</i> | 3 | PA; MO; QL (120 per 30 days); NEDS |
| <i>methadone oral tablet 5 mg</i> | 3 | PA; MO; QL (240 per 30 days); NEDS |
| <i>methadose oral concentrate</i> | 3 | PA; MO; QL (90 per 30 days); NEDS |
| <i>morphine (pf) injection solution 0.5 mg/ml</i> | 4 | NEDS |
| <i>morphine (pf) injection solution 1 mg/ml</i> | 4 | MO; NEDS |
| <i>morphine concentrate oral solution</i> | 3 | MO; QL (900 per 30 days); NEDS |
| <i>morphine injection syringe 4 mg/ml</i> | 4 | MO; NEDS |
| <i>morphine intravenous solution 10 mg/ml, 4 mg/ml</i> | 4 | MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|------------------|------------------------------------|
| <i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml</i> | 4 | NEDS |
| <i>morphine oral solution</i> | 3 | MO; QL (900 per 30 days); NEDS |
| <i>morphine oral tablet</i> | 3 | MO; QL (180 per 30 days); NEDS |
| <i>morphine oral tablet extended release</i> | 3 | PA; MO; QL (120 per 30 days); NEDS |
| <i>oxycodone oral capsule</i> | 3 | MO; QL (360 per 30 days); NEDS |
| <i>oxycodone oral concentrate</i> | 4 | MO; QL (180 per 30 days); NEDS |
| <i>oxycodone oral solution</i> | 3 | MO; QL (1200 per 30 days); NEDS |
| <i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i> | 3 | MO; QL (180 per 30 days); NEDS |
| <i>oxycodone oral tablet 5 mg</i> | 3 | MO; QL (360 per 30 days); NEDS |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | MO; QL (360 per 30 days); NEDS |
| OXYCONTIN, ORAL ONLY, EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG | 3 | PA; MO; QL (90 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---|
| OXYCONTIN, ORAL ONLY, EXT.REL.12 HR 80 MG | 5 | PA; MO; QL (60 per 30 days); NEDS |
| NON-NARCOTIC ANALGESICS | | |
| <i>buprenorphine- naloxone sublingual film 12-3 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>buprenorphine- naloxone sublingual film 2-0.5 mg</i> | 3 | MO; QL (360 per 30 days) |
| <i>buprenorphine- naloxone sublingual film 4-1 mg, 8-2 mg</i> | 3 | MO; QL (90 per 30 days) |
| <i>buprenorphine- naloxone sublingual tablet 2-0.5 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>buprenorphine- naloxone sublingual tablet 8-2 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>butorphanol injection solution</i> | 2 | MO; NEDS |
| <i>butorphanol nasal spray,non-aerosol</i> | 4 | MO; QL (10 per 28 days); NEDS |
| <i>celecoxib oral capsule</i> | 2 | MO |
| <i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i> | 2 | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 2 | MO |
| <i>diclofenac sodium oral tablet extended release 24 hr</i> | 2 | MO |
| <i>diclofenac sodium oral tablet,delayed release (dr/ec)</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>diclofenac sodium topical gel 1 %</i> | 3 | MO; QL (1000 per 28 days) |
| <i>diclofenac- misoprostol oral tablet,ir,delayed rel,biphasic</i> | 4 | MO |
| <i>diflunisal oral tablet</i> | 3 | MO |
| <i>ec-naproxen oral tablet,delayed release (dr/ec)</i> | 2 | |
| <i>etodolac oral capsule</i> | 3 | MO |
| <i>etodolac oral tablet</i> | 3 | MO |
| <i>etodolac oral tablet extended release 24 hr</i> | 4 | MO |
| <i>flurbiprofen oral tablet 100 mg</i> | 2 | MO |
| <i>ibu oral tablet</i> | 1 | MO; GC |
| <i>ibuprofen oral suspension</i> | 2 | MO |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | MO; GC |
| <i>meloxicam oral tablet</i> | 1 | MO; GC; QL (30 per 30 days) |
| <i>nabumetone oral tablet</i> | 2 | MO |
| <i>nalbuphine injection solution</i> | 2 | NEDS |
| <i>naloxone injection solution</i> | 2 | MO |
| <i>naloxone injection syringe 0.4 mg/ml (prefilled syringe)</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------|
| <i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i> | 2 | MO |
| <i>naloxone nasal spray,non-aerosol</i> | 2 | MO |
| <i>naltrexone oral tablet</i> | 2 | MO |
| <i>naproxen oral tablet</i> | 1 | MO; GC |
| <i>naproxen oral tablet,delayed release (dr/ec)</i> | 2 | MO |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 2 | MO |
| <i>oxaprozin oral tablet</i> | 4 | MO |
| <i>piroxicam oral capsule</i> | 3 | MO |
| <i>salsalate oral tablet</i> | 1 | MO; GC |
| <i>sulindac oral tablet</i> | 2 | MO |
| <i>tramadol oral tablet 50 mg</i> | 2 | MO; QL (240 per 30 days); NEDS |
| <i>tramadol-acetaminophen oral tablet</i> | 2 | MO; QL (240 per 30 days); NEDS |
| VIVITROL INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON | 5 | MO; NEDS |
| ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG | 3 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------|
| ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG | 3 | MO; QL (60 per 30 days) |
| PSYCHOTHERAPEUTIC DRUGS | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML | 5 | MO; QL (2.4 per 56 days); NEDS |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML | 5 | MO; QL (3.2 per 56 days); NEDS |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON | 5 | MO; QL (1 per 28 days); NEDS |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING | 5 | MO; QL (1 per 28 days); NEDS |
| <i>amitriptyline oral tablet</i> | 2 | MO |
| <i>amoxapine oral tablet</i> | 3 | MO |
| <i>aripiprazole oral solution</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------|
| <i>aripiprazole oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| <i>aripiprazole oral tablet, disintegrating</i> | 4 | MO; QL (60 per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE SYRING | 5 | MO; QL (4.8 per 365 days); NEDS |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE SYRING 1,064 MG/3.9 ML | 5 | MO; QL (3.9 per 56 days); NEDS |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE SYRING 441 MG/1.6 ML | 5 | MO; QL (1.6 per 28 days); NEDS |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE SYRING 662 MG/2.4 ML | 5 | MO; QL (2.4 per 28 days); NEDS |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE SYRING 882 MG/3.2 ML | 5 | MO; QL (3.2 per 28 days); NEDS |
| <i>armodafinil oral tablet</i> | 4 | PA; MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------|
| <i>asenapine maleate sublingual tablet</i> | 4 | MO; QL (60 per 30 days) |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> | 4 | MO; QL (30 per 30 days) |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC | 5 | ST; QL (60 per 30 days); NEDS |
| BELSOMRA ORAL TABLET | 3 | PA; QL (30 per 30 days) |
| <i>bupropion hcl oral tablet</i> | 2 | MO |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>bupropion hcl oral tablet sustained-release 12 hr</i> | 2 | MO; QL (60 per 30 days) |
| <i>bupirone oral tablet</i> | 2 | MO |
| CAPLYTA ORAL CAPSULE | 4 | MO; QL (30 per 30 days) |
| <i>chlorpromazine injection solution</i> | 2 | MO |
| <i>chlorpromazine oral concentrate</i> | 4 | MO |
| <i>chlorpromazine oral tablet</i> | 4 | MO |
| <i>citalopram oral solution</i> | 3 | MO |
| <i>citalopram oral tablet</i> | 1 | MO; GC; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| <i>clomipramine oral capsule</i> | 4 | MO |
| <i>clonidine hcl oral tablet extended release 12 hr</i> | 4 | MO |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | 3 | PA; MO; QL (180 per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg</i> | 3 | PA; MO; QL (90 per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> | 3 | PA; MO; QL (360 per 30 days) |
| <i>clozapine oral tablet</i> | 3 | |
| <i>clozapine oral tablet, disintegrating</i> | 4 | |
| <i>desipramine oral tablet</i> | 2 | MO |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr</i> | 3 | MO; QL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> | 4 | MO |
| <i>dextroamphetamine-amphetamine oral tablet</i> | 3 | MO |
| <i>diazepam injection solution</i> | 2 | PA |
| <i>diazepam injection syringe</i> | 2 | PA |
| <i>diazepam intensol oral concentrate</i> | 2 | PA; MO; QL (240 per 30 days) |
| <i>diazepam oral concentrate</i> | 2 | PA; QL (240 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------|
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 2 | PA; MO; QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml, 5 ml)</i> | 2 | PA; QL (1200 per 30 days) |
| <i>diazepam oral tablet</i> | 2 | PA; MO; QL (120 per 30 days) |
| <i>doxepin oral capsule</i> | 4 | MO |
| <i>doxepin oral concentrate</i> | 4 | MO |
| <i>doxepin oral tablet</i> | 3 | MO; QL (30 per 30 days) |
| DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG | 4 | MO; QL (60 per 30 days) |
| DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG | 4 | MO; QL (90 per 30 days) |
| <i>duloxetine oral capsule, delayed release (dr/ec) 20 mg, 30 mg, 60 mg</i> | 2 | MO; QL (60 per 30 days) |
| EMSAM TRANSDERMAL PATCH 24 HOUR | 5 | MO; NEDS |
| <i>escitalopram oxalate oral solution</i> | 2 | MO |
| <i>escitalopram oxalate oral tablet</i> | 1 | MO; GC; QL (30 per 30 days) |
| <i>eszopiclone oral tablet</i> | 4 | MO; QL (30 per 30 days) |
| FANAPT ORAL TABLET | 4 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| FANAPT ORAL TABLETS,DOSE PACK | 4 | MO; QL (8 per 180 days) |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)-40 MG (26) | 3 | QL (28 per 180 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR | 3 | QL (30 per 30 days) |
| <i>flumazenil intravenous solution</i> | 2 | |
| <i>fluoxetine (pmd) oral tablet 10 mg</i> | 2 | QL (240 per 30 days) |
| <i>fluoxetine (pmd) oral tablet 20 mg</i> | 2 | QL (120 per 30 days) |
| <i>fluoxetine oral capsule 10 mg</i> | 1 | MO; GC; QL (30 per 30 days) |
| <i>fluoxetine oral capsule 20 mg</i> | 1 | MO; GC; QL (90 per 30 days) |
| <i>fluoxetine oral capsule 40 mg</i> | 1 | MO; GC; QL (60 per 30 days) |
| <i>fluoxetine oral capsule,delayed release(dr/ec)</i> | 2 | MO; QL (4 per 28 days) |
| <i>fluoxetine oral solution</i> | 2 | MO |
| <i>fluoxetine oral tablet 10 mg</i> | 2 | MO; QL (240 per 30 days) |
| <i>fluoxetine oral tablet 20 mg</i> | 2 | MO; QL (120 per 30 days) |
| <i>fluphenazine decanoate injection solution</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>fluphenazine hcl injection solution</i> | 4 | MO |
| <i>fluphenazine hcl oral concentrate</i> | 4 | MO |
| <i>fluphenazine hcl oral elixir</i> | 4 | MO |
| <i>fluphenazine hcl oral tablet</i> | 4 | MO |
| <i>fluvoxamine oral capsule,extended release 24hr</i> | 4 | MO; QL (60 per 30 days) |
| <i>fluvoxamine oral tablet 100 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>fluvoxamine oral tablet 25 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>fluvoxamine oral tablet 50 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i> | 4 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> | 4 | MO |
| <i>haloperidol lactate injection solution</i> | 4 | MO |
| <i>haloperidol lactate intramuscular syringe</i> | 2 | |
| <i>haloperidol lactate oral concentrate</i> | 2 | MO |
| <i>haloperidol oral tablet</i> | 2 | MO |
| <i>imipramine hcl oral tablet</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------|
| <i>imipramine pamoate oral capsule</i> | 4 | MO |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 5 | MO; QL (3.5 per 180 days); NEDS |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 5 | MO; QL (5 per 180 days); NEDS |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | MO; QL (0.75 per 28 days); NEDS |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | MO; QL (1 per 28 days); NEDS |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | MO; QL (1.5 per 28 days); NEDS |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | MO; QL (0.25 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | MO; QL (0.5 per 28 days); NEDS |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 5 | MO; QL (0.88 per 90 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------|
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 5 | MO; QL (1.32 per 90 days); NEDS |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | MO; QL (1.75 per 90 days); NEDS |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 5 | MO; QL (2.63 per 90 days); NEDS |
| <i>lithium carbonate oral capsule</i> | 1 | MO; GC |
| <i>lithium carbonate oral tablet</i> | 1 | MO; GC |
| <i>lithium carbonate oral tablet extended release</i> | 1 | MO; GC |
| <i>lithium citrate oral solution</i> | 2 | |
| <i>lorazepam injection solution</i> | 2 | PA; MO |
| <i>lorazepam injection syringe 2 mg/ml</i> | 2 | PA; MO |
| <i>lorazepam intensol oral concentrate</i> | 2 | PA; QL (150 per 30 days) |
| <i>lorazepam oral concentrate</i> | 2 | PA; MO; QL (150 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> | 2 | PA; MO; QL (90 per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> | 2 | PA; MO; QL (150 per 30 days) |
| <i>loxapine succinate oral capsule</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------|
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> | 5 | MO; QL (30 per 30 days); NEDS |
| <i>lurasidone oral tablet 80 mg</i> | 5 | MO; QL (60 per 30 days); NEDS |
| MARPLAN ORAL TABLET | 4 | MO |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50</i> | 4 | MO |
| <i>methylphenidate hcl oral solution</i> | 4 | MO |
| <i>methylphenidate hcl oral tablet</i> | 3 | MO |
| <i>methylphenidate hcl oral tablet extended release</i> | 4 | MO |
| <i>methylphenidate hcl oral tablet,chewable</i> | 4 | MO |
| <i>mirtazapine oral tablet</i> | 2 | MO |
| <i>mirtazapine oral tablet,disintegrating</i> | 3 | MO |
| <i>modafinil oral tablet 100 mg</i> | 3 | PA; MO; QL (30 per 30 days) |
| <i>modafinil oral tablet 200 mg</i> | 3 | PA; MO; QL (60 per 30 days) |
| <i>molindone oral tablet 10 mg, 25 mg</i> | 4 | |
| <i>molindone oral tablet 5 mg</i> | 4 | MO |
| <i>nefazodone oral tablet</i> | 4 | MO |
| <i>nortriptyline oral capsule</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| <i>nortriptyline oral solution</i> | 4 | MO |
| NUPLAZID ORAL CAPSULE | 4 | PA; MO; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET | 4 | PA; MO; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln</i> | 4 | MO |
| <i>olanzapine oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| <i>olanzapine oral tablet,disintegrating</i> | 4 | MO; QL (30 per 30 days) |
| <i>olanzapine-fluoxetine oral capsule</i> | 4 | MO |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>paroxetine hcl oral suspension</i> | 4 | MO |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>paroxetine hcl oral tablet 30 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>paroxetine hcl oral tablet extended release 24 hr</i> | 3 | MO; QL (60 per 30 days) |
| <i>pentobarbital sodium injection solution</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| <i>perphenazine oral tablet</i> | 4 | MO |
| PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING | 5 | MO; QL (1 per 30 days); NEDS |
| <i>phenelzine oral tablet</i> | 3 | MO |
| <i>pimozide oral tablet</i> | 4 | MO |
| <i>protriptyline oral tablet</i> | 4 | MO |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>quetiapine oral tablet 300 mg, 400 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i> | 3 | MO; QL (30 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>ramelteon oral tablet</i> | 3 | MO; QL (30 per 30 days) |
| REXULTI ORAL TABLET | 4 | MO; QL (30 per 30 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML | 3 | MO; QL (2 per 28 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------|
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML | 5 | MO; QL (2 per 28 days); NEDS |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> | 3 | MO; QL (2 per 28 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> | 5 | MO; QL (2 per 28 days); NEDS |
| <i>risperidone oral solution</i> | 2 | MO |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 1 | MO; GC; QL (60 per 30 days) |
| <i>risperidone oral tablet 4 mg</i> | 1 | MO; GC; QL (120 per 30 days) |
| <i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>risperidone oral tablet,disintegrating 4 mg</i> | 4 | MO; QL (120 per 30 days) |
| SECUADO TRANSDERMAL PATCH 24 HOUR | 5 | MO; QL (30 per 30 days); NEDS |
| <i>sertraline oral concentrate</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>sertraline oral tablet 100 mg, 50 mg</i> | 1 | MO; GC; QL (60 per 30 days) |
| <i>sertraline oral tablet 25 mg</i> | 1 | MO; GC; QL (30 per 30 days) |
| SODIUM OXYBATE ORAL SOLUTION | 5 | PA; LA; QL (540 per 30 days); NEDS |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3) | 5 | PA; MO; NEDS |
| <i>thioridazine oral tablet</i> | 3 | MO |
| <i>thiothixene oral capsule</i> | 2 | MO |
| <i>tranylcypromine oral tablet</i> | 4 | MO |
| <i>trazodone oral tablet</i> | 1 | MO; GC |
| <i>trifluoperazine oral tablet</i> | 3 | MO |
| <i>trimipramine oral capsule</i> | 4 | MO |
| TRINTELLIX ORAL TABLET | 3 | QL (30 per 30 days) |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML | 5 | MO; QL (0.28 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------|
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML | 5 | MO; QL (0.35 per 28 days); NEDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 150 MG/0.42 ML | 5 | MO; QL (0.42 per 56 days); NEDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 200 MG/0.56 ML | 5 | MO; QL (0.56 per 56 days); NEDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 250 MG/0.7 ML | 5 | MO; QL (0.7 per 56 days); NEDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 50 MG/0.14 ML | 5 | MO; QL (0.14 per 28 days); NEDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 75 MG/0.21 ML | 5 | MO; QL (0.21 per 28 days); NEDS |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg</i> | 2 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| <i>venlafaxine oral capsule, extended release 24hr 75 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>venlafaxine oral tablet</i> | 2 | MO; QL (90 per 30 days) |
| VERSACLOZ ORAL SUSPENSION | 5 | NEDS |
| <i>vilazodone oral tablet</i> | 3 | MO; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE | 4 | MO; QL (30 per 30 days) |
| <i>zaleplon oral capsule 10 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>zaleplon oral capsule 5 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>ziprasidone hcl oral capsule</i> | 3 | MO; QL (60 per 30 days) |
| <i>ziprasidone mesylate intramuscular recon soln</i> | 4 | MO |
| <i>zolpidem oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| ZURZUVAE ORAL CAPSULE | 5 | PA; MO; NEDS |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 3 | MO; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG | 5 | MO; QL (2 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 5 | MO; QL (1 per 28 days); NEDS |

CARDIOVASCULAR, HYPERTENSION / LIPIDS

ANTIARRHYTHMIC AGENTS

| | | |
|--|---|------------|
| <i>adenosine intravenous solution</i> | 2 | |
| <i>adenosine intravenous syringe</i> | 2 | |
| <i>amiodarone intravenous solution</i> | 2 | B/D PA; MO |
| <i>amiodarone intravenous syringe</i> | 2 | B/D PA |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> | 2 | MO |
| <i>amiodarone oral tablet 400 mg</i> | 2 | |
| <i>dofetilide oral capsule</i> | 4 | MO |
| <i>flecainide oral tablet</i> | 2 | MO |
| <i>ibutilide fumarate intravenous solution</i> | 2 | |
| <i>lidocaine (pf) intravenous solution</i> | 2 | |
| <i>lidocaine (pf) intravenous syringe</i> | 2 | |
| <i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>mexiletine oral capsule</i> | 3 | MO |
| MULTAQ ORAL TABLET | 3 | MO |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> | 2 | MO |
| <i>procainamide injection solution</i> | 2 | |
| <i>propafenone oral capsule, extended release 12 hr</i> | 4 | MO |
| <i>propafenone oral tablet</i> | 2 | MO |
| <i>quinidine sulfate oral tablet</i> | 2 | MO |
| <i>sorine oral tablet 120 mg</i> | 2 | |
| <i>sorine oral tablet 160 mg</i> | 2 | MO |
| <i>sotalol af oral tablet</i> | 2 | |
| <i>sotalol oral tablet</i> | 2 | MO |
| ANTIHYPERTENSIVE THERAPY | | |
| <i>acebutolol oral capsule</i> | 2 | MO |
| <i>aliskiren oral tablet</i> | 4 | MO |
| <i>amiloride oral tablet</i> | 2 | MO |
| <i>amiloride-hydrochlorothiazide oral tablet</i> | 2 | MO |
| <i>amlodipine oral tablet</i> | 1 | MO; GC |
| <i>amlodipine-benazepril oral capsule</i> | 1 | MO; GC |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>amlodipine-olmesartan oral tablet</i> | 1 | MO; GC |
| <i>amlodipine-valsartan oral tablet</i> | 6 | MO; GC |
| <i>amlodipine-valsartan-hcthiazid oral tablet</i> | 2 | MO |
| <i>atenolol oral tablet</i> | 1 | MO; GC |
| <i>atenolol-chlorthalidone oral tablet</i> | 1 | MO; GC |
| <i>benazepril oral tablet</i> | 6 | MO; GC |
| <i>benazepril-hydrochlorothiazide oral tablet</i> | 6 | MO; GC |
| <i>betaxolol oral tablet</i> | 3 | MO |
| <i>bisoprolol fumarate oral tablet</i> | 2 | MO |
| <i>bisoprolol-hydrochlorothiazide oral tablet</i> | 1 | MO; GC |
| <i>bumetanide injection solution</i> | 4 | MO |
| <i>bumetanide oral tablet</i> | 2 | MO |
| <i>candesartan oral tablet</i> | 1 | MO; GC |
| <i>candesartan-hydrochlorothiazid oral tablet</i> | 2 | MO |
| <i>captopril oral tablet 100 mg, 50 mg</i> | 2 | MO |
| <i>captopril oral tablet 12.5 mg, 25 mg</i> | 1 | MO; GC |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------|
| <i>captopril-hydrochlorothiazide oral tablet</i> | 2 | |
| <i>cartia xt oral capsule,extended release 24hr</i> | 2 | MO |
| <i>carvedilol oral tablet</i> | 1 | MO; GC |
| <i>chlorothiazide sodium intravenous recon soln</i> | 2 | MO |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 2 | MO |
| <i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i> | 2 | |
| <i>clonidine hcl oral tablet</i> | 1 | MO; GC |
| <i>clonidine transdermal patch weekly</i> | 4 | MO; QL (4 per 28 days) |
| <i>diltiazem hcl intravenous recon soln</i> | 2 | |
| <i>diltiazem hcl intravenous solution</i> | 2 | |
| <i>diltiazem hcl oral capsule,ext.rel 24h degradable</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 12 hr</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 24 hr</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 24hr</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>diltiazem hcl oral tablet</i> | 2 | MO |
| <i>diltiazem hcl oral tablet extended release 24 hr</i> | 2 | MO |
| <i>dilt-xr oral capsule,ext.rel 24h degradable</i> | 2 | MO |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>doxazosin oral tablet 8 mg</i> | 2 | MO; QL (60 per 30 days) |
| EDARBI ORAL TABLET | 3 | MO |
| EDARBYCLOR ORAL TABLET | 3 | MO |
| <i>enalapril maleate oral tablet</i> | 6 | MO; GC |
| <i>enalaprilat intravenous solution</i> | 2 | |
| <i>enalapril-hydrochlorothiazide oral tablet</i> | 6 | MO; GC |
| <i>eplerenone oral tablet</i> | 3 | MO |
| <i>esmolol intravenous solution</i> | 2 | |
| <i>ethacrynate sodium intravenous recon soln</i> | 5 | NEDS |
| <i>felodipine oral tablet extended release 24 hr</i> | 2 | MO |
| <i>fosinopril oral tablet</i> | 6 | MO; GC |
| <i>fosinopril-hydrochlorothiazide oral tablet</i> | 1 | MO; GC |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| <i>furosemide injection solution</i> | 4 | MO |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 2 | MO |
| <i>furosemide oral tablet</i> | 1 | MO; GC |
| <i>hydralazine injection solution</i> | 2 | MO |
| <i>hydralazine oral tablet</i> | 2 | MO |
| <i>hydrochlorothiazide oral capsule</i> | 1 | MO; GC |
| <i>hydrochlorothiazide oral tablet</i> | 1 | MO; GC |
| <i>indapamide oral tablet</i> | 1 | MO; GC |
| <i>irbesartan oral tablet</i> | 6 | MO; GC |
| <i>irbesartan-hydrochlorothiazide oral tablet</i> | 6 | MO; GC |
| <i>isosorbide-hydralazine oral tablet</i> | 3 | MO; QL (180 per 30 days) |
| <i>isradipine oral capsule</i> | 2 | |
| KERENDIA ORAL TABLET | 3 | PA; QL (30 per 30 days) |
| <i>labetalol intravenous solution</i> | 2 | |
| <i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i> | 2 | |
| <i>labetalol oral tablet</i> | 2 | MO |
| <i>lisinopril oral tablet</i> | 6 | MO; GC |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>lisinopril-hydrochlorothiazide oral tablet</i> | 6 | MO; GC |
| <i>losartan oral tablet</i> | 6 | MO; GC |
| <i>losartan-hydrochlorothiazide oral tablet</i> | 6 | MO; GC |
| <i>mannitol 20 % intravenous parenteral solution</i> | 4 | |
| <i>mannitol 25 % intravenous solution</i> | 2 | MO |
| <i>matzim la oral tablet extended release 24 hr</i> | 2 | MO |
| <i>metolazone oral tablet</i> | 2 | MO |
| <i>metoprolol succinate oral tablet extended release 24 hr</i> | 1 | MO; GC |
| <i>metoprolol ta-hydrochlorothiazide oral tablet</i> | 2 | MO |
| <i>metoprolol tartrate intravenous solution</i> | 2 | |
| <i>metoprolol tartrate oral tablet</i> | 1 | MO; GC |
| <i>metyrosine oral capsule</i> | 5 | PA; MO; NEDS |
| <i>minoxidil oral tablet</i> | 2 | MO |
| <i>moexipril oral tablet</i> | 1 | GC |
| <i>nadolol oral tablet</i> | 4 | MO |
| <i>nebivolol oral tablet</i> | 2 | MO |
| <i>nicardipine intravenous solution</i> | 2 | |
| <i>nicardipine oral capsule</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|------------------|-----------------------------|
| <i>nifedipine oral tablet extended release</i> | 2 | MO |
| <i>nifedipine oral tablet extended release 24hr</i> | 2 | MO |
| <i>nimodipine oral capsule</i> | 4 | MO |
| <i>nisoldipine oral tablet extended release 24 hr</i> | 4 | MO |
| <i>olmesartan oral tablet</i> | 1 | MO; GC |
| <i>olmesartan-amlodipin-hcthiiazid oral tablet</i> | 2 | MO |
| <i>olmesartan-hydrochlorothiazide oral tablet</i> | 1 | MO; GC |
| <i>osmitrol 20 % intravenous parenteral solution</i> | 4 | |
| <i>perindopril erbumine oral tablet</i> | 1 | MO; GC |
| <i>phentolamine injection recon soln</i> | 2 | |
| <i>pindolol oral tablet</i> | 3 | MO |
| <i>prazosin oral capsule</i> | 2 | MO |
| <i>propranolol intravenous solution</i> | 2 | |
| <i>propranolol oral capsule,extended release 24 hr</i> | 2 | MO |
| <i>propranolol oral solution</i> | 2 | MO |
| <i>propranolol oral tablet</i> | 1 | MO; GC |
| <i>quinapril oral tablet</i> | 6 | MO; GC |

| Drug Name | Drug Tier | Requirements /Limits |
|--|------------------|-----------------------------|
| <i>quinapril-hydrochlorothiazide oral tablet</i> | 1 | MO; GC |
| <i>ramipril oral capsule</i> | 6 | MO; GC |
| <i>spironolactone oral tablet</i> | 1 | MO; GC |
| <i>spironolacton-hydrochlorothiaz oral tablet</i> | 2 | MO |
| <i>telmisartan oral tablet</i> | 1 | MO; GC |
| <i>telmisartan-amlodipine oral tablet</i> | 2 | MO |
| <i>telmisartan-hydrochlorothiazid oral tablet</i> | 2 | MO |
| <i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i> | 1 | MO; GC; QL (30 per 30 days) |
| <i>terazosin oral capsule 10 mg</i> | 1 | MO; GC; QL (60 per 30 days) |
| <i>tiadylt er oral capsule,extended release 24 hr</i> | 2 | MO |
| <i>timolol maleate oral tablet</i> | 4 | MO |
| <i>torse mide oral tablet</i> | 2 | MO |
| <i>trandolapril oral tablet</i> | 6 | MO; GC |
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 2-240 mg, 4-240 mg</i> | 2 | |
| <i>treprostinil sodium injection solution</i> | 5 | PA; MO; LA; NEDS |
| <i>triamterene-hydrochlorothiazid oral capsule</i> | 1 | MO; GC |
| <i>triamterene-hydrochlorothiazid oral tablet</i> | 1 | MO; GC |
| UPTRAVI ORAL TABLET | 5 | PA; MO; LA; NEDS |
| UPTRAVI ORAL TABLETS,DOSE PACK | 5 | PA; MO; LA; NEDS |
| <i>valsartan oral tablet</i> | 6 | MO; GC |
| <i>valsartan-hydrochlorothiazide oral tablet</i> | 6 | MO; GC |
| <i>veletri intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>verapamil intravenous solution</i> | 2 | |
| <i>verapamil intravenous syringe</i> | 2 | |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> | 2 | MO |
| <i>verapamil oral capsule,ext rel. pellets 24 hr</i> | 2 | MO |
| <i>verapamil oral tablet</i> | 1 | MO; GC |
| <i>verapamil oral tablet extended release</i> | 2 | MO |

COAGULATION THERAPY

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>aminocaproic acid intravenous solution</i> | 2 | MO |
| <i>aminocaproic acid oral solution</i> | 5 | MO; NEDS |
| <i>aminocaproic acid oral tablet</i> | 5 | MO; NEDS |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr</i> | 4 | MO |
| BRILINTA ORAL TABLET | 3 | MO |
| CABLIVI INJECTION KIT | 5 | PA; LA; NEDS |
| CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN | 3 | PA; MO |
| CEPROTIN (GREEN BAR) INTRAVENOUS RECON SOLN | 3 | PA; MO |
| <i>cilostazol oral tablet</i> | 2 | MO |
| <i>clopidogrel oral tablet 300 mg</i> | 2 | MO |
| <i>clopidogrel oral tablet 75 mg</i> | 1 | MO; GC; QL (30 per 30 days) |
| <i>dabigatran etexilate oral capsule</i> | 4 | MO |
| <i>dipyridamole intravenous solution</i> | 2 | |
| <i>dipyridamole oral tablet</i> | 4 | MO |
| DOPTELET (10 TAB PACK) ORAL TABLET | 5 | PA; MO; LA; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------|
| DOPTELET (15 TAB PACK) ORAL TABLET | 5 | PA; MO; LA; NEDS |
| DOPTELET (30 TAB PACK) ORAL TABLET | 5 | PA; MO; LA; NEDS |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK | 3 | MO |
| ELIQUIS ORAL TABLET | 3 | MO |
| <i>enoxaparin subcutaneous solution</i> | 2 | MO; QL (30 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> | 4 | MO; QL (28 per 28 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> | 4 | MO; QL (22.4 per 28 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml, 60 mg/0.6 ml</i> | 4 | MO; QL (16.8 per 28 days) |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> | 4 | MO; QL (11.2 per 28 days) |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> | 5 | MO; NEDS |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i> | 3 | |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i> | 3 | MO |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i> | 3 | MO |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 2,000 unit/1,000 ml</i> | 3 | |
| <i>heparin (porcine) injection cartridge</i> | 3 | MO |
| <i>heparin (porcine) injection solution</i> | 3 | MO |
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i> | 3 | MO |
| HEPARIN(PORCINE) IN 0.45% NAACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML | 3 | |
| <i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>heparin, porcine (pf) injection solution 1,000 unit/ml</i> | 3 | |
| <i>heparin, porcine (pf) injection solution 5,000 unit/0.5 ml</i> | 3 | MO |
| <i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i> | 3 | MO |
| HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML | 3 | |
| HEPARIN, PORCINE (PF) SUBCUTANEOUS SYRINGE | 3 | MO |
| <i>jantoven oral tablet</i> | 1 | MO; GC |
| <i>pentoxifylline oral tablet extended release</i> | 2 | MO |
| <i>prasugrel oral tablet</i> | 3 | MO |
| PROMACTA ORAL POWDER IN PACKET | 5 | PA; MO; LA; NEDS |
| PROMACTA ORAL TABLET | 5 | PA; MO; LA; NEDS |
| <i>protamine intravenous solution</i> | 2 | |
| <i>warfarin oral tablet</i> | 1 | MO; GC |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION | 3 | MO |
| XARELTO ORAL TABLET | 3 | MO |
| LIPID/CHOLESTEROL LOWERING AGENTS | | |
| <i>amlodipine-atorvastatin oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| <i>atorvastatin oral tablet</i> | 6 | MO; GC; QL (30 per 30 days) |
| <i>cholestyramine (with sugar) oral powder</i> | 3 | MO |
| <i>cholestyramine (with sugar) oral powder in packet</i> | 3 | MO |
| <i>cholestyramine light oral powder</i> | 3 | |
| <i>cholestyramine light oral powder in packet</i> | 3 | |
| <i>colesevelam oral powder in packet</i> | 4 | MO |
| <i>colesevelam oral tablet</i> | 4 | MO |
| <i>colestipol oral granules</i> | 4 | MO |
| <i>colestipol oral packet</i> | 4 | |
| <i>colestipol oral tablet</i> | 4 | MO |
| <i>ezetimibe oral tablet</i> | 2 | MO |
| <i>ezetimibe-simvastatin oral tablet</i> | 2 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i> | 2 | MO |
| <i>fenofibrate nanocrystallized oral tablet</i> | 2 | MO |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 2 | MO |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec)</i> | 4 | MO |
| <i>fenofibric acid oral tablet</i> | 2 | |
| <i>fluvastatin oral capsule 20 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>fluvastatin oral capsule 40 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>gemfibrozil oral tablet</i> | 1 | MO; GC |
| <i>icosapent ethyl oral capsule</i> | 3 | MO |
| JUXTAPID ORAL CAPSULE | 5 | PA; MO; LA; NEDS |
| <i>lovastatin oral tablet 10 mg</i> | 6 | MO; GC; QL (30 per 30 days) |
| <i>lovastatin oral tablet 20 mg, 40 mg</i> | 6 | MO; GC; QL (60 per 30 days) |
| NEXLETOL ORAL TABLET | 3 | PA; MO |
| NEXLIZET ORAL TABLET | 3 | PA; MO |
| <i>niacin oral tablet 500 mg</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>niacin oral tablet extended release 24 hr</i> | 4 | MO |
| <i>omega-3 acid ethyl esters oral capsule</i> | 2 | MO |
| <i>pitavastatin calcium oral tablet</i> | 6 | MO; GC; QL (30 per 30 days) |
| <i>pravastatin oral tablet</i> | 6 | MO; GC; QL (30 per 30 days) |
| <i>prevalite oral powder</i> | 3 | MO |
| <i>prevalite oral powder in packet</i> | 3 | MO |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR | 3 | PA; QL (7 per 28 days) |
| REPATHA SUBCUTANEOUS SYRINGE | 3 | PA; QL (6 per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR | 3 | PA; QL (6 per 28 days) |
| <i>rosuvastatin oral tablet</i> | 6 | MO; GC; QL (30 per 30 days) |
| <i>simvastatin oral tablet</i> | 6 | MO; GC; QL (30 per 30 days) |
| MISCELLANEOUS CARDIOVASCULAR AGENTS | | |
| CORLANOR ORAL SOLUTION | 3 | QL (450 per 30 days) |
| CORLANOR ORAL TABLET | 3 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>digoxin oral solution</i> | 3 | MO |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> | 2 | MO |
| <i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> | 3 | MO |
| <i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i> | 2 | B/D PA |
| <i>dobutamine intravenous solution</i> | 2 | B/D PA |
| <i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i> | 2 | B/D PA |
| <i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i> | 2 | B/D PA; MO |
| <i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml)</i> | 2 | B/D PA |
| <i>dopamine intravenous solution 400 mg/10 ml (40 mg/ml)</i> | 2 | B/D PA; MO |
| ENTRESTO ORAL TABLET | 3 | QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| ENTRESTO SPRINKLE ORAL PELLETT | 3 | QL (240 per 30 days) |
| <i>ivabradine oral tablet</i> | 3 | MO; QL (60 per 30 days) |
| <i>milrinone in 5 % dextrose intravenous piggyback</i> | 2 | B/D PA |
| <i>milrinone intravenous solution</i> | 2 | B/D PA |
| <i>norepinephrine bitartrate intravenous solution</i> | 2 | |
| <i>ranolazine oral tablet extended release 12 hr</i> | 3 | MO |
| <i>sodium nitroprusside intravenous solution</i> | 2 | B/D PA |
| VECAMYL ORAL TABLET | 5 | NEDS |
| VERQUVO ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| VYNDAMAX ORAL CAPSULE | 5 | PA; MO; NEDS |
| NITRATES | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | 2 | MO |
| <i>isosorbide mononitrate oral tablet</i> | 1 | GC |
| <i>isosorbide mononitrate oral tablet extended release 24 hr</i> | 1 | MO; GC |
| <i>nitro-bid transdermal ointment</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml)</i> | 2 | B/D PA |
| <i>nitroglycerin intravenous solution</i> | 2 | B/D PA |
| <i>nitroglycerin sublingual tablet</i> | 2 | MO |
| <i>nitroglycerin transdermal patch 24 hour</i> | 2 | MO |
| <i>nitroglycerin translingual spray,non-aerosol</i> | 4 | MO |

DERMATOLOGICALS/TOPICAL THERAPY

ANTIPSORIATIC / ANTISEBORRHEIC

| | | |
|--|---|----------------------------------|
| <i>acitretin oral capsule</i> | 4 | MO |
| <i>calcipotriene scalp solution</i> | 3 | MO; QL (120 per 30 days) |
| <i>calcipotriene topical cream</i> | 4 | MO; QL (120 per 30 days) |
| <i>calcipotriene topical ointment</i> | 4 | MO; QL (120 per 30 days) |
| <i>calcitriol topical ointment</i> | 4 | |
| <i>selenium sulfide topical lotion</i> | 2 | MO |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (2 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------------|
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; MO; QL (2 per 28 days); NEDS |
| STELARA INTRAVENOUS SOLUTION | 5 | PA; MO; QL (104 per 180 days); NEDS |
| STELARA SUBCUTANEOUS SOLUTION | 5 | PA; MO; QL (0.5 per 28 days); NEDS |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 5 | PA; MO; QL (0.5 per 28 days); NEDS |
| STELARA SUBCUTANEOUS SYRINGE 90 MG/ML | 5 | PA; MO; QL (1 per 28 days); NEDS |
| TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (4 per 28 days); NEDS |
| TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (3 per 180 days); NEDS |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (1 per 28 days); NEDS |
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE 20 MG/0.25 ML | 5 | PA; MO; QL (0.25 per 28 days); NEDS |
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE 40 MG/0.5 ML | 5 | PA; MO; QL (0.5 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---|
| TALTZ SUBCUTANEOUS SYRINGE 80 MG/ML | 5 | PA; MO; QL (1 per 28 days); NEDS |
| MISCELLANEOUS DERMATOLOGICALS | | |
| ADBRY SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (6 per 28 days); NEDS |
| ADBRY SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (6 per 28 days); NEDS |
| <i>ammonium lactate topical cream</i> | 2 | MO |
| <i>ammonium lactate topical lotion</i> | 2 | MO |
| <i>chloroprocaine (pf) injection solution</i> | 2 | |
| CIBINQO ORAL TABLET | 5 | PA; MO; QL (30 per 30 days); NEDS |
| <i>dermacinrx lidocan topical adhesive patch,medicated</i> | 4 | PA; QL (90 per 30 days) |
| <i>diclofenac sodium topical gel 3 %</i> | 4 | PA; MO; QL (100 per 28 days) |
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML | 5 | PA; MO; QL (4.56 per 28 days); NEDS |
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 5 | PA; MO; QL (8 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---|
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | 5 | PA; QL (1.34 per 28 days); NEDS |
| DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML | 5 | PA; MO; QL (4.56 per 28 days); NEDS |
| DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML | 5 | PA; MO; QL (8 per 28 days); NEDS |
| <i>fluorouracil topical cream 5 %</i> | 3 | MO |
| <i>fluorouracil topical solution</i> | 3 | MO |
| <i>glydo mucous membrane jelly in applicator</i> | 2 | MO; QL (60 per 30 days) |
| <i>imiquimod topical cream in packet 5 %</i> | 3 | MO |
| <i>lidocaine (pf) injection solution</i> | 2 | |
| <i>lidocaine hcl injection solution</i> | 2 | |
| <i>lidocaine hcl laryngotracheal solution</i> | 3 | |
| <i>lidocaine hcl mucous membrane jelly in applicator</i> | 2 | MO; QL (60 per 30 days) |
| <i>lidocaine hcl mucous membrane solution 2 %</i> | 2 | MO |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| <i>lidocaine topical adhesive patch,medicated 5 %</i> | 4 | PA; MO; QL (90 per 30 days) |
| <i>lidocaine topical ointment</i> | 4 | MO; QL (36 per 30 days) |
| <i>lidocaine viscous mucous membrane solution</i> | 2 | |
| <i>lidocaine-epinephrine (pf) injection solution 1.5 %-1:200,000, 2 %-1:200,000</i> | 2 | |
| <i>lidocaine-epinephrine injection solution</i> | 2 | |
| <i>lidocaine-prilocaine topical cream</i> | 3 | MO; QL (30 per 30 days) |
| <i>lidocan iii topical adhesive patch,medicated</i> | 4 | PA; QL (90 per 30 days) |
| <i>lidocan iv topical adhesive patch,medicated</i> | 4 | PA; QL (90 per 30 days) |
| <i>lidocan v topical adhesive patch,medicated</i> | 4 | PA; QL (90 per 30 days) |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel</i> | 5 | MO; NEDS |
| PANRETIN TOPICAL GEL | 5 | PA; MO; NEDS |
| <i>pimecrolimus topical cream</i> | 4 | PA; MO; QL (100 per 30 days) |
| <i>podofilox topical solution</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------|
| <i>polocaine injection solution 1 % (10 mg/ml)</i> | 2 | |
| <i>polocaine-mpf injection solution</i> | 2 | |
| REGRANEX TOPICAL GEL | 5 | MO; QL (15 per 30 days); NEDS |
| SANTYL TOPICAL OINTMENT | 3 | MO; QL (180 per 30 days) |
| <i>silver sulfadiazine topical cream</i> | 2 | MO |
| <i>ssd topical cream</i> | 2 | MO |
| <i>tacrolimus topical ointment</i> | 4 | PA; MO; QL (100 per 30 days) |
| <i>tridacaine ii topical adhesive patch,medicated</i> | 4 | PA; QL (90 per 30 days) |
| <i>tridacaine iii topical adhesive patch,medicated</i> | 4 | PA; QL (90 per 30 days) |
| VALCHLOR TOPICAL GEL | 5 | PA; MO; NEDS |
| THERAPY FOR ACNE | | |
| <i>accutane oral capsule</i> | 4 | |
| <i>amnesteem oral capsule</i> | 4 | |
| <i>azelaic acid topical gel</i> | 4 | MO |
| <i>claravis oral capsule</i> | 4 | |
| <i>clindamycin phosphate topical gel</i> | 3 | MO; QL (120 per 30 days) |
| <i>clindamycin phosphate topical gel, once daily</i> | 3 | MO; QL (150 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------|
| <i>clindamycin phosphate topical lotion</i> | 3 | MO; QL (120 per 30 days) |
| <i>clindamycin phosphate topical solution</i> | 3 | MO; QL (120 per 30 days) |
| <i>ery pads topical swab</i> | 3 | MO |
| <i>erythromycin with ethanol topical solution</i> | 2 | MO |
| <i>isotretinoin oral capsule</i> | 4 | |
| <i>ivermectin topical cream</i> | 2 | MO; QL (90 per 30 days) |
| <i>metronidazole topical cream</i> | 4 | MO |
| <i>metronidazole topical gel</i> | 4 | MO |
| <i>metronidazole topical gel with pump</i> | 4 | MO |
| <i>metronidazole topical lotion</i> | 4 | MO |
| <i>tazarotene topical cream</i> | 4 | PA; MO |
| <i>tazarotene topical gel</i> | 4 | PA; MO |
| <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i> | 4 | PA; MO |
| <i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i> | 3 | PA; MO |
| <i>zenatane oral capsule</i> | 4 | |
| TOPICAL ANTIBACTERIALS | | |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------|
| <i>gentamicin topical cream</i> | 3 | MO; QL (60 per 30 days) |
| <i>gentamicin topical ointment</i> | 3 | MO; QL (60 per 30 days) |
| <i>mupirocin topical ointment</i> | 2 | MO; QL (44 per 30 days) |
| <i>sulfacetamide sodium (acne) topical suspension</i> | 4 | MO |
| TOPICAL ANTIFUNGALS | | |
| <i>ciclodan topical solution</i> | 2 | QL (6.6 per 28 days) |
| <i>ciclopirox topical cream</i> | 2 | MO; QL (90 per 28 days) |
| <i>ciclopirox topical gel</i> | 3 | MO; QL (100 per 28 days) |
| <i>ciclopirox topical shampoo</i> | 3 | MO; QL (120 per 28 days) |
| <i>ciclopirox topical solution</i> | 2 | MO; QL (6.6 per 28 days) |
| <i>ciclopirox topical suspension</i> | 3 | MO; QL (60 per 28 days) |
| <i>clotrimazole topical cream</i> | 2 | MO; QL (45 per 28 days) |
| <i>clotrimazole topical solution</i> | 2 | MO; QL (30 per 28 days) |
| <i>clotrimazole-betamethasone topical cream</i> | 3 | MO; QL (45 per 28 days) |
| <i>clotrimazole-betamethasone topical lotion</i> | 4 | MO; QL (60 per 28 days) |
| <i>econazole topical cream</i> | 4 | MO; QL (85 per 28 days) |
| <i>ketoconazole topical cream</i> | 2 | MO; QL (60 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| <i>ketoconazole topical shampoo</i> | 2 | MO; QL (120 per 28 days) |
| <i>klayesta topical powder</i> | 3 | MO; QL (180 per 30 days) |
| <i>naftifine topical cream</i> | 4 | MO; QL (60 per 28 days) |
| <i>naftifine topical gel 2 %</i> | 4 | MO; QL (60 per 28 days) |
| <i>nyamyc topical powder</i> | 3 | MO; QL (180 per 30 days) |
| <i>nystatin topical cream</i> | 2 | MO; QL (30 per 28 days) |
| <i>nystatin topical ointment</i> | 2 | MO; QL (30 per 28 days) |
| <i>nystatin topical powder</i> | 3 | MO; QL (180 per 30 days) |
| <i>nystatin-triamcinolone topical cream</i> | 3 | MO; QL (60 per 28 days) |
| <i>nystatin-triamcinolone topical ointment</i> | 3 | MO; QL (60 per 28 days) |
| <i>nystop topical powder</i> | 3 | MO; QL (180 per 30 days) |
| TOPICAL ANTIVIRALS | | |
| <i>acyclovir topical ointment</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>penciclovir topical cream</i> | 4 | MO; QL (5 per 30 days) |
| TOPICAL CORTICOSTEROIDS | | |
| <i>ala-cort topical cream 1 %</i> | 2 | MO |
| <i>ala-cort topical cream 2.5 %</i> | 2 | |
| <i>alclometasone topical cream</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| <i>alclometasone topical ointment</i> | 3 | MO |
| <i>betamethasone dipropionate topical cream</i> | 2 | MO |
| <i>betamethasone dipropionate topical lotion</i> | 2 | MO |
| <i>betamethasone dipropionate topical ointment</i> | 2 | MO |
| <i>betamethasone valerate topical cream</i> | 2 | MO |
| <i>betamethasone valerate topical lotion</i> | 2 | MO |
| <i>betamethasone valerate topical ointment</i> | 2 | MO |
| <i>betamethasone, augmented topical cream</i> | 2 | MO |
| <i>betamethasone, augmented topical gel</i> | 2 | MO |
| <i>betamethasone, augmented topical lotion</i> | 2 | MO |
| <i>betamethasone, augmented topical ointment</i> | 2 | MO |
| <i>clobetasol scalp solution</i> | 4 | MO; QL (100 per 28 days) |
| <i>clobetasol topical cream</i> | 4 | MO; QL (120 per 28 days) |
| <i>clobetasol topical foam</i> | 4 | MO; QL (100 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|------------------|-----------------------------|
| <i>clobetasol topical gel</i> | 4 | MO; QL (120 per 28 days) |
| <i>clobetasol topical lotion</i> | 4 | MO; QL (118 per 28 days) |
| <i>clobetasol topical ointment</i> | 4 | MO; QL (120 per 28 days) |
| <i>clobetasol topical shampoo</i> | 4 | MO; QL (236 per 28 days) |
| <i>clobetasol-emollient topical cream</i> | 4 | MO; QL (120 per 28 days) |
| <i>clodan topical shampoo</i> | 4 | MO; QL (236 per 28 days) |
| <i>desonide topical cream</i> | 4 | MO |
| <i>desonide topical gel</i> | 4 | MO |
| <i>desonide topical lotion</i> | 4 | MO |
| <i>desonide topical ointment</i> | 4 | MO |
| <i>fluocinolone and shower cap scalp oil</i> | 4 | MO |
| <i>fluocinolone topical cream</i> | 4 | MO |
| <i>fluocinolone topical oil</i> | 4 | MO |
| <i>fluocinolone topical ointment</i> | 4 | MO |
| <i>fluocinolone topical solution</i> | 4 | MO |
| <i>fluocinonide topical cream 0.05 %</i> | 4 | MO; QL (120 per 30 days) |
| <i>fluocinonide topical gel</i> | 4 | MO; QL (120 per 30 days) |
| <i>fluocinonide topical ointment</i> | 4 | MO; QL (120 per 30 days) |
| <i>fluocinonide topical solution</i> | 4 | MO; QL (120 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|------------------|-----------------------------|
| <i>fluocinonide-emollient topical cream</i> | 4 | MO; QL (120 per 30 days) |
| <i>halobetasol propionate topical cream</i> | 4 | MO |
| <i>halobetasol propionate topical ointment</i> | 4 | MO |
| <i>hydrocortisone topical cream 1 %, 2.5 %</i> | 2 | MO |
| <i>hydrocortisone topical lotion 2.5 %</i> | 2 | MO |
| <i>hydrocortisone topical ointment 1 %, 2.5 %</i> | 2 | MO |
| <i>mometasone topical cream</i> | 2 | MO |
| <i>mometasone topical ointment</i> | 2 | MO |
| <i>mometasone topical solution</i> | 2 | MO |
| <i>prednicarbate topical ointment</i> | 4 | |
| <i>triamcinolone acetonide topical cream</i> | 2 | MO |
| <i>triamcinolone acetonide topical lotion</i> | 2 | MO |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2 | MO |
| <i>triderm topical cream</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| TOPICAL SCABICIDES / PEDICULICIDES | | |
| <i>crotan topical lotion</i> | 2 | |
| <i>malathion topical lotion</i> | 4 | MO |
| <i>permethrin topical cream</i> | 3 | MO; QL (60 per 30 days) |
| DIAGNOSTICS / MISCELLANEOUS AGENTS | | |
| ANTIDOTES | | |
| <i>acetylcysteine intravenous solution</i> | 3 | |
| IRRIGATING SOLUTIONS | | |
| <i>lactated ringers irrigation solution</i> | 4 | |
| <i>neomycin-polymyxin b gu irrigation solution</i> | 2 | |
| <i>ringer's irrigation solution</i> | 4 | MO |
| MISCELLANEOUS AGENTS | | |
| <i>acamprosate oral tablet, delayed release (dr/ec)</i> | 4 | MO |
| <i>acetic acid irrigation solution</i> | 2 | MO |
| <i>anagrelide oral capsule</i> | 3 | MO |
| <i>caffeine citrate intravenous solution</i> | 2 | |
| <i>caffeine citrate oral solution</i> | 2 | MO |
| <i>carglumic acid oral tablet, dispersible</i> | 5 | PA; MO; NEDS |
| <i>cevimeline oral capsule</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| CHEMET ORAL CAPSULE | 3 | PA |
| CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| <i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i> | 4 | |
| <i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 4 | |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | 4 | MO |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 4 | MO |
| <i>deferasirox oral granules in packet</i> | 5 | PA; MO; NEDS |
| <i>deferasirox oral tablet 180 mg, 360 mg</i> | 5 | PA; MO; NEDS |
| <i>deferasirox oral tablet 90 mg</i> | 4 | PA; MO |
| <i>deferasirox oral tablet, dispersible 125 mg</i> | 4 | PA; MO |
| <i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> | 5 | PA; MO; NEDS |
| <i>deferiprone oral tablet</i> | 5 | PA; MO; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|------------------|-----------------------------|
| <i>deferoxamine injection recon soln</i> | 2 | B/D PA; MO |
| <i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i> | 4 | |
| <i>dextrose 10 % in water (d10w) intravenous parenteral solution</i> | 4 | |
| <i>dextrose 25 % in water (d25w) intravenous syringe</i> | 4 | |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i> | 4 | MO |
| <i>dextrose 5 % in water (d5w) intravenous piggyback</i> | 4 | MO |
| <i>dextrose 5 %-lactated ringers intravenous parenteral solution</i> | 4 | MO |
| <i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i> | 4 | |
| <i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i> | 4 | |
| <i>dextrose 50 % in water (d50w) intravenous parenteral solution</i> | 4 | |
| <i>dextrose 50 % in water (d50w) intravenous syringe</i> | 4 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|------------------|-----------------------------|
| <i>dextrose 70 % in water (d70w) intravenous parenteral solution</i> | 4 | |
| <i>disulfiram oral tablet 250 mg</i> | 2 | MO |
| <i>disulfiram oral tablet 500 mg</i> | 2 | |
| <i>droxidopa oral capsule</i> | 5 | PA; MO; NEDS |
| ENDARI ORAL POWDER IN PACKET | 5 | PA; MO; NEDS |
| <i>glutamine (sickle cell) oral powder in packet</i> | 5 | PA; MO; NEDS |
| INCRELEX SUBCUTANEOUS SOLUTION | 5 | MO; LA; NEDS |
| <i>kionex (with sorbitol) oral suspension</i> | 3 | |
| <i>levocarnitine (with sugar) oral solution</i> | 4 | MO |
| <i>levocarnitine oral solution 100 mg/ml</i> | 4 | MO |
| <i>levocarnitine oral tablet</i> | 4 | MO |
| LOKELMA ORAL POWDER IN PACKET | 3 | MO |
| <i>midodrine oral tablet</i> | 3 | MO |
| <i>nitisinone oral capsule</i> | 5 | PA; MO; NEDS |
| <i>pilocarpine hcl oral tablet</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| PROLASTIN-C INTRAVENOUS SOLUTION | 5 | PA; MO; LA; NEDS |
| REVCIVI INTRAMUSCULAR SOLUTION | 5 | PA; LA; NEDS |
| REZDIFFRA ORAL TABLET | 5 | PA; MO; QL (30 per 30 days); NEDS |
| <i>riluzole oral tablet</i> | 3 | PA; MO |
| <i>risedronate oral tablet 30 mg</i> | 3 | MO; QL (30 per 30 days) |
| <i>sevelamer carbonate oral tablet</i> | 4 | MO; QL (270 per 30 days) |
| <i>sodium benzoate-sodium phenylacetate intravenous solution</i> | 5 | NEDS |
| <i>sodium chloride 0.9% intravenous parenteral solution</i> | 4 | MO |
| <i>sodium chloride 0.9% intravenous piggyback</i> | 4 | MO |
| <i>sodium chloride irrigation solution</i> | 4 | MO |
| <i>sodium phenylbutyrate oral powder</i> | 5 | PA; MO; NEDS |
| <i>sodium phenylbutyrate oral tablet</i> | 5 | PA; NEDS |
| <i>sodium polystyrene sulfonate oral powder</i> | 3 | MO |
| <i>sps (with sorbitol) oral suspension</i> | 3 | MO |
| <i>sps (with sorbitol) rectal enema</i> | 3 | |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------|
| <i>trientine oral capsule 250 mg</i> | 5 | PA; MO; NEDS |
| VELPHORO ORAL TABLET,CHEWABLE | 5 | MO; QL (180 per 30 days); NEDS |
| VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 8.4 GRAM | 3 | MO |
| VELTASSA ORAL POWDER IN PACKET 25.2 GRAM | 3 | |
| <i>water for irrigation, sterile irrigation solution</i> | 4 | MO |
| XIAFLEX INJECTION RECON SOLN | 5 | PA; NEDS |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> | 2 | PA; MO |
| SMOKING DETERRENTS | | |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr</i> | 2 | MO |
| NICOTROL INHALATION CARTRIDGE | 4 | |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL | 4 | MO |
| <i>varenicline oral tablet 0.5 mg, 1 mg</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>varenicline oral tablet 1 mg (56 pack)</i> | 4 | |
| <i>varenicline oral tablets,dose pack</i> | 4 | MO |

EAR, NOSE / THROAT MEDICATIONS

MISCELLANEOUS AGENTS

| | | |
|--|---|-------------------------|
| <i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i> | 3 | MO; QL (60 per 30 days) |
| <i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> | 3 | QL (60 per 30 days) |
| <i>chlorhexidine gluconate mucous membrane mouthwash</i> | 1 | MO; GC |
| <i>denta 5000 plus dental cream</i> | 2 | MO |
| <i>dentagel dental gel</i> | 2 | MO |
| <i>fluoride (sodium) dental cream</i> | 2 | |
| <i>fluoride (sodium) dental gel</i> | 2 | |
| <i>fluoride (sodium) dental paste</i> | 2 | MO |
| <i>ipratropium bromide nasal spray,non-aerosol</i> | 2 | MO; QL (30 per 30 days) |
| <i>kourzeq dental paste</i> | 2 | |
| <i>oralone dental paste</i> | 2 | |
| <i>periogard mucous membrane mouthwash</i> | 1 | MO; GC |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE | 4 | MO |
| PREVIDENT 5000 DRY MOUTH DENTAL PASTE | 4 | MO |
| <i>sf 5000 plus dental cream</i> | 2 | MO |
| <i>sf dental gel</i> | 2 | MO |
| <i>sodium fluoride 5000 dry mouth dental paste</i> | 2 | MO |
| <i>sodium fluoride 5000 plus dental cream</i> | 2 | |
| <i>sodium fluoride-pot nitrate dental paste</i> | 2 | MO |
| <i>triamcinolone acetonide dental paste</i> | 2 | MO |

MISCELLANEOUS OTIC PREPARATIONS

| | | |
|--|---|----|
| <i>acetic acid otic (ear) solution</i> | 2 | MO |
| <i>ciprofloxacin hcl otic (ear) dropperette</i> | 4 | MO |
| <i>flac otic oil otic (ear) drops</i> | 4 | |
| <i>fluocinolone acetonide oil otic (ear) drops</i> | 4 | MO |
| <i>hydrocortisone-acetic acid otic (ear) drops</i> | 3 | MO |
| <i>ofloxacin otic (ear) drops</i> | 3 | MO |

OTIC STEROID / ANTIBIOTIC

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension</i> | 3 | MO; QL (7.5 per 7 days) |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension</i> | 3 | MO |
| <i>neomycin-polymyxin-hc otic (ear) solution</i> | 3 | MO |

ENDOCRINE/DIABETES

ADRENAL HORMONES

| | | |
|---|---|----|
| <i>cortisone oral tablet</i> | 2 | |
| <i>dexamethasone intensol oral drops</i> | 2 | MO |
| <i>dexamethasone oral elixir</i> | 2 | MO |
| <i>dexamethasone oral solution</i> | 2 | MO |
| <i>dexamethasone oral tablet</i> | 2 | MO |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | 2 | MO |
| <i>dexamethasone sodium phosphate injection solution</i> | 2 | MO |
| <i>dexamethasone sodium phosphate injection syringe</i> | 2 | MO |
| <i>fludrocortisone oral tablet</i> | 2 | MO |
| <i>hydrocortisone oral tablet</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>methylprednisolone acetate injection suspension</i> | 2 | MO |
| <i>methylprednisolone oral tablet</i> | 2 | B/D PA; MO |
| <i>methylprednisolone oral tablets,dose pack</i> | 2 | MO |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | 2 | MO |
| <i>methylprednisolone sodium succ intravenous recon soln</i> | 2 | MO |
| <i>prednisolone oral solution</i> | 2 | MO |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2 | MO |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (5 ml)</i> | 2 | |
| <i>prednisone intensol oral concentrate</i> | 4 | MO |
| <i>prednisone oral solution</i> | 2 | MO |
| <i>prednisone oral tablet</i> | 1 | MO; GC |
| <i>prednisone oral tablets,dose pack</i> | 1 | MO; GC |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> | 2 | MO |
| ANTITHYROID AGENTS | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | MO; GC |
| <i>propylthiouracil oral tablet</i> | 2 | MO |
| DIABETES THERAPY | | |
| <i>acarbose oral tablet 100 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>acarbose oral tablet 25 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>acarbose oral tablet 50 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>alcohol pads topical pads, medicated</i> | 3 | MO |
| BAQSIMI NASAL SPRAY, NON-AEROSOL | 3 | MO |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR | 3 | PA; MO; QL (4 per 28 days) |
| BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML | 3 | PA; MO; QL (2.4 per 30 days) |
| BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML | 3 | PA; MO; QL (1.2 per 30 days) |
| <i>diazoxide oral suspension</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| DROPSAFE ALCOHOL PREP PADS TOPICAL PADS, MEDICATED | 3 | |
| FARXIGA ORAL TABLET 10 MG | 3 | MO; QL (30 per 30 days) |
| FARXIGA ORAL TABLET 5 MG | 3 | MO; QL (60 per 30 days) |
| <i>glimepiride oral tablet 1 mg</i> | 6 | MO; GC; QL (240 per 30 days) |
| <i>glimepiride oral tablet 2 mg</i> | 6 | MO; GC; QL (120 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> | 6 | MO; GC; QL (60 per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | 6 | MO; GC; QL (120 per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | 6 | MO; GC; QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> | 6 | MO; GC; QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 2.5 mg</i> | 6 | MO; GC; QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 5 mg</i> | 6 | MO; GC; QL (120 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | 6 | MO; GC; QL (240 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 6 | MO; GC; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| GLYXAMBI ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML | 3 | |
| GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML | 3 | MO |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR | 3 | MO |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 3 | MO |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 3 | MO |
| GVOKE SUBCUTANEOUS SOLUTION | 3 | MO |
| HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT | 3 | MO |
| HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION | 3 | MO |
| HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE | 3 | MO |
| HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION | 3 | MO |
| HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION | 3 | MO |
| HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| HUMULIN R REGULAR U-100 INSULIN INJECTION SOLUTION | 3 | MO |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION | 3 | MO |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| INPEFA ORAL TABLET 200 MG | 3 | PA; MO; QL (60 per 30 days) |
| INPEFA ORAL TABLET 400 MG | 3 | PA; MO; QL (30 per 30 days) |
| INSULIN LISPRO SUBCUTANEOUS SOLUTION | 3 | MO |
| JANUMET ORAL TABLET | 3 | MO; QL (60 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG | 3 | MO; QL (30 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG | 3 | MO; QL (60 per 30 days) |
| JANUVIA ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| JARDIANCE ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| JENTADUETO ORAL TABLET | 3 | MO; QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 3 | MO; QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 3 | MO; QL (30 per 30 days) |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION | 3 | MO |
| LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION | 3 | MO |
| <i>metformin oral tablet 1,000 mg</i> | 6 | MO; GC; QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> | 6 | MO; GC; QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 6 | MO; GC; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | 6 | MO; GC; QL (120 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | 6 | MO; GC; QL (60 per 30 days) |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR | 3 | PA; MO; QL (2 per 28 days) |
| <i>nateglinide oral tablet 120 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>nateglinide oral tablet 60 mg</i> | 2 | MO; QL (180 per 30 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 3 | PA; MO; QL (3 per 28 days) |
| <i>pioglitazone oral tablet</i> | 6 | MO; GC; QL (30 per 30 days) |
| QTERN ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| <i>repaglinide oral tablet 0.5 mg</i> | 2 | MO; QL (960 per 30 days) |
| <i>repaglinide oral tablet 1 mg</i> | 2 | MO; QL (480 per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> | 2 | MO; QL (240 per 30 days) |
| RYBELSUS ORAL TABLET | 3 | PA; MO; QL (30 per 30 days) |
| <i>saxagliptin oral tablet</i> | 3 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------------|
| <i>saxagliptin-metformin oral tablet, er multiphase 24 hr 2.5-1,000 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>saxagliptin-metformin oral tablet, er multiphase 24 hr 5-1,000 mg, 5-500 mg</i> | 3 | MO; QL (30 per 30 days) |
| SEGLUROMET ORAL TABLET 2.5-1,000 MG, 7.5-1,000 MG, 7.5-500 MG | 3 | MO; QL (60 per 30 days) |
| SEGLUROMET ORAL TABLET 2.5-500 MG | 3 | MO; QL (120 per 30 days) |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN | 3 | MO; QL (90 per 30 days) |
| STEGLATRO ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (10.8 per 30 days); NEDS |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (6 per 30 days); NEDS |
| SYNJARDY ORAL TABLET | 3 | MO; QL (60 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | MO; QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 3 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------|
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN | 3 | MO |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN | 3 | MO |
| TRADJENTA ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | 3 | MO; QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG | 3 | MO; QL (60 per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR | 3 | PA; MO; QL (2 per 28 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG | 3 | MO; QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG | 3 | MO; QL (60 per 30 days) |
| ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE | 3 | MO |
| MISCELLANEOUS HORMONES | | |
| ALDURAZYME INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| <i>cabergoline oral tablet</i> | 3 | MO |
| <i>calcitonin (salmon) injection solution</i> | 5 | MO; NEDS |
| <i>calcitonin (salmon) nasal spray, non-aerosol</i> | 3 | MO |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 2 | |
| <i>calcitriol oral capsule</i> | 2 | MO |
| <i>calcitriol oral solution</i> | 4 | |
| <i>cinacalcet oral tablet</i> | 4 | PA; MO |
| <i>clomid oral tablet</i> | 2 | PA; MO |
| <i>clomiphene citrate oral tablet</i> | 2 | PA |
| CRYSVITA SUBCUTANEOUS SOLUTION | 5 | PA; MO; LA; NEDS |
| <i>danazol oral capsule</i> | 4 | MO |
| <i>desmopressin injection solution</i> | 2 | MO |
| <i>desmopressin nasal spray with pump</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i> | 4 | |
| <i>desmopressin oral tablet</i> | 3 | MO |
| <i>doxercalciferol intravenous solution</i> | 2 | MO |
| <i>doxercalciferol oral capsule</i> | 4 | MO |
| ELAPRASE INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| FABRAZYME INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |
| KANUMA INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| KORLYM ORAL TABLET | 5 | PA; NEDS |
| LUMIZYME INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |
| MEPSEVII INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| <i>mifepristone oral tablet 300 mg</i> | 5 | PA; MO; NEDS |
| MYALEPT SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; NEDS |
| NAGLAZYME INTRAVENOUS SOLUTION | 5 | PA; MO; LA; NEDS |
| <i>pamidronate intravenous solution</i> | 2 | MO |
| <i>paricalcitol intravenous solution</i> | 2 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| <i>paricalcitol oral capsule</i> | 4 | MO |
| <i>sapropterin oral powder in packet</i> | 5 | PA; MO; NEDS |
| <i>sapropterin oral tablet,soluble</i> | 5 | PA; MO; NEDS |
| SOMAVERT SUBCUTANEOUS RECON SOLN | 5 | PA; MO; NEDS |
| STRENSIQ SUBCUTANEOUS SOLUTION | 5 | PA; LA; NEDS |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> | 3 | PA; MO |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 3 | PA |
| <i>testosterone enanthate intramuscular oil</i> | 3 | PA; MO |
| <i>testosterone transdermal gel</i> | 3 | PA; MO; QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> | 4 | PA; QL (120 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> | 3 | PA; MO; QL (300 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------|
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> | 4 | PA; MO; QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> | 3 | PA; MO; QL (300 per 30 days) |
| <i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i> | 4 | PA; MO; QL (37.5 per 30 days) |
| <i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i> | 4 | PA; QL (150 per 30 days) |
| <i>testosterone transdermal solution in metered pump w/app</i> | 4 | PA; MO; QL (180 per 30 days) |
| <i>tolvaptan oral tablet</i> | 5 | PA; MO; NEDS |
| VIMIZIM INTRAVENOUS SOLUTION | 5 | PA; MO; LA; NEDS |
| <i>zoledronic acid intravenous solution</i> | 2 | B/D PA; MO |
| THYROID HORMONES | | |
| <i>euthyrox oral tablet</i> | 1 | MO; GC |
| <i>levo-t oral tablet</i> | 1 | GC |
| <i>levothyroxine intravenous recon soln</i> | 2 | |
| <i>levothyroxine oral tablet</i> | 1 | MO; GC |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | MO; GC |
| <i>liothyronine intravenous solution</i> | 2 | MO |
| <i>liothyronine oral tablet</i> | 2 | MO |
| <i>unithroid oral tablet</i> | 1 | MO; GC |
| GASTROENTEROLOGY | | |
| ANTIDIARRHEALS / ANTISPASMODICS | | |
| <i>atropine injection solution 0.4 mg/ml</i> | 2 | |
| <i>atropine injection syringe 0.1 mg/ml</i> | 2 | |
| <i>atropine intravenous solution 0.4 mg/ml</i> | 2 | |
| <i>atropine intravenous syringe 0.25 mg/5 ml (0.05 mg/ml)</i> | 2 | |
| <i>dicyclomine intramuscular solution</i> | 2 | MO |
| <i>dicyclomine oral capsule</i> | 2 | MO |
| <i>dicyclomine oral solution</i> | 4 | MO |
| <i>dicyclomine oral tablet</i> | 2 | MO |
| <i>diphenoxylate-atropine oral liquid</i> | 4 | MO |
| <i>diphenoxylate-atropine oral tablet</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i> | 2 | MO |
| <i>glycopyrrolate injection solution</i> | 2 | MO |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 3 | MO |
| <i>glycopyrrolate oral tablet 1.5 mg</i> | 3 | |
| <i>loperamide oral capsule</i> | 2 | MO |
| <i>opium tincture oral tincture</i> | 2 | MO |
| MISCELLANEOUS GASTROINTESTINAL AGENTS | | |
| <i>alosetron oral tablet 0.5 mg</i> | 4 | PA; MO |
| <i>alosetron oral tablet 1 mg</i> | 5 | PA; MO; NEDS |
| <i>aprepitant oral capsule</i> | 4 | B/D PA; MO |
| <i>aprepitant oral capsule, dose pack</i> | 4 | B/D PA; MO |
| <i>balsalazide oral capsule</i> | 3 | MO |
| <i>betaine oral powder</i> | 5 | MO; NEDS |
| <i>budesonide oral capsule, delayed, extended release</i> | 4 | MO |
| <i>budesonide oral tablet, delayed and extended release</i> | 5 | MO; NEDS |
| CHENODAL ORAL TABLET | 5 | PA; LA; NEDS |
| CHOLBAM ORAL CAPSULE 250 MG | 5 | PA; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| CHOLBAM ORAL CAPSULE 50 MG | 5 | PA; QL (120 per 30 days); NEDS |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT | 5 | PA; MO; QL (2 per 28 days); NEDS |
| CIMZIA STARTER KIT SUBCUTANEOUS SYRINGE KIT | 5 | PA; MO; QL (3 per 180 days); NEDS |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 5 | PA; MO; QL (2 per 28 days); NEDS |
| CINVANTI INTRAVENOUS EMULSION | 3 | MO |
| <i>compro rectal suppository</i> | 4 | MO |
| <i>constulose oral solution</i> | 2 | MO |
| CORTIFOAM RECTAL FOAM | 3 | MO |
| CREON ORAL CAPSULE, DELAYED RELEASE (DR/EC) | 3 | MO |
| <i>cromolyn oral concentrate</i> | 4 | MO |
| <i>dimenhydrinate injection solution</i> | 2 | MO |
| <i>dronabinol oral capsule 10 mg</i> | 4 | B/D PA; MO |
| <i>dronabinol oral capsule 2.5 mg, 5 mg</i> | 4 | B/D PA |
| <i>droperidol injection solution</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| EMEND ORAL SUSPENSION FOR RECONSTITUTION | 4 | B/D PA |
| ENTYVIO INTRAVENOUS RECON SOLN | 5 | PA; MO; QL (2 per 28 days); NEDS |
| <i>enulose oral solution</i> | 2 | MO |
| <i>fosaprepitant intravenous recon soln</i> | 2 | MO |
| GATTEX 30-VIAL SUBCUTANEOUS KIT | 5 | PA; MO; NEDS |
| GATTEX ONE-VIAL SUBCUTANEOUS KIT | 5 | PA; MO; NEDS |
| <i>gavilyte-c oral recon soln</i> | 2 | MO |
| <i>gavilyte-g oral recon soln</i> | 2 | MO |
| <i>gavilyte-n oral recon soln</i> | 2 | |
| <i>generlac oral solution</i> | 2 | |
| <i>granisetron (pf) intravenous solution 1 mg/ml (1 ml)</i> | 2 | MO |
| <i>granisetron hcl intravenous solution 1 mg/ml</i> | 2 | MO |
| <i>granisetron hcl intravenous solution 1 mg/ml (1 ml)</i> | 2 | |
| <i>granisetron hcl oral tablet</i> | 3 | B/D PA; MO |
| <i>hydrocortisone rectal enema</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>hydrocortisone topical cream with perineal applicator</i> | 2 | MO |
| <i>lactulose oral solution 10 gram/15 ml</i> | 2 | MO |
| <i>lactulose oral solution 10 gram/15 ml (15 ml), 20 gram/30 ml</i> | 2 | |
| LINZESS ORAL CAPSULE | 3 | MO; QL (30 per 30 days) |
| <i>lubiprostone oral capsule</i> | 4 | MO; QL (60 per 30 days) |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i> | 2 | MO |
| <i>mesalamine oral capsule (with del rel tablets)</i> | 4 | MO |
| <i>mesalamine oral capsule, extended release</i> | 5 | NEDS |
| <i>mesalamine oral capsule, extended release 24hr</i> | 4 | MO |
| <i>mesalamine oral tablet, delayed release (dr/ec)</i> | 4 | MO |
| <i>mesalamine rectal enema</i> | 4 | MO |
| <i>mesalamine rectal suppository</i> | 4 | MO |
| <i>mesalamine with cleansing wipe rectal enema kit</i> | 4 | MO |
| <i>metoclopramide hcl injection solution</i> | 2 | MO |
| <i>metoclopramide hcl injection syringe</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| <i>metoclopramide hcl oral solution</i> | 2 | MO |
| <i>metoclopramide hcl oral tablet</i> | 1 | MO; GC |
| MOVANTIK ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| <i>nitroglycerin rectal ointment</i> | 3 | MO |
| OICALIVA ORAL TABLET | 5 | PA; MO; LA; QL (30 per 30 days); NEDS |
| <i>ondansetron hcl (pf) injection solution</i> | 2 | MO |
| <i>ondansetron hcl (pf) injection syringe</i> | 2 | |
| <i>ondansetron hcl intravenous solution</i> | 2 | MO |
| <i>ondansetron hcl oral solution</i> | 4 | B/D PA; MO |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 2 | B/D PA; MO |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> | 2 | B/D PA; MO |
| <i>palonosetron intravenous solution 0.25 mg/5 ml</i> | 2 | MO |
| <i>palonosetron intravenous syringe</i> | 2 | |
| <i>peg 3350-electrolytes oral recon soln</i> | 2 | |
| <i>peg3350-sod sul-nacl-kcl-asb-c oral powder in packet</i> | 4 | MO |
| <i>peg-electrolyte oral recon soln</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG | 4 | MO |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 2 | MO |
| <i>prochlorperazine maleate oral tablet</i> | 2 | MO |
| <i>prochlorperazine rectal suppository</i> | 4 | MO |
| <i>procto-med hc topical cream with perineal applicator</i> | 2 | MO |
| <i>proctosol hc topical cream with perineal applicator</i> | 2 | MO |
| <i>proctozone-hc topical cream with perineal applicator</i> | 2 | MO |
| RECTIV RECTAL OINTMENT | 3 | MO |
| RELISTOR SUBCUTANEOUS SOLUTION | 5 | MO; QL (18 per 30 days); NEDS |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML | 5 | MO; QL (18 per 30 days); NEDS |
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML | 5 | MO; QL (12 per 30 days); NEDS |
| REMICADE INTRAVENOUS RECON SOLN | 5 | PA; MO; QL (20 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--|
| SANCUSO TRANSDERMAL PATCH WEEKLY | 5 | MO; NEDS |
| <i>scopolamine base transdermal patch 3 day</i> | 4 | MO |
| SKYRIZI INTRAVENOUS SOLUTION | 5 | PA; MO; QL (30 per 180 days); NEDS |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML) | 5 | PA; MO; QL (1.2 per 56 days); NEDS |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML) | 5 | PA; MO; QL (2.4 per 56 days); NEDS |
| <i>sodium,potassium,m ag sulfates oral recon soln 17.5- 3.13-1.6 gram</i> | 4 | MO |
| <i>sodium,potassium,m ag sulfates oral recon soln 17.5- 3.13-1.6 gram 2 pack (480ml)</i> | 4 | |
| SUCRAID ORAL SOLUTION | 5 | PA; NEDS |
| <i>sulfasalazine oral tablet</i> | 2 | MO |
| <i>sulfasalazine oral tablet,delayed release (dr/ec)</i> | 2 | MO |
| TRULANCE ORAL TABLET | 3 | QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--|
| <i>ursodiol oral capsule 300 mg</i> | 3 | MO |
| <i>ursodiol oral tablet</i> | 3 | MO |
| VARUBI ORAL TABLET | 3 | B/D PA |
| VIBERZI ORAL TABLET | 5 | MO; QL (60 per 30 days); NEDS |
| VIOKACE ORAL TABLET | 3 | MO |
| ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT | 3 | MO |
| ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 60,000-189,600- 252,600 UNIT | 5 | MO; NEDS |
| ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (2 per 28 days); NEDS |
| ZYMFENTRA SUBCUTANEOUS SYRINGE KIT | 5 | PA; MO; QL (2 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| ULCER THERAPY | | |
| <i>cimetidine hcl oral solution</i> | 2 | |
| <i>cimetidine oral tablet</i> | 2 | MO |
| <i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i> | 3 | MO; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>esomeprazole sodium intravenous recon soln 40 mg</i> | 2 | MO |
| <i>famotidine (pf) intravenous solution</i> | 2 | MO |
| <i>famotidine (pf)-nacl (iso-os) intravenous piggyback</i> | 2 | MO |
| <i>famotidine intravenous solution</i> | 2 | MO |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | MO; GC |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>misoprostol oral tablet</i> | 3 | MO |
| <i>nizatidine oral capsule</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg</i> | 1 | MO; GC; QL (30 per 30 days) |
| <i>omeprazole oral capsule, delayed release(dr/ec) 40 mg</i> | 1 | MO; GC; QL (60 per 30 days) |
| <i>pantoprazole intravenous recon soln</i> | 2 | MO |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> | 1 | MO; GC; QL (30 per 30 days) |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> | 1 | MO; GC; QL (60 per 30 days) |
| <i>sucralfate oral suspension</i> | 4 | MO |
| <i>sucralfate oral tablet</i> | 2 | MO |

IMMUNOLOGY, VACCINES / BIOTECHNOLOGY

BIOTECHNOLOGY DRUGS

| | | |
|---------------------------------------|---|----------------------------------|
| ACTIMMUNE SUBCUTANEOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| ARCALYST SUBCUTANEOUS RECON SOLN | 5 | PA; NEDS |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT | 5 | PA; MO; QL (1 per 28 days); NEDS |
| AVONEX INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; QL (1 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--|
| BESREMI SUBCUTANEOUS SYRINGE | 5 | PA; LA; NEDS |
| BETASERON SUBCUTANEOUS KIT | 5 | PA; MO; QL (14 per 28 days); NEDS |
| ILARIS (PF) SUBCUTANEOUS SOLUTION | 5 | PA; MO; LA; QL (2 per 28 days); NEDS |
| LEUKINE INJECTION RECON SOLN | 5 | PA; MO; NEDS |
| MOZOBIL SUBCUTANEOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| NIVESTYM INJECTION SOLUTION | 5 | PA; MO; NEDS |
| NIVESTYM SUBCUTANEOUS SYRINGE | 5 | PA; MO; NEDS |
| NYVEPRIA SUBCUTANEOUS SYRINGE | 5 | PA; MO; NEDS |
| OMNITROPE SUBCUTANEOUS CARTRIDGE | 5 | PA; MO; NEDS |
| OMNITROPE SUBCUTANEOUS RECON SOLN | 5 | PA; MO; NEDS |
| PEGASYS SUBCUTANEOUS SOLUTION | 5 | MO; QL (4 per 28 days); NEDS |
| PEGASYS SUBCUTANEOUS SYRINGE | 5 | MO; QL (2 per 28 days); NEDS |
| PLEGRIDY INTRAMUSCULA R SYRINGE | 5 | PA; MO; QL (1 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---|
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 5 | PA; MO; QL (1 per 28 days); NEDS |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; MO; QL (1 per 180 days); NEDS |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 5 | PA; MO; QL (1 per 28 days); NEDS |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; MO; QL (1 per 180 days); NEDS |
| <i>plerixafor subcutaneous solution</i> | 5 | B/D PA; MO; NEDS |
| PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; MO |
| PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML | 5 | PA; MO; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; MO |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 5 | PA; MO; NEDS |
| ZARXIO INJECTION SYRINGE | 5 | PA; MO; NEDS |
| ZIEXTENZO SUBCUTANEOUS SYRINGE | 5 | PA; MO; NEDS |
| VACCINES / MISCELLANEOUS IMMUNOLOGICALS | | |
| ABRYSVO (PF) INTRAMUSCULAR RECON SOLN | 6 | GC; V |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN | 3 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION | 6 | GC; V |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE | 6 | GC; V |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 6 | GC; V |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION | 6 | GC; V |
| BEXSERO INTRAMUSCULAR SYRINGE | 6 | GC; V |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION | 6 | GC; V |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE | 6 | GC; V |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION | 3 | |
| DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION | 6 | B/D PA; GC; V |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE | 6 | B/D PA; GC; V |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE | 6 | B/D PA; GC; V |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>fomepizole</i> <i>intravenous solution</i> | 2 | |
| GAMASTAN INTRAMUSCULAR SOLUTION | 3 | MO |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION | 6 | GC; V |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE | 6 | GC; V |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML | 6 | GC; V |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 3 | |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE | 6 | B/D PA; GC; V |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN | 3 | |
| HIZENTRA SUBCUTANEOUS SOLUTION | 5 | B/D PA; MO; NEDS |
| HIZENTRA SUBCUTANEOUS SYRINGE | 5 | B/D PA; MO; NEDS |
| HYPERHEP B INTRAMUSCULAR SOLUTION | 3 | |
| HYPERHEP B NEONATAL INTRAMUSCULAR SYRINGE | 3 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN | 6 | GC; V |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE | 3 | |
| IPOL INJECTION SUSPENSION | 6 | GC; V |
| IXCHIQ (PF) INTRAMUSCULAR RECON SOLN | 6 | GC; V |
| IXIARO (PF) INTRAMUSCULAR SYRINGE | 6 | GC; V |
| JYNNEOS (PF) SUBCUTANEOUS SUSPENSION | 6 | B/D PA; GC; V |
| KINRIX (PF) INTRAMUSCULAR SYRINGE | 3 | |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION | 6 | GC; V |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION | 6 | GC; V |
| MENVEO A-C-Y- W-135-DIP (PF) INTRAMUSCULAR KIT | 6 | GC; V |
| MENVEO A-C-Y- W-135-DIP (PF) INTRAMUSCULAR SOLUTION | 6 | GC; V |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN | 6 | GC; V |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| MRESVIA (PF) INTRAMUSCULAR SYRINGE | 6 | GC; V |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE | 3 | |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION | 3 | |
| PENBRAYA (PF) INTRAMUSCULAR KIT | 6 | GC; V |
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML | 3 | |
| PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION | 6 | B/D PA; GC; V |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 6 | GC; V |
| PRIVIGEN INTRAVENOUS SOLUTION | 5 | PA; MO; NEDS |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE | 3 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------|
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 6 | GC; V |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION | 6 | B/D PA; GC; V |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE | 6 | B/D PA; GC; V |
| ROTARIX ORAL SUSPENSION | 3 | |
| ROTARIX ORAL SUSPENSION FOR RECONSTITUTION | 3 | |
| ROTATEQ VACCINE ORAL SOLUTION | 3 | |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 6 | GC; V; QL (2 per 720 days) |
| TDVAX INTRAMUSCULAR SUSPENSION | 6 | GC; V |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION | 6 | GC; V |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE | 6 | GC; V |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION | 3 | |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION | 3 | B/D PA |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML | 3 | |
| TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML | 3 | V |
| TRUMENBA INTRAMUSCULAR SYRINGE | 6 | GC; V |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE | 6 | GC; V |
| TYPHIM VI INTRAMUSCULAR SOLUTION | 6 | GC; V |
| TYPHIM VI INTRAMUSCULAR SYRINGE | 6 | GC; V |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML | 6 | GC; V |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML | 6 | GC; V |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 6 | GC; V |
| VARIZIG INTRAMUSCULAR SOLUTION | 3 | |
| VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION | 6 | GC; V |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 6 | GC; V |

MISCELLANEOUS SUPPLIES

MISCELLANEOUS SUPPLIES

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| BD INSULIN SYRINGE SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" | 3 | MO |
| BD PEN NEEDLE | 3 | MO |
| BD PEN NEEDLE | 3 | |
| CEQR SIMPLICITY DEVICE | 3 | MO |
| CEQR SIMPLICITY INSERTER | 3 | MO |
| GAUZE PADS 2 X 2 | 3 | MO |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE | 3 | MO |
| INSULIN SYRINGES (NON-PREFERRED BRANDS) SYRINGE 1 ML 29 GAUGE X 1/2" | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE | 3 | MO; QL (1 per 720 days) |
| OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | 3 | MO |
| OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | 3 | QL (1 per 720 days) |
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | 3 | MO |
| OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE | 3 | |
| PEN NEEDLES (NON-PREFERRED BRANDS) NEEDLE 29 GAUGE X 1/2" | 3 | MO |
| V-GO 20 DEVICE | 3 | MO |
| V-GO 30 DEVICE | 3 | MO |
| V-GO 40 DEVICE | 3 | MO |

MUSCULOSKELETAL / RHEUMATOLOGY

GOUT THERAPY

| | | |
|--|---|--------|
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 1 | MO; GC |
| <i>allopurinol sodium intravenous recon soln</i> | 2 | |
| <i>aloprim intravenous recon soln</i> | 2 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>colchicine oral tablet</i> | 2 | MO |
| <i>febuxostat oral tablet</i> | 3 | MO |
| <i>probenecid oral tablet</i> | 3 | MO |
| <i>probenecid-colchicine oral tablet</i> | 3 | MO |

OSTEOPOROSIS THERAPY

| | | |
|---|---|-----------------------------|
| <i>alendronate oral solution</i> | 2 | MO; QL (300 per 28 days) |
| <i>alendronate oral tablet 10 mg</i> | 1 | MO; GC; QL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg, 70 mg</i> | 1 | MO; GC; QL (4 per 28 days) |
| FOSAMAX PLUS D ORAL TABLET | 4 | ST; MO; QL (4 per 28 days) |
| <i>ibandronate intravenous solution</i> | 2 | PA |
| <i>ibandronate intravenous syringe</i> | 2 | PA; MO |
| <i>ibandronate oral tablet</i> | 2 | MO; QL (1 per 30 days) |
| PROLIA SUBCUTANEOUS SYRINGE | 4 | PA; MO; QL (1 per 180 days) |
| <i>raloxifene oral tablet</i> | 2 | MO |
| <i>risedronate oral tablet 150 mg</i> | 3 | MO; QL (1 per 30 days) |
| <i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i> | 3 | MO; QL (4 per 28 days) |
| <i>risedronate oral tablet 5 mg</i> | 3 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------|
| <i>risedronate oral tablet,delayed release (dr/ec)</i> | 4 | MO; QL (4 per 28 days) |
| TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML) | 5 | PA; QL (2.48 per 28 days); NEDS |

OTHER RHEUMATOLOGICALS

| | | |
|---|---|------------------------------------|
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (3.6 per 28 days); NEDS |
| ACTEMRA INTRAVENOUS SOLUTION | 5 | PA; MO; QL (160 per 28 days); NEDS |
| ACTEMRA SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (3.6 per 28 days); NEDS |
| ADALIMUMAB-ADAZ SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (1.6 per 28 days); NEDS |
| ADALIMUMAB-ADAZ SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (1.6 per 28 days); NEDS |
| ADALIMUMAB-ADBAM (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| ADALIMUMAB-ADBAM (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | 5 | PA; MO; QL (2 per 28 days); NEDS |
| ADALIMUMAB-ADBAM (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 5 | PA; QL (4 per 28 days); NEDS |
| ADALIMUMAB-ADBAM (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days); NEDS |
| ADALIMUMAB-ADBAM(CF) PEN CROHNS (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; QL (6 per 180 days); NEDS |
| ADALIMUMAB-ADBAM(CF) PEN PS-UV (ONLY NDCS STARTING WITH 00597) SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; QL (4 per 180 days); NEDS |
| BENLYSTA INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; NEDS |
| BENLYSTA SUBCUTANEOUS SYRINGE | 5 | PA; MO; NEDS |
| CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; QL (6 per 180 days); NEDS |
| CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; QL (4 per 180 days); NEDS |
| CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (4 per 28 days); NEDS |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | 5 | PA; MO; QL (2 per 28 days); NEDS |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 5 | PA; QL (4 per 28 days); NEDS |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days); NEDS |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE | 5 | PA; MO; QL (8 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| ENBREL SUBCUTANEOUS SOLUTION | 5 | PA; MO; QL (8 per 28 days); NEDS |
| ENBREL SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (8 per 28 days); NEDS |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (8 per 28 days); NEDS |
| HUMIRA (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days); NEDS |
| HUMIRA PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (4 per 28 days); NEDS |
| HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML | 5 | PA; MO; QL (2 per 28 days); NEDS |
| HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 5 | PA; MO; QL (4 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML | 5 | PA; MO; QL (4 per 28 days); NEDS |
| HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; MO; QL (2 per 28 days); NEDS |
| HUMIRA(CF) PEN CROHNS-UC-HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (3 per 180 days); NEDS |
| HUMIRA(CF) PEN PEDIATRIC UC (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; QL (4 per 180 days); NEDS |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (3 per 180 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------------|
| HYRIMOZ PEN CROHN'S-UC STARTER (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (2.4 per 180 days); NEDS |
| HYRIMOZ PEN PSORIASIS STARTER (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (1.6 per 180 days); NEDS |
| HYRIMOZ(CF) (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 10 MG/0.1 ML | 5 | PA; MO; QL (0.2 per 28 days); NEDS |
| HYRIMOZ(CF) (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 20 MG/0.2 ML | 5 | PA; MO; QL (0.4 per 28 days); NEDS |
| HYRIMOZ(CF) (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; QL (1.6 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---|
| HYRIMOZ(CF) PEDI CROHN STARTER (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 80 MG/0.8 ML | 5 | PA; MO; QL (2.4 per 180 days); NEDS |
| HYRIMOZ(CF) PEDI CROHN STARTER (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 80 MG/0.8 ML- 40 MG/0.4 ML | 5 | PA; MO; QL (1.2 per 180 days); NEDS |
| HYRIMOZ(CF) PEN (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR 40 MG/0.4 ML | 5 | PA; QL (1.6 per 28 days); NEDS |
| HYRIMOZ(CF) PEN (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR 80 MG/0.8 ML | 5 | PA; MO; QL (1.6 per 28 days); NEDS |
| <i>leflunomide oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN | 5 | PA; MO; QL (12 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--|
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (4 per 28 days); NEDS |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML | 5 | PA; MO; QL (4 per 28 days); NEDS |
| ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML | 5 | PA; MO; QL (1.6 per 28 days); NEDS |
| ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML | 5 | PA; MO; QL (2.8 per 28 days); NEDS |
| OTEZLA ORAL TABLET 20 MG | 5 | PA; QL (60 per 30 days); NEDS |
| OTEZLA ORAL TABLET 30 MG | 5 | PA; MO; QL (60 per 30 days); NEDS |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51) | 5 | PA; QL (55 per 180 days); NEDS |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (4)-30 MG (47) | 5 | PA; MO; QL (55 per 180 days); NEDS |
| <i>penicillamine oral tablet</i> | 5 | PA; MO; NEDS |
| RIDAURA ORAL CAPSULE | 5 | MO; NEDS |
| RINVOQ LQ ORAL SOLUTION | 5 | PA; MO; QL (360 per 30 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG | 5 | PA; MO; QL (30 per 30 days); NEDS |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG | 5 | PA; MO; QL (84 per 180 days); NEDS |
| SAVELLA ORAL TABLET | 3 | QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK | 3 | QL (55 per 180 days) |
| SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT | 5 | PA; MO; QL (6 per 28 days); NEDS |
| TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR | 5 | PA; QL (3.6 per 28 days); NEDS |
| TYENNE INTRAVENOUS SOLUTION | 5 | PA; QL (160 per 28 days); NEDS |
| TYENNE SUBCUTANEOUS SYRINGE | 5 | PA; QL (3.6 per 28 days); NEDS |
| XELJANZ ORAL SOLUTION | 5 | PA; MO; QL (480 per 24 days); NEDS |
| XELJANZ ORAL TABLET | 5 | PA; MO; QL (60 per 30 days); NEDS |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR | 5 | PA; MO; QL (30 per 30 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------|
| OBSTETRICS / GYNECOLOGY | | |
| ESTROGENS / PROGESTINS | | |
| <i>camila oral tablet</i> | 2 | MO |
| <i>deblitane oral tablet</i> | 2 | MO |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE | 4 | MO |
| <i>dotti transdermal patch semiweekly</i> | 3 | PA; MO; QL (8 per 28 days) |
| DUAVEE ORAL TABLET | 3 | MO |
| <i>emzahh oral tablet</i> | 2 | |
| <i>errin oral tablet</i> | 2 | MO |
| <i>estradiol oral tablet</i> | 4 | PA; MO |
| <i>estradiol transdermal patch semiweekly</i> | 3 | PA; MO; QL (8 per 28 days) |
| <i>estradiol transdermal patch weekly</i> | 3 | PA; MO; QL (4 per 28 days) |
| <i>estradiol vaginal cream</i> | 4 | MO |
| <i>estradiol vaginal tablet</i> | 4 | MO |
| <i>estradiol valerate intramuscular oil</i> | 4 | MO |
| <i>estradiol-norethindrone acet oral tablet</i> | 3 | PA; MO |
| <i>fyavolv oral tablet</i> | 4 | PA; MO |
| <i>heather oral tablet</i> | 2 | MO |
| IMVEXXY MAINTENANCE PACK VAGINAL INSERT | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------|
| IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK | 3 | MO |
| <i>incassia oral tablet</i> | 2 | MO |
| <i>jencycla oral tablet</i> | 2 | MO |
| <i>jinteli oral tablet</i> | 4 | PA; MO |
| <i>lyleq oral tablet</i> | 2 | MO |
| <i>lyllana transdermal patch semiweekly</i> | 3 | PA; MO; QL (8 per 28 days) |
| <i>lyza oral tablet</i> | 2 | |
| <i>medroxyprogesterone intramuscular suspension</i> | 2 | MO |
| <i>medroxyprogesterone intramuscular syringe</i> | 2 | MO |
| <i>medroxyprogesterone oral tablet</i> | 2 | MO |
| MENEST ORAL TABLET | 3 | PA; MO |
| <i>mimvey oral tablet</i> | 3 | PA; MO |
| <i>nora-be oral tablet</i> | 2 | MO |
| <i>norethindrone (contraceptive) oral tablet</i> | 2 | |
| <i>norethindrone acetate oral tablet</i> | 2 | MO |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 4 | PA; MO |
| PREMARIN ORAL TABLET | 3 | MO |
| PREMARIN VAGINAL CREAM | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| PREMPHASE ORAL TABLET | 3 | MO |
| PREMPRO ORAL TABLET | 3 | MO |
| <i>progesterone intramuscular oil</i> | 2 | MO |
| <i>progesterone micronized oral capsule</i> | 2 | MO |
| <i>sharobel oral tablet</i> | 2 | MO |
| <i>yuvaferm vaginal tablet</i> | 4 | |
| MISCELLANEOUS OB/GYN | | |
| <i>clindamycin phosphate vaginal cream</i> | 3 | MO |
| <i>eluryng vaginal ring</i> | 4 | MO |
| <i>etonogestrel-ethinyl estradiol vaginal ring</i> | 4 | |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> | 3 | MO |
| <i>mifepristone oral tablet 200 mg</i> | 2 | LA |
| MYFEMBREE ORAL TABLET | 5 | PA; MO; NEDS |
| NEXPLANON SUBDERMAL IMPLANT | 4 | |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly</i> | 3 | |
| <i>terconazole vaginal cream</i> | 3 | MO |
| <i>terconazole vaginal suppository</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>tranexamic acid oral tablet</i> | 3 | MO |
| <i>vandazole vaginal gel</i> | 3 | MO |
| <i>xulane transdermal patch weekly</i> | 4 | |
| <i>zafemy transdermal patch weekly</i> | 4 | MO |
| ORAL CONTRACEPTIVES / RELATED AGENTS | | |
| <i>altavera (28) oral tablet</i> | 2 | MO |
| <i>alyacen 1/35 (28) oral tablet</i> | 2 | MO |
| <i>alyacen 7/7/7 (28) oral tablet</i> | 2 | MO |
| <i>amethyst (28) oral tablet</i> | 2 | MO |
| <i>apri oral tablet</i> | 2 | MO |
| <i>aranelle (28) oral tablet</i> | 2 | MO |
| <i>aubra eq oral tablet</i> | 2 | MO |
| <i>aviane oral tablet</i> | 2 | MO |
| <i>azurette (28) oral tablet</i> | 2 | MO |
| <i>camrese oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>cryselle (28) oral tablet</i> | 2 | MO |
| <i>cyred eq oral tablet</i> | 2 | MO |
| <i>dasetta 1/35 (28) oral tablet</i> | 2 | MO |
| <i>dasetta 7/7/7 (28) oral tablet</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>daysee oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>desog-e.estradiol/e.estradiol oral tablet</i> | 2 | |
| <i>desogestrel-ethinyl estradiol oral tablet</i> | 2 | |
| <i>drospirenone-e.estradiol-lm,fa oral tablet 3-0.03-0.451 mg (21) (7)</i> | 4 | MO |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> | 2 | MO |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> | 2 | |
| <i>elinest oral tablet</i> | 2 | MO |
| <i>enpresse oral tablet</i> | 2 | MO |
| <i>enskyce oral tablet</i> | 2 | MO |
| <i>estarylla oral tablet</i> | 2 | MO |
| <i>ethynodiol diac-eth estradiol oral tablet</i> | 2 | |
| <i>falmina (28) oral tablet</i> | 2 | MO |
| <i>introvale oral tablets,dose pack,3 month</i> | 2 | |
| <i>isibloom oral tablet</i> | 2 | MO |
| <i>jasmiel (28) oral tablet</i> | 2 | MO |
| <i>jolessa oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>juleber oral tablet</i> | 2 | MO |
| <i>kalliga oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>kariva (28) oral tablet</i> | 2 | |
| <i>kelnor 1/35 (28) oral tablet</i> | 2 | MO |
| <i>kelnor 1/50 (28) oral tablet</i> | 2 | MO |
| <i>kurvelo (28) oral tablet</i> | 2 | MO |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | 2 | MO |
| <i>larin 1.5/30 (21) oral tablet</i> | 2 | MO |
| <i>larin 1/20 (21) oral tablet</i> | 2 | MO |
| <i>larin 24 fe oral tablet</i> | 2 | MO |
| <i>larin fe 1.5/30 (28) oral tablet</i> | 2 | MO |
| <i>larin fe 1/20 (28) oral tablet</i> | 2 | MO |
| <i>lessina oral tablet</i> | 2 | MO |
| <i>levonest (28) oral tablet</i> | 2 | MO |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg, 90-20 mcg (28)</i> | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i> | 2 | |
| <i>levonorg-eth estrad triphasic oral tablet</i> | 2 | |
| <i>levora-28 oral tablet</i> | 2 | MO |
| <i>loryna (28) oral tablet</i> | 2 | MO |
| <i>low-ogestrel (28) oral tablet</i> | 2 | MO |
| <i>lo-zumandimine (28) oral tablet</i> | 2 | MO |
| <i>luteria (28) oral tablet</i> | 2 | MO |
| <i>marlissa (28) oral tablet</i> | 2 | MO |
| <i>microgestin 1.5/30 (21) oral tablet</i> | 2 | MO |
| <i>microgestin 1/20 (21) oral tablet</i> | 2 | MO |
| <i>microgestin fe 1.5/30 (28) oral tablet</i> | 2 | MO |
| <i>microgestin fe 1/20 (28) oral tablet</i> | 2 | MO |
| <i>mili oral tablet</i> | 2 | MO |
| <i>mono-linyah oral tablet</i> | 2 | MO |
| <i>nikki (28) oral tablet</i> | 2 | MO |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.25-35 mg-mcg</i> | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | MO |
| <i>nortrel 0.5/35 (28) oral tablet</i> | 2 | MO |
| <i>nortrel 1/35 (21) oral tablet</i> | 2 | MO |
| <i>nortrel 1/35 (28) oral tablet</i> | 2 | MO |
| <i>nortrel 7/7/7 (28) oral tablet</i> | 2 | MO |
| <i>philith oral tablet</i> | 2 | MO |
| <i>pimtrea (28) oral tablet</i> | 2 | MO |
| <i>portia 28 oral tablet</i> | 2 | MO |
| <i>reclipsen (28) oral tablet</i> | 2 | MO |
| <i>setlakin oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>sprintec (28) oral tablet</i> | 2 | MO |
| <i>sronyx oral tablet</i> | 2 | MO |
| <i>syeda oral tablet</i> | 2 | MO |
| <i>tarina 24 fe oral tablet</i> | 2 | MO |
| <i>tarina fe 1-20 eq (28) oral tablet</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>tilia fe oral tablet</i> | 2 | MO |
| <i>tri-estarylla oral tablet</i> | 2 | MO |
| <i>tri-legest fe oral tablet</i> | 2 | MO |
| <i>tri-linyah oral tablet</i> | 2 | MO |
| <i>tri-lo-estarylla oral tablet</i> | 2 | MO |
| <i>tri-lo-marzia oral tablet</i> | 2 | MO |
| <i>tri-lo-sprintec oral tablet</i> | 2 | |
| <i>tri-sprintec (28) oral tablet</i> | 2 | MO |
| <i>trivora (28) oral tablet</i> | 2 | MO |
| <i>turqoz (28) oral tablet</i> | 2 | MO |
| <i>velivet triphasic regimen (28) oral tablet</i> | 2 | MO |
| <i>vestura (28) oral tablet</i> | 2 | MO |
| <i>vienva oral tablet</i> | 2 | MO |
| <i>viorele (28) oral tablet</i> | 2 | MO |
| <i>wera (28) oral tablet</i> | 2 | MO |
| <i>zovia 1-35 (28) oral tablet</i> | 2 | MO |
| <i>zumandimine (28) oral tablet</i> | 2 | MO |
| OXYTOCICS | | |
| <i>methylergonovine oral tablet</i> | 4 | PA |
| OPHTHALMOLOGY | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------|
| ANTIBIOTICS | | |
| AZASITE OPHTHALMIC (EYE) DROPS | 3 | MO |
| <i>bacitracin ophthalmic (eye) ointment</i> | 3 | MO |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment</i> | 2 | MO |
| BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | MO |
| <i>ciprofloxacin hcl ophthalmic (eye) drops</i> | 2 | MO |
| <i>erythromycin ophthalmic (eye) ointment</i> | 2 | MO; QL (3.5 per 14 days) |
| <i>gatifloxacin ophthalmic (eye) drops</i> | 4 | MO |
| <i>gentamicin ophthalmic (eye) drops</i> | 2 | MO; QL (70 per 30 days) |
| <i>levofloxacin ophthalmic (eye) drops</i> | 3 | |
| <i>moxifloxacin ophthalmic (eye) drops</i> | 3 | MO |
| <i>moxifloxacin ophthalmic (eye) drops, viscous</i> | 3 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION | 4 | |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment</i> | 3 | MO |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops</i> | 3 | MO |
| <i>neo-polycin ophthalmic (eye) ointment</i> | 3 | |
| <i>ofloxacin ophthalmic (eye) drops</i> | 2 | MO |
| <i>polycin ophthalmic (eye) ointment</i> | 2 | |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops</i> | 2 | MO |
| <i>tobramycin ophthalmic (eye) drops</i> | 2 | MO; QL (10 per 14 days) |
| ANTIVIRALS | | |
| <i>trifluridine ophthalmic (eye) drops</i> | 3 | MO |
| ZIRGAN OPHTHALMIC (EYE) GEL | 4 | MO |
| BETA-BLOCKERS | | |
| <i>betaxolol ophthalmic (eye) drops</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>carteolol ophthalmic (eye) drops</i> | 2 | MO |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 2 | MO |
| <i>timolol maleate ophthalmic (eye) drops</i> | 1 | MO; GC |
| <i>timolol maleate ophthalmic (eye) gel forming solution</i> | 4 | MO |
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| <i>atropine ophthalmic (eye) drops 1 %</i> | 3 | MO |
| <i>azelastine ophthalmic (eye) drops</i> | 2 | MO |
| <i>bepotastine besilate ophthalmic (eye) drops</i> | 3 | MO |
| <i>bss intraocular solution</i> | 2 | |
| CIMERLI INTRAVITREAL SOLUTION | 5 | PA; MO; NEDS |
| <i>cromolyn ophthalmic (eye) drops</i> | 2 | MO |
| <i>cyclosporine ophthalmic (eye) dropperette</i> | 3 | MO; QL (60 per 30 days) |
| CYSTARAN OPHTHALMIC (EYE) DROPS | 5 | PA; NEDS |
| <i>epinastine ophthalmic (eye) drops</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------|
| EYLEA INTRAVITREAL SOLUTION | 5 | PA; MO; NEDS |
| EYLEA INTRAVITREAL SYRINGE | 5 | PA; MO; NEDS |
| MIEBO (PF) OPHTHALMIC (EYE) DROPS | 3 | MO |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> | 3 | MO |
| OXERVATE OPHTHALMIC (EYE) DROPS | 5 | PA; MO; NEDS |
| PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS | 4 | |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 3 | MO |
| <i>sulfacetamide sodium ophthalmic (eye) drops</i> | 2 | MO |
| <i>sulfacetamide sodium ophthalmic (eye) ointment</i> | 2 | |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops</i> | 2 | MO |
| XDEMVIY OPHTHALMIC (EYE) DROPS | 5 | PA; QL (10 per 42 days); NEDS |
| XIIDRA OPHTHALMIC (EYE) DROPPERETTE | 3 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| NON-STEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| <i>bromfenac ophthalmic (eye) drops</i> | 3 | MO |
| BROMSITE OPTHALMIC (EYE) DROPS | 3 | MO |
| <i>diclofenac sodium ophthalmic (eye) drops</i> | 2 | MO |
| <i>flurbiprofen sodium ophthalmic (eye) drops</i> | 2 | MO |
| <i>ketorolac ophthalmic (eye) drops</i> | 2 | MO |
| PROLENSA OPTHALMIC (EYE) DROPS | 3 | MO |
| ORAL DRUGS FOR GLAUCOMA | | |
| <i>acetazolamide oral capsule, extended release</i> | 3 | MO |
| <i>acetazolamide oral tablet</i> | 3 | MO |
| <i>acetazolamide sodium injection recon soln</i> | 2 | MO |
| <i>methazolamide oral tablet</i> | 4 | MO |
| OTHER GLAUCOMA DRUGS | | |
| <i>brimonidine-timolol ophthalmic (eye) drops</i> | 3 | MO |
| <i>dorzolamide ophthalmic (eye) drops</i> | 2 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>dorzolamide-timolol ophthalmic (eye) drops</i> | 2 | MO |
| <i>latanoprost ophthalmic (eye) drops</i> | 1 | MO; GC |
| LUMIGAN OPTHALMIC (EYE) DROPS 0.01 % | 3 | MO |
| <i>miostat intraocular solution</i> | 2 | |
| RHOPRESSA OPTHALMIC (EYE) DROPS | 3 | MO |
| ROCKLATAN OPTHALMIC (EYE) DROPS | 3 | MO |
| SIMBRINZA OPTHALMIC (EYE) DROPS,SUSPENSION | 3 | MO |
| <i>tafluprost (pf) ophthalmic (eye) dropperette</i> | 3 | MO |
| <i>travoprost ophthalmic (eye) drops</i> | 3 | MO |
| STEROID-ANTIBIOTIC COMBINATIONS | | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment</i> | 3 | MO |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------|
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment</i> | 2 | MO |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension</i> | 3 | MO |
| <i>neo-polycin hc ophthalmic (eye) ointment</i> | 3 | |
| TOBRADEX OPHTHALMIC (EYE) OINTMENT | 3 | MO; QL (3.5 per 14 days) |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension</i> | 3 | MO; QL (10 per 14 days) |
| STEROIDS | | |
| ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | MO |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops</i> | 2 | MO |
| <i>fluorometholone ophthalmic (eye) drops,suspension</i> | 3 | MO |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION | 3 | MO |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension</i> | 3 | MO |
| OZURDEX INTRAVITREAL IMPLANT | 5 | MO; NEDS |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension</i> | 2 | MO |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops</i> | 2 | MO |
| SYMPATHOMIMETICS | | |
| <i>apraclonidine ophthalmic (eye) drops</i> | 3 | MO |
| <i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> | 3 | MO |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 2 | MO |
| RESPIRATORY AND ALLERGY | | |
| ANTI-HISTAMINE / ANTI-ALLERGENIC AGENTS | | |
| <i>adrenalin injection solution 1 mg/ml</i> | 2 | |
| <i>adrenalin injection solution 1 mg/ml (1 ml)</i> | 2 | MO |
| <i>cetirizine oral solution 1 mg/ml</i> | 2 | MO |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>diphenhydramine hcl injection syringe</i> | 2 | MO |
| <i>diphenhydramine hcl oral elixir</i> | 2 | PA |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty)</i> | 3 | MO; QL (4 per 30 days) |
| <i>epinephrine injection solution 1 mg/ml</i> | 2 | |
| <i>hydroxyzine hcl oral tablet</i> | 2 | PA; MO |
| <i>levocetirizine oral solution</i> | 4 | MO |
| <i>levocetirizine oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| <i>promethazine injection solution</i> | 4 | MO |
| <i>promethazine oral syrup</i> | 4 | PA; MO |
| <i>promethazine oral tablet</i> | 4 | PA; MO |
| PULMONARY AGENTS | | |
| <i>acetylcysteine solution</i> | 3 | B/D PA; MO |
| ADEMPAS ORAL TABLET | 5 | PA; MO; LA; NEDS |
| ADVAIR HFA AEROSOL INHALER | 3 | MO; QL (12 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (generic proair hfa)</i> | 2 | MO; QL (17 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation package size 6.7 gm (generic proventil hfa)</i> | 2 | QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> | 2 | B/D PA; MO |
| <i>albuterol sulfate inhalation solution for nebulization 5 mg/ml</i> | 2 | B/D PA |
| <i>albuterol sulfate oral syrup</i> | 2 | MO |
| <i>albuterol sulfate oral tablet</i> | 4 | MO |
| ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION | 3 | MO; QL (12.2 per 30 days) |
| ALVESCO INHALATION HFA AEROSOL INHALER 80 MCG/ACTUATION | 3 | MO; QL (6.1 per 30 days) |
| <i>alyq oral tablet</i> | 5 | PA; QL (60 per 30 days); NEDS |
| <i>ambrisentan oral tablet</i> | 5 | PA; MO; LA; NEDS |
| <i>arformoterol inhalation solution for nebulization</i> | 4 | B/D PA; MO; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------|
| ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION , 200 MCG/ACTUATION | 3 | MO; QL (13 per 30 days) |
| ASMANEX HFA INHALATION HFA AEROSOL INHALER 50 MCG/ACTUATION | 3 | QL (13 per 30 days) |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 3 | MO; QL (1 per 30 days) |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120) | 3 | MO; QL (2 per 30 days) |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14) | 3 | QL (2 per 28 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--|
| ATROVENT HFA AEROSOL INHALER | 4 | MO; QL (25.8 per 30 days) |
| BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER | 3 | MO; QL (10.7 per 30 days) |
| <i>bosentan oral tablet</i> | 5 | PA; MO; LA; NEDS |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE | 3 | MO; QL (60 per 30 days) |
| <i>breynga inhalation hfa aerosol inhaler</i> | 3 | MO; QL (10.3 per 30 days) |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER | 3 | MO; QL (10.7 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | 4 | B/D PA; MO; QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> | 4 | B/D PA; MO; QL (60 per 30 days) |
| <i>budesonide- formoterol inhalation hfa aerosol inhaler</i> | 3 | QL (10.2 per 30 days) |
| CINRYZE INTRAVENOUS RECON SOLN | 5 | PA; MO; NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| COMBIVENT RESPIMAT INHALATION MIST | 3 | QL (8 per 30 days) |
| <i>cromolyn inhalation solution for nebulization</i> | 4 | B/D PA; MO |
| DULERA INHALATION HFA AEROSOL INHALER | 3 | MO; QL (13 per 30 days) |
| ELIXOPHYLLIN ORAL ELIXIR | 4 | |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (1 per 28 days); NEDS |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML | 5 | PA; MO; QL (0.5 per 28 days); NEDS |
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | 5 | PA; MO; QL (1 per 28 days); NEDS |
| <i>flunisolide nasal spray,non-aerosol</i> | 3 | MO; QL (50 per 30 days) |
| <i>fluticasone propionate nasal spray,suspension</i> | 2 | MO; QL (16 per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device</i> | 3 | MO; QL (60 per 30 days) |
| <i>formoterol fumarate inhalation solution for nebulization</i> | 4 | B/D PA; MO; QL (120 per 30 days) |
| <i>icatibant subcutaneous syringe</i> | 5 | PA; MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--|
| <i>ipratropium bromide inhalation solution</i> | 2 | B/D PA; MO |
| <i>ipratropium-albuterol inhalation solution for nebulization</i> | 2 | B/D PA; MO |
| KALYDECO ORAL GRANULES IN PACKET | 5 | PA; MO; QL (56 per 28 days); NEDS |
| KALYDECO ORAL TABLET | 5 | PA; MO; QL (56 per 28 days); NEDS |
| <i>levalbuterol hcl inhalation solution for nebulization</i> | 4 | B/D PA; MO |
| <i>mometasone nasal spray,non-aerosol</i> | 2 | MO; QL (34 per 30 days) |
| <i>montelukast oral granules in packet</i> | 4 | MO |
| <i>montelukast oral tablet</i> | 1 | MO; GC |
| <i>montelukast oral tablet,chewable</i> | 2 | MO |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; LA; QL (3 per 28 days); NEDS |
| NUCALA SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (3 per 28 days); NEDS |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; MO; LA; QL (3 per 28 days); NEDS |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; MO; LA; QL (0.4 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| OFEV ORAL CAPSULE | 5 | PA; MO; QL (60 per 30 days); NEDS |
| OPSUMIT ORAL TABLET | 5 | PA; MO; LA; NEDS |
| OPSYNVI ORAL TABLET | 5 | PA; MO; QL (30 per 30 days); NEDS |
| ORKAMBI ORAL GRANULES IN PACKET | 5 | PA; MO; QL (56 per 28 days); NEDS |
| ORKAMBI ORAL TABLET | 5 | PA; MO; QL (112 per 28 days); NEDS |
| <i>pirfenidone oral capsule</i> | 5 | PA; MO; QL (270 per 30 days); NEDS |
| <i>pirfenidone oral tablet 267 mg</i> | 5 | PA; MO; QL (270 per 30 days); NEDS |
| <i>pirfenidone oral tablet 801 mg</i> | 5 | PA; MO; QL (90 per 30 days); NEDS |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION | 3 | MO; QL (2 per 30 days) |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION | 3 | MO; QL (1 per 30 days) |
| PULMOZYME INHALATION SOLUTION | 5 | B/D PA; MO; NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION | 3 | QL (10.6 per 30 days) |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION | 3 | QL (21.2 per 30 days) |
| <i>roflumilast oral tablet</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>sajazir subcutaneous syringe</i> | 5 | PA; MO; NEDS |
| <i>sildenafil (pulmonary arterial hypertension) intravenous solution 10 mg/12.5 ml</i> | 5 | PA; NEDS |
| <i>sildenafil (pulmonary arterial hypertension) oral tablet 20 mg</i> | 3 | PA; MO; QL (90 per 30 days) |
| SPIRIVA RESPIMAT INHALATION MIST | 3 | MO; QL (4 per 30 days) |
| STIOLTO RESPIMAT INHALATION MIST | 3 | MO; QL (4 per 30 days) |
| STRIVERDI RESPIMAT INHALATION MIST | 3 | MO; QL (4 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| SYMDEKO ORAL TABLETS, SEQUENTIAL | 5 | PA; MO; QL (56 per 28 days); NEDS |
| <i>tadalafil (pulm. hypertension) oral tablet</i> | 5 | PA; QL (60 per 30 days); NEDS |
| <i>terbutaline oral tablet</i> | 4 | MO |
| <i>terbutaline subcutaneous solution</i> | 2 | MO |
| THEO-24 ORAL CAPSULE, EXTENDED RELEASE 24HR | 3 | MO |
| <i>theophylline oral elixir</i> | 4 | MO |
| <i>theophylline oral solution</i> | 4 | |
| <i>theophylline oral tablet extended release 12 hr</i> | 2 | MO |
| <i>theophylline oral tablet extended release 24 hr</i> | 2 | MO |
| <i>tiotropium bromide inhalation capsule, w/inhalation device</i> | 3 | QL (90 per 90 days) |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE | 3 | MO; QL (60 per 30 days) |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL | 5 | PA; MO; QL (56 per 28 days); NEDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------------|
| TRIKAFTA ORAL TABLETS, SEQUENTIAL | 5 | PA; MO; QL (84 per 28 days); NEDS |
| TYVASO INHALATION SOLUTION FOR NEBULIZATION | 5 | B/D PA; MO; NEDS |
| TYVASO INSTITUTIONAL START KIT INHALATION SOLUTION FOR NEBULIZATION | 5 | B/D PA; NEDS |
| TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION | 5 | B/D PA; MO; NEDS |
| TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION | 5 | B/D PA; MO; NEDS |
| <i>wixela inhub inhalation blister with device</i> | 3 | QL (60 per 30 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML | 5 | PA; MO; LA; QL (8 per 28 days); NEDS |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML | 5 | PA; MO; LA; QL (1 per 28 days); NEDS |
| XOLAIR SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (8 per 28 days); NEDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--|
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML | 5 | PA; MO; LA; QL (8 per 28 days); NEDS |
| XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; MO; LA; QL (1 per 28 days); NEDS |
| <i>zafirlukast oral tablet</i> | 4 | MO |

UROLOGICALS

ANTICHOLINERGICS / ANTISPASMODICS

| | | |
|--|---|----|
| <i>fesoterodine oral tablet extended release 24 hr</i> | 3 | MO |
| <i>flavoxate oral tablet</i> | 2 | MO |
| <i>mirabegron oral tablet extended release 24 hr</i> | 3 | MO |
| MYRBETRIQ ORAL SUSPENSION,EXT ENDED REL RECON | 3 | |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR | 3 | MO |
| <i>oxybutynin chloride oral syrup</i> | 2 | MO |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 2 | MO |
| <i>oxybutynin chloride oral tablet extended release 24hr</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>solifenacin oral tablet</i> | 2 | MO |
| <i>tolterodine oral capsule,extended release 24hr</i> | 3 | MO |
| <i>tolterodine oral tablet</i> | 3 | MO |
| <i>tropium oral tablet</i> | 2 | MO |

BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY

| | | |
|--|---|--------|
| <i>alfuzosin oral tablet extended release 24 hr</i> | 2 | MO |
| <i>dutasteride oral capsule</i> | 2 | MO |
| <i>dutasteride- tamsulosin oral capsule, er multiphase 24 hr</i> | 4 | MO |
| <i>finasteride oral tablet 5 mg</i> | 1 | MO; GC |
| <i>silodosin oral capsule</i> | 4 | MO |
| <i>tamsulosin oral capsule</i> | 1 | MO; GC |

MISCELLANEOUS UROLOGICALS

| | | |
|---|---|--------|
| <i>bethanechol chloride oral tablet</i> | 2 | MO |
| CYSTAGON ORAL CAPSULE | 4 | PA; LA |
| ELMIRON ORAL CAPSULE | 3 | MO |
| <i>glycine urologic irrigation solution</i> | 2 | |
| <i>glycine urologic irrigation solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------|
| K-PHOS NO 2 ORAL TABLET | 3 | MO |
| K-PHOS ORIGINAL ORAL TABLET,SOLUBLE | 3 | MO |
| <i>potassium citrate oral tablet extended release</i> | 2 | MO |
| RENACIDIN IRRIGATION SOLUTION | 3 | MO |
| <i>sildenafil oral tablet</i> | 6 | MO; GC; EX; QL (6 per 30 days) |

VITAMINS, HEMATINICS / ELECTROLYTES

BLOOD DERIVATIVES

| | | |
|--|---|--|
| <i>albumin, human 25 % intravenous parenteral solution</i> | 4 | |
| <i>alburx (human) 25 % intravenous parenteral solution</i> | 4 | |
| <i>alburx (human) 5 % intravenous parenteral solution</i> | 4 | |
| <i>albutein 25 % intravenous parenteral solution</i> | 4 | |
| <i>albutein 5 % intravenous parenteral solution</i> | 4 | |

ELECTROLYTES

| | | |
|--|---|--------------------------|
| <i>calcium acetate(phosphat bind) oral capsule</i> | 3 | MO; QL (360 per 30 days) |
|--|---|--------------------------|

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------|
| <i>calcium acetate(phosphat bind) oral tablet</i> | 3 | MO; QL (360 per 30 days) |
| <i>calcium chloride intravenous solution</i> | 2 | |
| <i>calcium chloride intravenous syringe</i> | 2 | |
| <i>calcium gluconate intravenous solution</i> | 2 | |
| <i>effer-k oral tablet, effervescent 25 meq</i> | 2 | MO |
| <i>klor-con 10 oral tablet extended release</i> | 2 | MO |
| <i>klor-con 8 oral tablet extended release</i> | 2 | MO |
| <i>klor-con m10 oral tablet,er particles/crystals</i> | 2 | MO |
| <i>klor-con m15 oral tablet,er particles/crystals</i> | 2 | MO |
| <i>klor-con m20 oral tablet,er particles/crystals</i> | 2 | MO |
| <i>klor-con oral packet 20 oral packet</i> | 4 | MO |
| <i>klor-con/ef oral tablet, effervescent</i> | 2 | MO |
| <i>lactated ringers intravenous parenteral solution</i> | 4 | MO |
| <i>magnesium chloride injection solution</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML | 3 | |
| <i>magnesium sulfate in water intravenous parenteral solution</i> | 4 | |
| <i>magnesium sulfate in water intravenous piggyback</i> | 4 | |
| <i>magnesium sulfate injection solution</i> | 4 | MO |
| <i>magnesium sulfate injection syringe</i> | 4 | |
| <i>potassium acetate intravenous solution</i> | 4 | |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution</i> | 4 | |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> | 4 | |
| <i>potassium chloride in 5 % dex intravenous parenteral solution 10 meq/l, 20 meq/l</i> | 4 | |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i> | 4 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml</i> | 4 | |
| <i>potassium chloride intravenous solution</i> | 4 | |
| <i>potassium chloride oral capsule, extended release</i> | 2 | MO |
| <i>potassium chloride oral liquid</i> | 4 | MO |
| <i>potassium chloride oral packet</i> | 4 | |
| <i>potassium chloride oral tablet extended release 10 meq, 8 meq</i> | 2 | MO |
| <i>potassium chloride oral tablet extended release 20 meq</i> | 2 | |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i> | 2 | MO |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq, 20 meq</i> | 2 | |
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i> | 4 | |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution</i> | 4 | |
| <i>potassium phosphate m-/d-basic intravenous solution 3 mmol/ml</i> | 4 | |
| <i>ringer's intravenous parenteral solution</i> | 4 | |
| <i>sodium acetate intravenous solution</i> | 4 | |
| <i>sodium bicarbonate intravenous solution</i> | 4 | |
| <i>sodium bicarbonate intravenous syringe</i> | 4 | |
| <i>sodium chloride 0.45 % intravenous parenteral solution</i> | 4 | MO |
| <i>sodium chloride 3 % hypertonic intravenous parenteral solution</i> | 4 | |
| <i>sodium chloride 5 % hypertonic intravenous parenteral solution</i> | 4 | MO |
| <i>sodium chloride intravenous solution</i> | 4 | |
| <i>sodium phosphate intravenous solution</i> | 4 | MO |
| MISCELLANEOUS NUTRITION PRODUCTS | | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| <i>electrolyte-148 intravenous parenteral solution</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>electrolyte-48 in d5w intravenous parenteral solution</i> | 4 | |
| <i>electrolyte-a intravenous parenteral solution</i> | 3 | |
| <i>intralipid intravenous emulsion 20 %</i> | 4 | B/D PA |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION | 3 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| PLENAMINE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| <i>premasol 10 % intravenous parenteral solution</i> | 4 | B/D PA |
| <i>travasol 10 % intravenous parenteral solution</i> | 4 | B/D PA |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D PA |
| VITAMINS / HEMATINICS | | |
| <i>fluoride (sodium) oral tablet</i> | 2 | MO |
| <i>fluoride (sodium) oral tablet, chewable 1 mg (2.2 mg sod. fluoride)</i> | 2 | MO |
| <i>prenatal vitamin oral tablet</i> | 2 | MO |
| <i>wescap-pn dha oral capsule</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

Index

| | | |
|--|-----------|--|
| A | | |
| <i>abacavir</i> | 2 | |
| <i>abacavir-lamivudine</i> | 2 | |
| ABELCET..... | 2 | |
| ABILIFY ASIMTUFII..... | 42 | |
| ABILIFY MAINTENA..... | 42 | |
| <i>abiraterone</i> | 14, 15 | |
| ABRAXANE..... | 15 | |
| ABRYSVO (PF)..... | 84 | |
| <i>acamprosate</i> | 66 | |
| <i>acarbose</i> | 71 | |
| <i>accutane</i> | 62 | |
| <i>acebutolol</i> | 51 | |
| <i>acetaminophen-codeine</i> .. | 38, 39 | |
| <i>acetazolamide</i> | 101 | |
| <i>acetazolamide sodium</i> | 101 | |
| <i>acetic acid</i> | 66, 69 | |
| <i>acetylcysteine</i> | 66, 103 | |
| <i>acitretin</i> | 60 | |
| ACTEMRA..... | 90 | |
| ACTEMRA ACTPEN..... | 90 | |
| ACTHIB (PF)..... | 84 | |
| ACTIMMUNE..... | 82 | |
| <i>acyclovir</i> | 2, 3, 64 | |
| <i>acyclovir sodium</i> | 3 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) | 84 | |
| ADALIMUMAB-ADAZ..... | 90 | |
| ADALIMUMAB-ADBM (ONLY NDCS STARTING WITH 00597)..... | 90 | |
| ADALIMUMAB-ADBM(CF) PEN CROHNS (ONLY NDCS STARTING WITH 00597)..... | 90 | |
| ADALIMUMAB-ADBM(CF) PEN PS-UV (ONLY NDCS STARTING WITH 00597) | 90 | |
| ADBRY..... | 61 | |
| ADCETRIS..... | 15 | |
| <i>adefovir</i> | 3 | |
| ADEMPAS..... | 103 | |
| <i>adenosine</i> | 50 | |
| <i>adrenalin</i> | 102 | |
| ADSTILADRIN..... | 15 | |
| ADVAIR HFA..... | 103 | |
| AIMOVIG AUTOINJECTOR | 36 | |
| AKEEGA..... | 15 | |
| <i>ala-cort</i> | 64 | |
| <i>albendazole</i> | 8 | |
| <i>albumin, human 25 %</i> | 109 | |
| <i>alburx (human) 25 %</i> | 109 | |
| <i>alburx (human) 5 %</i> | 109 | |
| <i>albutein 25 %</i> | 109 | |
| <i>albutein 5 %</i> | 109 | |
| <i>albuterol sulfate</i> | 103 | |
| <i>alclometasone</i> | 64 | |
| <i>alcohol pads</i> | 71 | |
| ALDURAZYME..... | 75 | |
| ALECENSA..... | 15 | |
| <i>alendronate</i> | 89 | |
| <i>alfuzosin</i> | 108 | |
| ALIQOPA..... | 15 | |
| <i>aliskiren</i> | 51 | |
| <i>allopurinol</i> | 89 | |
| <i>allopurinol sodium</i> | 89 | |
| <i>aloprim</i> | 89 | |
| <i>alosetron</i> | 78 | |
| ALREX..... | 102 | |
| <i>altavera (28)</i> | 96 | |
| ALUNBRIG..... | 15 | |
| ALVESCO..... | 103 | |
| <i>alyacen 1/35 (28)</i> | 96 | |
| <i>alyacen 7/7/7 (28)</i> | 96 | |
| <i>alyq</i> | 103 | |
| <i>amantadine hcl</i> | 3 | |
| <i>ambrisentan</i> | 103 | |
| <i>amethyst (28)</i> | 96 | |
| <i>amikacin</i> | 8 | |
| <i>amiloride</i> | 51 | |
| <i>amiloride-hydrochlorothiazide</i> | 51 | |
| <i>aminocaproic acid</i> | 55 | |
| <i>amiodarone</i> | 50 | |
| <i>amitriptyline</i> | 42 | |
| <i>amlodipine</i> | 51 | |
| <i>amlodipine-atorvastatin</i> | 57 | |
| <i>amlodipine-benazepril</i> | 51 | |
| <i>amlodipine-olmesartan</i> | 51 | |
| <i>amlodipine-valsartan</i> | 51 | |
| <i>amlodipine-valsartan-hcthiazid</i> | 51 | |
| <i>ammonium lactate</i> | 61 | |
| <i>amnestem</i> | 62 | |
| <i>amoxapine</i> | 42 | |
| <i>amoxicillin</i> | 11 | |
| <i>amoxicillin-pot clavulanate</i> .. | 11, 12 | |
| <i>amphotericin b</i> | 2 | |
| <i>ampicillin</i> | 12 | |
| <i>ampicillin sodium</i> | 12 | |
| <i>ampicillin-sulbactam</i> | 12 | |
| <i>anagrelide</i> | 66 | |
| <i>anastrozole</i> | 15 | |
| ANKTIVA..... | 15 | |
| APOKYN..... | 35 | |
| <i>apomorphine</i> | 35 | |
| <i>apraclonidine</i> | 102 | |
| <i>aprepitant</i> | 78 | |
| APRETUDE..... | 3 | |
| <i>apri</i> | 96 | |
| APTIOM..... | 30, 31 | |
| APTIVUS..... | 3 | |
| <i>aranelle (28)</i> | 96 | |
| ARCALYST..... | 82 | |
| AREXVY (PF)..... | 84 | |
| <i>arformoterol</i> | 103 | |
| ARIKAYCE..... | 8 | |
| <i>aripiprazole</i> | 42, 43 | |
| ARISTADA..... | 43 | |
| ARISTADA INITIO..... | 43 | |
| <i>armodafinil</i> | 43 | |
| <i>arsenic trioxide</i> | 15 | |
| <i>asenapine maleate</i> | 43 | |
| ASMANEX HFA..... | 104 | |
| ASMANEX TWISTHALER | 104 | |
| ASPARLAS..... | 15 | |
| <i>aspirin-dipyridamole</i> | 55 | |
| <i>atazanavir</i> | 3 | |
| <i>atenolol</i> | 51 | |
| <i>atenolol-chlorthalidone</i> | 51 | |
| <i>atomoxetine</i> | 43 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|---------------------------------------|---------|---|---------|---------------------------------------|--------|
| <i>atorvastatin</i> | 57 | <i>betaine</i> | 78 | <i>bupropion hcl (smoking deter)</i> | |
| <i>atovaquone</i> | 8 | <i>betamethasone dipropionate</i> | 64 | | 68 |
| <i>atovaquone-proguanil</i> | 8 | <i>betamethasone valerate</i> | 64 | <i>buspirone</i> | 43 |
| <i>atropine</i> | 77, 100 | <i>betamethasone, augmented</i> .. | 64 | <i>busulfan</i> | 16 |
| ATROVENT HFA | 104 | BETASERON | 83 | <i>butorphanol</i> | 41 |
| <i>aubra eq</i> | 96 | <i>betaxolol</i> | 51, 99 | BYDUREON BCISE..... | 71 |
| AUGMENTIN..... | 12 | <i>bethanechol chloride</i> | 108 | BYETTA | 71 |
| AUGTYRO | 15 | BEVESPI AEROSPHERE . | 104 | C | |
| AUVELITY..... | 43 | <i>bexarotene</i> | 16 | CABENUVA..... | 3 |
| <i>aviane</i> | 96 | BEXSERO..... | 84 | <i>cabergoline</i> | 75 |
| AVONEX | 82 | <i>bicalutamide</i> | 16 | CABLIVI..... | 55 |
| AYVAKIT..... | 15 | BICILLIN C-R | 12 | CABOMETYX..... | 16 |
| <i>azacitidine</i> | 15 | BICILLIN L-A | 12 | <i>caffeine citrate</i> | 66 |
| AZASITE | 99 | BIKTARVY | 3 | <i>calcipotriene</i> | 60 |
| <i>azathioprine</i> | 15 | <i>bisoprolol fumarate</i> | 51 | <i>calcitonin (salmon)</i> | 75 |
| <i>azathioprine sodium</i> | 15 | <i>bisoprolol-hydrochlorothiazide</i> | | <i>calcitriol</i> | 60, 75 |
| <i>azelaic acid</i> | 62 | | 51 | <i>calcium acetate(phosphat bind)</i> | |
| <i>azelastine</i> | 69, 100 | <i>bleomycin</i> | 16 | | 109 |
| <i>azithromycin</i> | 8 | BLINCYTO..... | 16 | <i>calcium chloride</i> | 109 |
| <i>aztreonam</i> | 8 | BOOSTRIX TDAP..... | 84 | <i>calcium gluconate</i> | 109 |
| <i>azurette (28)</i> | 96 | <i>bortezomib</i> | 16 | CALQUENCE..... | 16 |
| B | | BORTEZOMIB | 16 | CALQUENCE | |
| <i>bacitracin</i> | 8, 99 | <i>bosentan</i> | 104 | (ACALABRUTINIB MAL) | |
| <i>bacitracin-polymyxin b</i> | 99 | BOSULIF | 16 | | 16 |
| <i>baclofen</i> | 38 | BRAFTOVI..... | 16 | <i>camila</i> | 94 |
| <i>balsalazide</i> | 78 | BREO ELLIPTA | 104 | <i>camrese</i> | 96 |
| BALVERSA..... | 15 | <i>breyna</i> | 104 | <i>candesartan</i> | 51 |
| BAQSIMI | 71 | BREZTRI AEROSPHERE . | 104 | <i>candesartan-</i> | |
| BARACLUDGE | 3 | BRILINTA | 55 | <i>hydrochlorothiazid</i> | 51 |
| BAVENCIO | 15 | <i>brimonidine</i> | 102 | CAPLYTA..... | 43 |
| BCG VACCINE, LIVE (PF) .. | 84 | <i>brimonidine-timolol</i> | 101 | CAPRELSA..... | 16 |
| BD INSULIN SYRINGE | 88 | BRIUMVI..... | 36 | <i>captopril</i> | 51 |
| BD PEN NEEDLE | 88 | BRIVIACT | 31 | <i>captopril-hydrochlorothiazide</i> | |
| BELBUCA | 39 | <i>bromfenac</i> | 101 | | 52 |
| BELEODAQ | 15 | <i>bromocriptine</i> | 35 | <i>carbamazepine</i> | 31 |
| BELSOMRA | 43 | BROMSITE..... | 101 | <i>carbidopa</i> | 35 |
| <i>benazepril</i> | 51 | BRUKINSA..... | 16 | <i>carbidopa-levodopa</i> | 35 |
| <i>benazepril-hydrochlorothiazide</i> | | <i>bss</i> | 100 | <i>carbidopa-levodopa-</i> | |
| | 51 | <i>budesonide</i> | 78, 104 | <i>entacapone</i> | 35 |
| <i>bendamustine</i> | 15 | <i>budesonide-formoterol</i> | 104 | <i>carboplatin</i> | 16 |
| BENDEKA..... | 15 | <i>bumetanide</i> | 51 | <i>carglumic acid</i> | 66 |
| BENLYSTA | 90, 91 | <i>buprenorphine hcl</i> | 39 | <i>carmustine</i> | 16 |
| <i>benztropine</i> | 35 | <i>buprenorphine transdermal</i> | | <i>carteolol</i> | 100 |
| <i>bepotastine besilate</i> | 100 | <i>patch</i> | 39 | <i>cartia xt</i> | 52 |
| BESIVANCE | 99 | <i>buprenorphine-naloxone</i> | 41 | <i>carvedilol</i> | 52 |
| BESPONSA | 15 | <i>bupropion hcl</i> | 43 | <i>caspofungin</i> | 2 |
| BESREMI..... | 83 | | | CAYSTON | 8 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|---|------|---------------------------------------|------------|---|--------------|
| <i>cefaclor</i> | 6 | <i>cimetidine hcl</i> | 82 | <i>clonidine hcl</i> | 44, 52 |
| <i>cefadroxil</i> | 6 | CIMZIA..... | 78 | <i>clonidine transdermal patch</i> | 52 |
| <i>cefazolin</i> | 6, 7 | CIMZIA POWDER FOR | | <i>clopidogrel</i> | 55 |
| <i>cefazolin in dextrose (iso-os)</i> . | 6 | RECONST..... | 78 | <i>clorazepate dipotassium</i> | 44 |
| <i>cefdinir</i> | 7 | CIMZIA STARTER KIT | 78 | <i>clotrimazole</i> | 2, 63 |
| <i>cefepime</i> | 7 | <i>cinacalcet</i> | 75 | <i>clotrimazole-betamethasone</i> | 63 |
| <i>cefepime in dextrose, iso-osm</i> .. | 7 | CINRYZE..... | 104 | <i>clozapine</i> | 44 |
| <i>cefixime</i> | 7 | CINVANTI..... | 78 | COARTEM..... | 9 |
| <i>cefloxitin</i> | 7 | <i>ciprofloxacin</i> | 13 | <i>colchicine</i> | 89 |
| <i>cefloxitin in dextrose, iso-osm</i> . | 7 | <i>ciprofloxacin hcl</i> | 13, 69, 99 | <i>colesevelam</i> | 57 |
| <i>cefpodoxime</i> | 7 | <i>ciprofloxacin in 5 % dextrose</i> | | <i>colestipol</i> | 57 |
| <i>cefprozil</i> | 7 | | 13 | <i>colistin (colistimethate na)</i> | 9 |
| <i>ceftazidime</i> | 7 | <i>ciprofloxacin-dexamethasone</i> | | COLUMVI | 16 |
| <i>ceftriaxone</i> | 7 | | 70 | COMBIVENT RESPIMAT..... | 105 |
| <i>ceftriaxone in dextrose, iso-os</i> .. | 7 | <i>cisplatin</i> | 16 | COMETRIQ | 16, 17 |
| <i>cefuroxime axetil</i> | 7 | <i>citalopram</i> | 43 | COMPLERA | 3 |
| <i>cefuroxime sodium</i> | 7 | <i>cladribine</i> | 16 | <i>compro</i> | 78 |
| <i>celecoxib</i> | 41 | <i>claravis</i> | 62 | <i>constulose</i> | 78 |
| <i>cephalexin</i> | 7 | <i>clarithromycin</i> | 8 | COPIKTRA | 17 |
| CEPROTIN (BLUE BAR) | 55 | <i>clindamycin hcl</i> | 9 | CORLANOR | 58 |
| CEPROTIN (GREEN BAR) | 55 | <i>clindamycin in 5 % dextrose</i> .. | 9 | CORTIFOAM..... | 78 |
| CEQR SIMPLICITY | 88 | <i>clindamycin phosphate</i> | 9, 62, | <i>cortisone</i> | 70 |
| CEQR SIMPLICITY | | 63, 95 | | COSMEGEN | 17 |
| INSERTER..... | 88 | CLINIMIX 5%/D15W | | COTELLIC..... | 17 |
| <i>cetirizine</i> | 102 | SULFITE FREE | 111 | CREON..... | 78 |
| <i>cevimeline</i> | 66 | CLINIMIX 4.25%/D10W | | CRESEMBA..... | 2 |
| CHEMET | 66 | SULF FREE | 111 | <i>cromolyn</i> | 78, 100, 105 |
| CHENODAL..... | 78 | CLINIMIX 4.25%/D5W | | <i>crotan</i> | 66 |
| <i>chloramphenicol sod succinate</i> | | SULFIT FREE..... | 66 | <i>cryselle (28)</i> | 96 |
| | 8 | CLINIMIX 5%- | | CRYSVITA | 75 |
| <i>chlorhexidine gluconate</i> | 69 | D20W(SULFITE-FREE)..... | 111 | <i>cyclobenzaprine</i> | 38 |
| <i>chlorprocaine (pf)</i> | 61 | CLINIMIX 6%-D5W | | <i>cyclophosphamide</i> | 17 |
| <i>chloroquine phosphate</i> | 9 | (SULFITE-FREE) | 111 | CYCLOPHOSPHAMIDE | 17 |
| <i>chlorothiazide sodium</i> | 52 | CLINIMIX 8%- | | <i>cyclosporine</i> | 17, 100 |
| <i>chlorpromazine</i> | 43 | D10W(SULFITE-FREE)..... | 111 | <i>cyclosporine modified</i> | 17 |
| <i>chlorthalidone</i> | 52 | CLINIMIX 8%- | | CYLTEZO(CF) | 91 |
| CHOLBAM..... | 78 | D14W(SULFITE-FREE)..... | 111 | CYLTEZO(CF) PEN..... | 91 |
| <i>cholestyramine (with sugar)</i> | 57 | <i>clobazam</i> | 31 | CYLTEZO(CF) PEN | |
| <i>cholestyramine light</i> | 57 | <i>clobetasol</i> | 64, 65 | CROHN'S-UC-HS..... | 91 |
| CIBINQO | 61 | <i>clobetasol-emollient</i> | 65 | CYLTEZO(CF) PEN | |
| <i>ciclodan</i> | 63 | <i>clodan</i> | 65 | PSORIASIS-UV | 91 |
| <i>ciclopirox</i> | 63 | <i>clofarabine</i> | 16 | CYRAMZA | 17 |
| <i>cidofovir</i> | 3 | <i>clomid</i> | 75 | <i>cyred eq</i> | 96 |
| <i>cilostazol</i> | 55 | <i>clomiphene citrate</i> | 75 | CYSTAGON | 108 |
| CIMDUO..... | 3 | <i>clomipramine</i> | 44 | CYSTARAN..... | 100 |
| CIMERLI | 100 | <i>clonazepam</i> | 31 | <i>cytarabine</i> | 17 |
| <i>cimetidine</i> | 82 | <i>clonidine (pf)</i> | 41, 52 | <i>cytarabine (pf)</i> | 17 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | |
|---|---|---|
| D | | |
| <i>d10 %-0.45 % sodium chloride</i> | <i>desvenlafaxine succinate</i> | <i>dipyridamole</i> |
| 66 | 44 | 55 |
| <i>d2.5 %-0.45 % sodium chloride</i> | <i>dexamethasone</i> | <i>disulfiram</i> |
| 66 | 70 | 67 |
| <i>d5 % and 0.9 % sodium chloride</i> | <i>dexamethasone intensol</i> | <i>divalproex</i> |
| 66 | 70 | 31 |
| <i>dabigatran etexilate</i> | <i>dexamethasone sodium phos (pf)</i> | <i>dobutamine</i> |
| 55 | 70 | 59 |
| <i>dacarbazine</i> | <i>dexamethasone sodium phosphate</i> | <i>dobutamine in d5w</i> |
| 17 | 70, 102 | 59 |
| <i>dactinomycin</i> | <i>dextrazoxane hcl</i> | <i>docetaxel</i> |
| 17 | 14 | 17, 18 |
| <i>dalfampridine</i> | <i>dextroamphetamine-amphetamine</i> | <i>dofetilide</i> |
| 37 | 44 | 50 |
| <i>danazol</i> | <i>dextrose 10 % and 0.2 % nacl</i> | <i>donepezil</i> |
| 75 | 67 | 37 |
| <i>dantrolene</i> | <i>dextrose 10 % in water (d10w)</i> | <i>dopamine</i> |
| 38 | 67 | 59 |
| DANYELZA | <i>dextrose 25 % in water (d25w)</i> | <i>dopamine in 5 % dextrose</i> |
| 17 | 67 | 59 |
| <i>dapsone</i> | <i>dextrose 5 % in water (d5w)</i> | DOPTELET (10 TAB PACK) |
| 9 | 67 | |
| DAPTACEL (DTAP PEDIATRIC) (PF) | <i>dextrose 5 %-lactated ringers</i> | 55 |
| 84 | 67 | DOPTELET (15 TAB PACK) |
| <i>daptomycin</i> | <i>dextrose 5%-0.2 % sod chloride</i> | |
| 9 | 67 | 56 |
| DAPTOMYCIN | <i>dextrose 5%-0.3 % sod.chloride</i> | DOPTELET (30 TAB PACK) |
| 9 | 67 | |
| <i>darunavir</i> | <i>dextrose 50 % in water (d50w)</i> | 56 |
| 3 | 67 | <i>dorzolamide</i> |
| DARZALEX | <i>dextrose 70 % in water (d70w)</i> | 101 |
| 17 | 67 | <i>dorzolamide-timolol</i> |
| <i>dasetta 1/35 (28)</i> | DIACOMIT | 101 |
| 96 | 31 | <i>dotti</i> |
| <i>dasetta 7/7/7 (28)</i> | <i>diazepam</i> | 94 |
| 96 | 31, 44 | DOVATO |
| <i>daunorubicin</i> | <i>diazepam intensol</i> | 3 |
| 17 | 44 | <i>doxazosin</i> |
| DAURISMO | <i>diazoxide</i> | 52 |
| 17 | 71 | <i>doxepin</i> |
| <i>daysee</i> | <i>diclofenac potassium</i> | 44 |
| 96 | 41 | <i>doxercalciferol</i> |
| <i>deblitane</i> | <i>diclofenac sodium</i> ...41, 61, 101 | 76 |
| 94 | 41 | <i>doxorubicin</i> |
| <i>decitabine</i> | <i>diclofenac-misoprostol</i> | 18 |
| 17 | 41 | <i>doxorubicin, peg-liposomal</i> .. |
| <i>deferasirox</i> | <i>dicloxacillin</i> | 18 |
| 66 | 12 | <i>doxy-100</i> |
| <i>deferiprone</i> | <i>dicyclomine</i> | 13 |
| 66 | 77 | <i>doxycycline hyclate</i> |
| <i>deferoxamine</i> | DIFICID | 13 |
| 67 | 8 | <i>doxycycline monohydrate</i> |
| DELSTRIGO | <i>diflunisal</i> | 13, 14 |
| 3 | 41 | DRIZALMA SPRINKLE |
| <i>demeclocycline</i> | <i>digoxin</i> | 44 |
| 13 | 59 | <i>dronabinol</i> |
| DENG VAXIA (PF) | <i>dihydroergotamine</i> | 78 |
| 84 | 36 | <i>droperidol</i> |
| <i>denta 5000 plus</i> | DILANTIN 30 MG | 78 |
| 69 | 31 | DROPSAFE ALCOHOL PREP PADS |
| <i>dentagel</i> | <i>diltiazem hcl</i> | 71 |
| 69 | 52 | <i>drospirenone-e.estradiol-lm.fa</i> |
| DEPO-SUBQ PROVERA 104 | <i>dilt-xr</i> | |
| | 52 | 96 |
| 94 | <i>dimenhydrinate</i> | <i>drospirenone-ethinyl estradiol</i> |
| <i>dermacinrx lidocan</i> | <i>dimethyl fumarate</i> | |
| 61 | 37 | 96 |
| DESCOVY | <i>diphenhydramine hcl</i> .. | DROXIA |
| 3 | 102, 103 | 18 |
| <i>desipramine</i> | <i>diphenoxylate-atropine</i> | <i>droxidopa</i> |
| 44 | 77 | 67 |
| <i>desmopressin</i> | | DUAVEE |
| 75, 76 | | 94 |
| <i>desog-e.estradiol/e.estradiol</i> 96 | | DULERA |
| 96 | | 105 |
| <i>desogestrel-ethinyl estradiol</i> 96 | | <i>duloxetine</i> |
| 96 | | 44 |
| <i>desonide</i> | | DUPIXENT PEN |
| 65 | | 61 |
| | | DUPIXENT SYRINGE |
| | | 61 |
| | | <i>dutasteride</i> |
| | | 108 |
| | | <i>dutasteride-tamsulosin</i> |
| | | 108 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | |
|---|--------|--|
| E | | |
| <i>e.e.s. 400</i> | 8 | |
| <i>ec-naproxen</i> | 41 | |
| <i>econazole</i> | 63 | |
| EDARBI..... | 52 | |
| EDARBYCLOR..... | 52 | |
| EDURANT..... | 3 | |
| <i>efavirenz</i> | 3 | |
| <i>efavirenz-emtricitabin-tenofov</i> 3 | | |
| <i>efavirenz-lamivu-tenofov disop</i> | 3 | |
| <i>effe-r-k</i> | 109 | |
| ELAPRASE..... | 76 | |
| <i>electrolyte-148</i> | 111 | |
| <i>electrolyte-48 in d5w</i> | 112 | |
| <i>electrolyte-a</i> | 112 | |
| <i>eletriptan</i> | 36 | |
| ELIGARD..... | 18 | |
| ELIGARD (3 MONTH)..... | 18 | |
| ELIGARD (4 MONTH)..... | 18 | |
| ELIGARD (6 MONTH)..... | 18 | |
| <i>elimest</i> | 96 | |
| ELIQUIS..... | 56 | |
| ELIQUIS DVT-PE TREAT | | |
| 30D START..... | 56 | |
| ELITEK..... | 14 | |
| ELIXOPHYLLIN..... | 105 | |
| ELMIRON..... | 108 | |
| ELREXFIO..... | 18 | |
| <i>eluryng</i> | 95 | |
| ELZONRIS..... | 18 | |
| EMEND..... | 79 | |
| EMGALITY PEN..... | 36 | |
| EMGALITY SYRINGE..... | 36 | |
| EMPLICITI..... | 18 | |
| EMSAM..... | 44 | |
| <i>emtricitabine</i> | 3 | |
| <i>emtricitabine-tenofov (tdf)</i> ...3 | | |
| EMTRIVA..... | 3 | |
| EMVERM..... | 9 | |
| <i>emzahn</i> | 94 | |
| <i>enalapril maleate</i> | 52 | |
| <i>enalaprilat</i> | 52 | |
| <i>enalapril-hydrochlorothiazide</i> | 52 | |
| ENBREL..... | 91 | |
| ENBREL MINI..... | 91 | |
| ENBREL SURECLICK..... | 91 | |
| ENDARI..... | 67 | |
| <i>endocet</i> | 39 | |
| ENGERIX-B (PF)..... | 84 | |
| ENGERIX-B PEDIATRIC | | |
| (PF)..... | 84 | |
| <i>enoxaparin</i> | 56 | |
| <i>enpresse</i> | 96 | |
| <i>enskyce</i> | 96 | |
| <i>entacapone</i> | 35 | |
| <i>entecavir</i> | 3 | |
| ENTRESTO..... | 59 | |
| ENTRESTO SPRINKLE..... | 59 | |
| ENTYVIO..... | 79 | |
| <i>enulose</i> | 79 | |
| ENVARUSUS XR..... | 18 | |
| EPCLUSA..... | 3, 4 | |
| EPIDIOLEX..... | 31 | |
| <i>epinastine</i> | 100 | |
| <i>epinephrine</i> | 103 | |
| <i>epirubicin</i> | 18 | |
| <i>epitol</i> | 31 | |
| EPKINLY..... | 18 | |
| <i>eplerenone</i> | 52 | |
| EPRONTIA..... | 31 | |
| ERBITUX..... | 18 | |
| <i>ergotamine-caffeine</i> | 36 | |
| <i>eribulin</i> | 18 | |
| ERIVEDGE..... | 18 | |
| ERLEADA..... | 18 | |
| <i>erlotinib</i> | 18, 19 | |
| <i>errin</i> | 94 | |
| <i>ertapenem</i> | 9 | |
| ERWINASE..... | 19 | |
| <i>ery pads</i> | 63 | |
| <i>ery-tab</i> | 8 | |
| <i>erythrocin (as stearate)</i> | 8 | |
| <i>erythromycin</i> | 8, 99 | |
| <i>erythromycin ethylsuccinate</i> ...8 | | |
| <i>erythromycin with ethanol</i>63 | | |
| <i>escitalopram oxalate</i> | 44 | |
| <i>esmolol</i> | 52 | |
| <i>esomeprazole magnesium</i>82 | | |
| <i>esomeprazole sodium</i> | 82 | |
| <i>estarylla</i> | 96 | |
| <i>estradiol</i> | 94 | |
| <i>estradiol valerate</i> | 94 | |
| <i>estradiol-norethindrone acet</i> 94 | | |
| <i>eszopiclone</i> | 44 | |
| <i>ethacrynate sodium</i> | 52 | |
| <i>ethambutol</i> | 9 | |
| <i>ethosuximide</i> | 31 | |
| <i>ethynodiol diac-eth estradiol</i> 96 | | |
| <i>etodolac</i> | 41 | |
| <i>etonogestrel-ethinyl estradiol</i> | 95 | |
| ETOPOPHOS..... | 19 | |
| <i>etoposide</i> | 19 | |
| <i>etravirine</i> | 4 | |
| <i>euthyrox</i> | 77 | |
| <i>everolimus (antineoplastic)</i> ..19 | | |
| <i>everolimus</i> | 19 | |
| (<i>immunosuppressive</i>)..... | 19 | |
| EVOTAZ..... | 4 | |
| <i>exemestane</i> | 19 | |
| EYLEA..... | 100 | |
| <i>ezetimibe</i> | 57 | |
| <i>ezetimibe-simvastatin</i> | 57 | |
| F | | |
| FABRAZYME..... | 76 | |
| <i>falmina (28)</i> | 96 | |
| <i>famciclovir</i> | 4 | |
| <i>famotidine</i> | 82 | |
| <i>famotidine (pf)</i> | 82 | |
| <i>famotidine (pf)-nacl (iso-os)</i> 82 | | |
| FANAPT..... | 44, 45 | |
| FARXIGA..... | 71 | |
| FASENRA..... | 105 | |
| FASENRA PEN..... | 105 | |
| <i>febuxostat</i> | 89 | |
| <i>felbamate</i> | 32 | |
| <i>felodipine</i> | 52 | |
| <i>fenofibrate</i> | 58 | |
| <i>fenofibrate micronized</i> | 58 | |
| <i>fenofibrate nanocrystallized</i> .58 | | |
| <i>fenofibric acid</i> | 58 | |
| <i>fenofibric acid (choline)</i> | 58 | |
| <i>fentanyl</i> | 39 | |
| <i>fentanyl citrate</i> | 39 | |
| <i>fentanyl citrate (pf)</i> | 39 | |
| <i>fesoterodine</i> | 108 | |
| FETZIMA..... | 45 | |
| <i>finasteride</i> | 108 | |
| <i> fingolimod</i> | 37 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|--|---------|---|-----------|---|----|
| FINTEPLA | 32 | <i>fulvestrant</i> | 20 | <i>granisetron hcl</i> | 79 |
| FIRDAPSE | 37 | <i>furosemide</i> | 53 | <i>griseofulvin microsize</i> | 2 |
| FIRMAGON KIT W | | FUZEON | 4 | <i>griseofulvin ultramicrosie</i> | 2 |
| DILUENT SYRINGE | 19 | FYARRO..... | 20 | GVOKE | 72 |
| <i>flac otic oil</i> | 69 | <i>fyavolv</i> | 94 | GVOKE HYPOPEN 1-PACK | |
| <i>flavoxate</i> | 108 | FYCOMPA..... | 32 | | 72 |
| <i>flecainide</i> | 50 | G | | GVOKE HYPOPEN 2-PACK | |
| <i>floxuridine</i> | 19 | <i>gabapentin</i> | 32 | | 72 |
| <i>fluconazole</i> | 2 | <i>galantamine</i> | 37 | GVOKE PFS 1-PACK | |
| <i>fluconazole in nacl (iso-osm)</i> . | 2 | GAMASTAN | 85 | SYRINGE..... | 72 |
| <i>flucytosine</i> | 2 | <i>ganciclovir sodium</i> | 4 | GVOKE PFS 2-PACK | |
| <i>fludarabine</i> | 19 | GARDASIL 9 (PF)..... | 85 | SYRINGE..... | 72 |
| <i>fludrocortisone</i> | 70 | <i>gatifloxacin</i> | 99 | H | |
| <i>flumazenil</i> | 45 | GATTEX 30-VIAL | 79 | HALAVEN..... | 20 |
| <i>flunisolide</i> | 105 | GATTEX ONE-VIAL..... | 79 | <i>halobetasol propionate</i> | 65 |
| <i>fluocinolone</i> | 65 | GAUZE PAD | 88 | <i>haloperidol</i> | 45 |
| <i>fluocinolone acetonide oil</i> | 69 | <i>gavilyte-c</i> | 79 | <i>haloperidol decanoate</i> | 45 |
| <i>fluocinolone and shower cap</i> | 65 | <i>gavilyte-g</i> | 79 | <i>haloperidol lactate</i> | 45 |
| <i>fluocinonide</i> | 65 | <i>gavilyte-n</i> | 79 | HARVONI..... | 4 |
| <i>fluocinonide-emollient</i> | 65 | GAVRETO..... | 20 | HAVRIX (PF) | 85 |
| <i>fluoride (sodium)</i> | 69, 112 | GAZYVA..... | 20 | <i>heather</i> | 94 |
| <i>fluorometholone</i> | 102 | <i>gefitinib</i> | 20 | <i>heparin (porcine)</i> | 56 |
| <i>fluorouracil</i> | 19, 61 | <i>gemcitabine</i> | 20 | <i>heparin (porcine) in 5 % dex</i> | 56 |
| <i>fluoxetine</i> | 45 | GEMCITABINE | 20 | <i>heparin (porcine) in nacl (pf)</i> | |
| <i>fluoxetine (pmd)</i> | 45 | <i>gemfibrozil</i> | 58 | | 56 |
| <i>fluphenazine decanoate</i> | 45 | <i>generlac</i> | 79 | <i>heparin(porcine) in 0.45% nacl</i> | |
| <i>fluphenazine hcl</i> | 45 | <i>gengraf</i> | 20 | | 56 |
| <i>flurbiprofen</i> | 41 | <i>gentamicin</i> | 9, 63, 99 | HEPARIN(PORCINE) IN | |
| <i>flurbiprofen sodium</i> | 101 | <i>gentamicin in nacl (iso-osm)</i> .. | 9 | 0.45% NACL..... | 56 |
| <i>fluticasone propionate</i> | 105 | <i>gentamicin sulfate (ped) (pf)</i> .. | 9 | <i>heparin, porcine (pf)</i> | 57 |
| <i>fluticasone propion-salmeterol</i> | | GENVOYA | 4 | HEPARIN, PORCINE (PF).. | 57 |
| | 105 | GILOTRIF..... | 20 | HEPLISAV-B (PF)..... | 85 |
| <i>fluvastatin</i> | 58 | <i>glatiramer</i> | 37 | HIBERIX (PF)..... | 85 |
| <i>fluvoxamine</i> | 45 | <i>glatopa</i> | 37 | HIZENTRA | 85 |
| FOLOTYN | 19 | GLEOSTINE..... | 20 | HUMALOG JUNIOR | |
| <i>fomepizole</i> | 85 | <i>glimepiride</i> | 71 | KWIKPEN U-100 | 72 |
| <i>fondaparinux</i> | 56 | <i>glipizide</i> | 71 | HUMALOG KWIKPEN | |
| <i>formoterol fumarate</i> | 105 | <i>glipizide-metformin</i> | 71 | INSULIN | 72 |
| FOSAMAX PLUS D..... | 89 | <i>glutamine (sickle cell)</i> | 67 | HUMALOG MIX 50-50 | |
| <i>fosamprenavir</i> | 4 | <i>glycine urologic</i> | 108 | KWIKPEN..... | 72 |
| <i>fosaprepitant</i> | 79 | <i>glycine urologic solution</i> | 108 | HUMALOG MIX 75-25 | |
| <i>fosinopril</i> | 52 | <i>glycopyrrolate</i> | 78 | KWIKPEN..... | 72 |
| <i>fosinopril-hydrochlorothiazide</i> | | <i>glycopyrrolate (pf) in water</i> . | 78 | HUMALOG MIX 75-25(U- | |
| | 52 | <i>glydo</i> | 61 | 100)INSULN | 72 |
| <i>fosphenytoin</i> | 32 | GLYXAMBI | 72 | HUMALOG U-100 INSULIN | |
| FOTIVDA | 19 | GRALISE..... | 32 | | 72 |
| FRUZAQLA..... | 19 | <i>granisetron (pf)</i> | 79 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | |
|---|--|--|
| HUMIRA (ONLY NDCS STARTING WITH 00074).....91 | <i>hydroxyurea</i>20 | <i>imiquimod</i>61 |
| HUMIRA PEN (ONLY NDCS STARTING WITH 00074).....91 | <i>hydroxyzine hcl</i>103 | IMJUDO.....21 |
| HUMIRA(CF) (ONLY NDCS STARTING WITH 00074).....91 | HYPERHEP B.....85 | IMOVAX RABIES VACCINE (PF).....85 |
| HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074).....92 | HYPERHEP B NEONATAL.....85 | IMVEXXY MAINTENANCE PACK.....94 |
| HUMIRA(CF) PEN CROHNS-UC-HS (ONLY NDCS STARTING WITH 00074).....92 | HYRIMOZ PEN CROHN'S-UC STARTER (PREFERRED NDCS STARTING WITH 61314).....92 | IMVEXXY STARTER PACK.....95 |
| HUMIRA(CF) PEN PEDIATRIC UC (ONLY NDCS STARTING WITH 00074).....92 | HYRIMOZ PEN PSORIASIS STARTER (PREFERRED NDCS STARTING WITH 61314).....92 | INBRIJA.....35 |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS (ONLY NDCS STARTING WITH 00074).....92 | HYRIMOZ(CF) (PREFERRED NDCS STARTING WITH 61314).....92 | <i>incassia</i>95 |
| HUMULIN 70/30 U-100 INSULIN.....72 | HYRIMOZ(CF) PEDI CROHN STARTER (PREFERRED NDCS STARTING WITH 61314).....93 | INCRELEX.....67 |
| HUMULIN 70/30 U-100 KWIKPEN.....72 | | <i>indapamide</i>53 |
| HUMULIN N NPH INSULIN KWIKPEN.....72 | | INFANRIX (DTAP) (PF).....85 |
| HUMULIN N NPH U-100 INSULIN.....72 | | INGREZZA.....37 |
| HUMULIN R REGULAR U-100 INSULIN.....73 | | INGREZZA INITIATION PK(TARDIV).....37 |
| HUMULIN R U-500 (CONC) INSULIN.....73 | | INGREZZA SPRINKLE.....37 |
| HUMULIN R U-500 (CONC) KWIKPEN.....73 | | INLYTA.....21 |
| <i>hydralazine</i>53 | | INPEFA.....73 |
| <i>hydrochlorothiazide</i>53 | | INQOVI.....21 |
| <i>hydrocodone-acetaminophen</i>39 | | INREBIC.....21 |
| <i>hydrocodone-ibuprofen</i>39 | | INSULIN LISPRO.....73 |
| <i>hydrocortisone</i>65, 70, 79 | | INSULIN SYRINGE-NEEDLE U-100.....88 |
| <i>hydrocortisone-acetic acid</i> ...69 | | INSULIN SYRINGES (NON-PREFERRED BRANDS).....88 |
| <i>hydromorphone</i>39 | | INTELENCE.....4 |
| <i>hydromorphone (pf)</i>39 | | <i>intralipid</i>112 |
| <i>hydroxychloroquine</i>9 | | <i>introvale</i>96 |
| | I | INVEGA HAFYERA.....46 |
| | <i>ibandronate</i>89 | INVEGA SUSTENNA.....46 |
| | IBRANCE.....20 | INVEGA TRINZA.....46 |
| | <i>ibu</i>41 | INVELTYS.....102 |
| | <i>ibuprofen</i>41 | IPOL.....85 |
| | <i>ibutilide fumarate</i>50 | <i>ipratropium bromide</i>69, 105 |
| | <i>icatibant</i>105 | <i>ipratropium-albuterol</i>105 |
| | ICLUSIG.....20 | <i>irbesartan</i>53 |
| | <i>icosapent ethyl</i>58 | <i>irbesartan-hydrochlorothiazide</i>53 |
| | <i>idarubicin</i>20 | <i>irinotecan</i>21 |
| | IDHIFA.....20 | ISENTRESS.....4 |
| | <i>ifosfamide</i>20 | ISENTRESS HD.....4 |
| | ILARIS (PF).....83 | <i>isibloom</i>96 |
| | <i>imatinib</i>20 | ISOLYTE S PH 7.4.....112 |
| | IMBRUVICA.....20, 21 | ISOLYTE-P IN 5 % DEXTROSE.....112 |
| | IMDELLTRA.....21 | ISOLYTE-S.....112 |
| | IMFINZI.....21 | |
| | <i>imipenem-cilastatin</i>9 | |
| | <i>imipramine hcl</i>45 | |
| | <i>imipramine pamoate</i>46 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|-------------------------------------|-----------|---|---------|--|--------|
| <i>isoniazid</i> | 9 | <i>ketorolac</i> | 101 | <i>leflunomide</i> | 93 |
| <i>isosorbide dinitrate</i> | 59 | KEYTRUDA | 21 | <i>lenalidomide</i> | 22 |
| <i>isosorbide mononitrate</i> | 59 | KHAPZORY | 14 | LENVIMA | 22 |
| <i>isosorbide-hydralazine</i> | 53 | KIMMTRAK | 21 | <i>lessina</i> | 97 |
| <i>isotretinoin</i> | 63 | KINRIX (PF) | 85 | <i>letrozole</i> | 22 |
| <i>isradipine</i> | 53 | <i>kionex (with sorbitol)</i> | 67 | <i>leucovorin calcium</i> | 14 |
| ISTODAX | 21 | KISQALI | 22 | LEUKERAN | 22 |
| <i>itraconazole</i> | 2 | KISQALI FEMARA CO- PACK | 22 | LEUKINE | 83 |
| <i>ivabradine</i> | 59 | <i>klayesta</i> | 64 | <i>leuprolide</i> | 22 |
| <i>ivermectin</i> | 9, 63 | <i>klor-con 10</i> | 109 | <i>levalbuterol hcl</i> | 105 |
| IWILFIN | 21 | <i>klor-con 8</i> | 109 | <i>levetiracetam</i> | 33 |
| IXCHIQ (PF) | 85 | <i>klor-con m10</i> | 109 | <i>levetiracetam in nacl (iso-os)</i> | 33 |
| IXEMPRA | 21 | <i>klor-con m15</i> | 109 | <i>levobunolol</i> | 100 |
| IXIARO (PF) | 85 | <i>klor-con m20</i> | 109 | <i>levocarnitine</i> | 67 |
| J | | <i>klor-con oral packet 20</i> | 109 | <i>levocarnitine (with sugar)</i> | 67 |
| JAKAFI | 21 | <i>klor-con/ef</i> | 109 | <i>levocetirizine</i> | 103 |
| <i>jantoven</i> | 57 | KORLYM | 76 | <i>levofloxacin</i> | 13, 99 |
| JANUMET | 73 | KOSELUGO | 22 | <i>levofloxacin in d5w</i> | 13 |
| JANUMET XR | 73 | <i>kourzeq</i> | 69 | <i>levoleucovorin calcium</i> | 14 |
| JANUVIA | 73 | K-PHOS NO 2 | 109 | <i>levonest (28)</i> | 97 |
| JARDIANCE | 73 | K-PHOS ORIGINAL | 109 | <i>levonorgestrel-ethinyl estrad</i> | 97 |
| <i>jasmiel (28)</i> | 96 | KRAZATI | 22 | <i>levonorg-eth estrad triphasic</i> | 97 |
| JAYPIRCA | 21 | <i>kurvelo (28)</i> | 97 | <i>levora-28</i> | 97 |
| JEMPERLI | 21 | KYPROLIS | 22 | <i>levo-t</i> | 77 |
| <i>jencycla</i> | 95 | L | | <i>levothyroxine</i> | 77 |
| JENTADUETO | 73 | <i>l norgest/e.estradiol-e.estrad</i> | 97 | <i>levoxyl</i> | 77 |
| JENTADUETO XR | 73 | <i>labetalol</i> | 53 | LIBERVANT | 33 |
| JEVTANA | 21 | <i>lacosamide</i> | 32 | LIBTAYO | 22 |
| <i>jinteli</i> | 95 | <i>lactated ringers</i> | 66, 109 | <i>lidocaine</i> | 62 |
| <i>jolessa</i> | 96 | <i>lactulose</i> | 79 | <i>lidocaine (pf)</i> | 50, 61 |
| <i>juleber</i> | 96 | LAGEVRIO (EUA) | 4 | <i>lidocaine hcl</i> | 61 |
| JULUCA | 4 | <i>lamivudine</i> | 4 | <i>lidocaine in 5 % dextrose (pf)</i> | 50 |
| JUXTAPID | 58 | <i>lamivudine-zidovudine</i> | 4 | <i>lidocaine viscous</i> | 62 |
| JYLAMVO | 21 | <i>lamotrigine</i> | 32, 33 | <i>lidocaine-epinephrine</i> | 62 |
| JYNNEOS (PF) | 85 | <i>lanreotide</i> | 22 | <i>lidocaine-epinephrine (pf)</i> | 62 |
| K | | <i>lansoprazole</i> | 82 | <i>lidocaine-prilocaine</i> | 62 |
| KADCYLA | 21 | LANTUS SOLOSTAR U-100 INSULIN | 73 | <i>lidocan iii</i> | 62 |
| <i>kalliga</i> | 96 | LANTUS U-100 INSULIN | 73 | <i>lidocan iv</i> | 62 |
| KALYDECO | 105 | <i>lapatinib</i> | 22 | <i>lidocan v</i> | 62 |
| KANUMA | 76 | <i>larin 1.5/30 (21)</i> | 97 | <i>lincomycin</i> | 9 |
| <i>kariva (28)</i> | 97 | <i>larin 1/20 (21)</i> | 97 | <i>linezolid</i> | 9 |
| <i>kelnor 1/35 (28)</i> | 97 | <i>larin 24 fe</i> | 97 | <i>linezolid in dextrose 5%</i> | 9 |
| <i>kelnor 1/50 (28)</i> | 97 | <i>larin fe 1.5/30 (28)</i> | 97 | <i>linezolid-0.9% sodium chloride</i> | 9 |
| KEPIVANCE | 14 | <i>larin fe 1/20 (28)</i> | 97 | LINZESS | 79 |
| KERENDIA | 53 | <i>latanoprost</i> | 101 | | |
| KESIMPTA PEN | 37 | | | | |
| <i>ketoconazole</i> | 2, 63, 64 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|---------------------------------------|-----|---------------------------------------|--------|---|------------|
| LIORESAL..... | 38 | MAGNESIUM SULFATE IN | | <i>methylphenidate hcl</i> | 47 |
| <i>liothyronine</i> | 77 | D5W | 110 | <i>methylprednisolone</i> | 70 |
| <i>lisinopril</i> | 53 | <i>magnesium sulfate in water</i> | 110 | <i>methylprednisolone acetate</i> .. | 70 |
| <i>lisinopril-hydrochlorothiazide</i> | | <i>malathion</i> | 66 | <i>methylprednisolone sodium</i> | |
| | 53 | <i>mannitol 20 %</i> | 53 | <i>succ</i> | 70 |
| <i>lithium carbonate</i> | 46 | <i>mannitol 25 %</i> | 53 | <i>metoclopramide hcl</i> | 79, 80 |
| <i>lithium citrate</i> | 46 | <i>maraviroc</i> | 4 | <i>metolazone</i> | 53 |
| LOKELMA | 67 | MARGENZA | 23 | <i>metoprolol succinate</i> | 53 |
| LONSURF..... | 22 | <i>marlissa (28)</i> | 97 | <i>metoprolol ta-hydrochlorothiaz</i> | |
| <i>loperamide</i> | 78 | MARPLAN | 47 | | 53 |
| <i>lopinavir-ritonavir</i> | 4 | MATULANE..... | 23 | <i>metoprolol tartrate</i> | 53 |
| LOQTORZI..... | 22 | <i>matzim la</i> | 53 | <i>metro i.v.</i> | 10 |
| <i>lorazepam</i> | 46 | <i>meclizine</i> | 79 | <i>metronidazole</i> | 10, 63, 95 |
| <i>lorazepam intensol</i> | 46 | <i>medroxyprogesterone</i> | 95 | <i>metronidazole in nacl (iso-os)</i> | |
| LORBRENA | 23 | <i>mefloquine</i> | 9 | | 10 |
| <i>loryna (28)</i> | 97 | <i>megestrol</i> | 23 | <i>metyrosine</i> | 53 |
| <i>losartan</i> | 53 | MEKINIST | 23 | <i>mexiletine</i> | 51 |
| <i>losartan-hydrochlorothiazide</i> | | MEKTOVI..... | 23 | <i>micafungin</i> | 2 |
| | 53 | <i>meloxicam</i> | 41 | <i>microgestin 1.5/30 (21)</i> | 97 |
| <i>loteprednol etabonate</i> | 102 | <i>melfhalan hcl</i> | 23 | <i>microgestin 1/20 (21)</i> | 97 |
| <i>lovastatin</i> | 58 | <i>memantine</i> | 37 | <i>microgestin fe 1.5/30 (28)</i> | 97 |
| <i>low-ogestrel (28)</i> | 97 | MENACTRA (PF) | 85 | <i>microgestin fe 1/20 (28)</i> | 97 |
| <i>loxapine succinate</i> | 46 | MENEST | 95 | <i>midodrine</i> | 67 |
| <i>lo-zumandimine (28)</i> | 97 | MENQUADFI (PF)..... | 85 | MIEBO (PF) | 100 |
| <i>lubiprostone</i> | 79 | MENVEO A-C-Y-W-135-DIP | | <i>mifepristone</i> | 76, 95 |
| LUMAKRAS | 23 | (PF)..... | 85 | <i>mili</i> | 97 |
| LUMIGAN | 101 | MEPSEVII..... | 76 | <i>milrinone</i> | 59 |
| LUMIZYME | 76 | <i>mercaptopurine</i> | 23 | <i>milrinone in 5 % dextrose</i> | 59 |
| LUNSUMIO..... | 23 | <i>meropenem</i> | 10 | <i>mimvey</i> | 95 |
| LUPRON DEPOT | 23 | <i>mesalamine</i> | 79 | <i>minocycline</i> | 14 |
| <i>lurasidone</i> | 47 | <i>mesalamine with cleansing</i> | | <i>minoxidil</i> | 53 |
| <i>lutra (28)</i> | 97 | <i>wipe</i> | 79 | <i>miostat</i> | 101 |
| <i>lyleq</i> | 95 | <i>mesna</i> | 14 | <i>mirabegron</i> | 108 |
| <i>lyllana</i> | 95 | MESNEX..... | 14 | <i>mirtazapine</i> | 47 |
| LYNPARZA..... | 23 | <i>metformin</i> | 73, 74 | <i>misoprostol</i> | 82 |
| LYSODREN..... | 23 | <i>methadone</i> | 40 | <i>mitomycin</i> | 23 |
| LYTGOBI | 23 | <i>methadone intensol</i> | 40 | <i>mitoxantrone</i> | 24 |
| LYUMJEV KWIKPEN U-100 | | <i>methadose</i> | 40 | M-M-R II (PF)..... | 85 |
| INSULIN..... | 73 | <i>methazolamide</i> | 101 | <i>modafinil</i> | 47 |
| LYUMJEV KWIKPEN U-200 | | <i>methenamine hippurate</i> | 14 | <i>moexipril</i> | 53 |
| INSULIN..... | 73 | <i>methenamine mandelate</i> | 14 | <i>molindone</i> | 47 |
| LYUMJEV U-100 INSULIN | | <i>methimazole</i> | 71 | <i>mometasone</i> | 65, 105 |
| | 73 | <i>methotrexate sodium</i> | 23 | <i>mondoxyne nl</i> | 14 |
| <i>lyza</i> | 95 | <i>methotrexate sodium (pf)</i> | 23 | MONJUVI | 24 |
| M | | <i>methoxsalen</i> | 62 | <i>mono-lynyah</i> | 97 |
| <i>magnesium chloride</i> | 109 | <i>methsuximide</i> | 33 | <i>montelukast</i> | 105 |
| <i>magnesium sulfate</i> | 110 | <i>methylergonovine</i> | 98 | <i>morphine</i> | 40 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|---------------------------------------|----------|---------------------------------------|--------|---------------------------------------|--------|
| <i>morphine (pf)</i> | 40 | <i>neomycin-polymyxin-</i> | | <i>nortrel 1/35 (28)</i> | 98 |
| <i>morphine concentrate</i> | 40 | <i>gramicidin</i> | 99 | <i>nortrel 7/7/7 (28)</i> | 98 |
| MOUNJARO..... | 74 | <i>neomycin-polymyxin-hc</i> 70, 102 | | <i>nortriptyline</i> | 47 |
| MOVANTIK..... | 80 | <i>neo-polycin</i> | 99 | NORVIR..... | 4 |
| <i>moxifloxacin</i> | 13, 99 | <i>neo-polycin hc</i> | 102 | NUBEQA | 24 |
| <i>moxifloxacin-sod.chloride(iso)</i> | | NERLYNX..... | 24 | NUCALA | 105 |
| | 13 | NEUPRO | 35 | NUEDEXTA | 38 |
| MOZOBIL..... | 83 | <i>nevirapine</i> | 4 | NULOJIX | 24 |
| MRESVIA (PF)..... | 86 | NEXLETOL | 58 | NUPLAZID | 47 |
| MULTAQ..... | 51 | NEXLIZET..... | 58 | NURTEC ODT | 36 |
| <i>mupirocin</i> | 63 | NEXPLANON..... | 95 | <i>nyamyc</i> | 64 |
| MYALEPT | 76 | <i>niacin</i> | 58 | <i>nystatin</i> | 2, 64 |
| <i>mycophenolate mofetil</i> | 24 | <i>nicardipine</i> | 53 | <i>nystatin-triamcinolone</i> | 64 |
| <i>mycophenolate mofetil (hcl)</i> . | 24 | NICOTROL..... | 68 | <i>nystop</i> | 64 |
| <i>mycophenolate sodium</i> | 24 | NICOTROL NS..... | 68 | NYVEPRIA..... | 83 |
| MYFEMBREE..... | 95 | <i>nifedipine</i> | 54 | O | |
| MYHIBBIN..... | 24 | <i>nikki (28)</i> | 97 | OCALIVA | 80 |
| MYLOTARG | 24 | <i>nilutamide</i> | 24 | <i>octreotide acetate</i> | 24 |
| MYRBETRIQ | 108 | <i>nimodipine</i> | 54 | ODEFSEY | 5 |
| N | | NINLARO | 24 | ODOMZO..... | 24 |
| <i>nabumetone</i> | 41 | <i>nisoldipine</i> | 54 | OFEV..... | 106 |
| <i>nadolol</i> | 53 | <i>nitazoxanide</i> | 10 | <i>ofloxacin</i> | 69, 99 |
| <i>nafcillin</i> | 12 | <i>nitisinone</i> | 67 | OGSIVEO..... | 24 |
| <i>nafcillin in dextrose iso-osm</i> | 12 | <i>nitro-bid</i> | 59 | OJEMDA..... | 24, 25 |
| <i>naftifine</i> | 64 | <i>nitrofurantoin macrocrystal</i> . | 14 | OJJAARA..... | 25 |
| NAGLAZYME..... | 76 | <i>nitrofurantoin monohyd/m-</i> | | <i>olanzapine</i> | 47 |
| <i>nalbuphine</i> | 41 | <i>cryst</i> | 14 | <i>olanzapine-fluoxetine</i> | 47 |
| <i>naloxone</i> | 41, 42 | <i>nitroglycerin</i> | 60, 80 | <i>olmesartan</i> | 54 |
| <i>naltrexone</i> | 42 | <i>nitroglycerin in 5 % dextrose</i> | | <i>olmesartan-amlodipin-</i> | |
| NAMZARIC..... | 37 | | 60 | <i>hcthiazyd</i> | 54 |
| <i>naproxen</i> | 42 | NIVESTYM | 83 | <i>olmesartan-</i> | |
| <i>naproxen sodium</i> | 42 | <i>nizatidine</i> | 82 | <i>hydrochlorothiazide</i> | 54 |
| <i>naratriptan</i> | 36 | <i>nora-be</i> | 95 | <i>olopatadine</i> | 100 |
| NATACYN | 99 | <i>norelgestromin-ethin.estradiol</i> | | <i>omega-3 acid ethyl esters</i> | 58 |
| <i>nateglinide</i> | 74 | | 95 | <i>omeprazole</i> | 82 |
| NAYZILAM..... | 33 | <i>norepinephrine bitartrate</i> | 59 | OMNIPOD 5 G6-G7 INTRO | |
| <i>nebivolol</i> | 53 | <i>norethindrone (contraceptive)</i> | | KT(GEN5)..... | 88 |
| <i>nefazodone</i> | 47 | | 95 | OMNIPOD 5 G6-G7 PODS | |
| <i>nelarabine</i> | 24 | <i>norethindrone acetate</i> | 95 | (GEN 5) | 88 |
| <i>neomycin</i> | 10 | <i>norethindrone ac-eth estradiol</i> | | OMNIPOD CLASSIC PODS | |
| <i>neomycin-bacitracin-poly-hc</i> | | | 95, 97 | (GEN 3) | 88 |
| | 101 | <i>norethindrone-e.estradiol-iron</i> | | OMNIPOD DASH INTRO | |
| <i>neomycin-bacitracin-</i> | | | 98 | KIT (GEN 4)..... | 88 |
| <i>polymyxin</i> | 99 | <i>norgestimate-ethinyl estradiol</i> | | OMNIPOD DASH PODS | |
| <i>neomycin-polymyxin b gu</i> | 66 | | 98 | (GEN 4) | 88 |
| <i>neomycin-polymyxin b-</i> | | <i>nortrel 0.5/35 (28)</i> | 98 | OMNIPOD GO PODS | 89 |
| <i>dexameth</i> | 101, 102 | <i>nortrel 1/35 (21)</i> | 98 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|--|--------|--|-----|--|---------|
| OMNIPOD GO PODS 10 UNITS/DAY | 88 | OZEMPIC | 74 | <i>pfizerpen-g</i> | 13 |
| OMNIPOD GO PODS 15 UNITS/DAY | 88 | OZURDEX | 102 | <i>phenelzine</i> | 48 |
| OMNIPOD GO PODS 20 UNITS/DAY | 88 | P | | <i>phenobarbital</i> | 33 |
| OMNIPOD GO PODS 25 UNITS/DAY | 89 | <i>pacerone</i> | 51 | <i>phenobarbital sodium</i> | 33 |
| OMNIPOD GO PODS 30 UNITS/DAY | 89 | <i>paclitaxel</i> | 25 | <i>phentolamine</i> | 54 |
| OMNIPOD GO PODS 40 UNITS/DAY | 89 | PADCEV | 25 | <i>phenytoin</i> | 33 |
| OMNITROPE | 83 | <i>paliperidone</i> | 47 | <i>phenytoin sodium</i> | 33 |
| ONCASPAR | 25 | <i>palonosetron</i> | 80 | <i>phenytoin sodium extended</i> | 33 |
| <i>ondansetron</i> | 80 | <i>pamidronate</i> | 76 | <i>philith</i> | 98 |
| <i>ondansetron hcl</i> | 80 | PANRETIN | 62 | PHOSPHOLINE IODIDE .. | 100 |
| <i>ondansetron hcl (pf)</i> | 80 | <i>pantoprazole</i> | 82 | PIFELTRO | 5 |
| ONIVYDE | 25 | <i>paraplatin</i> | 25 | <i>pilocarpine hcl</i> | 67, 100 |
| ONUREG | 25 | <i>paricalcitol</i> | 76 | <i>pimecrolimus</i> | 62 |
| OPDIVO | 25 | <i>paromomycin</i> | 10 | <i>pimozide</i> | 48 |
| OPDUALAG | 25 | <i>paroxetine hcl</i> | 47 | <i>pimtree (28)</i> | 98 |
| <i>opium tincture</i> | 78 | PAXLOVID | 5 | <i>pindolol</i> | 54 |
| OPSUMIT | 106 | <i>pazopanib</i> | 25 | <i>pioglitazone</i> | 74 |
| OPSYNVI | 106 | PEDIARIX (PF) | 86 | <i>piperacillin-tazobactam</i> | 13 |
| <i>oralone</i> | 69 | PEDVAX HIB (PF) | 86 | PIQRAY | 26 |
| ORENCIA | 93 | <i>peg 3350-electrolytes</i> | 80 | <i>pirfenidone</i> | 106 |
| ORENCIA (WITH MALTOSE) | 93 | <i>peg3350-sod sul-nacl-kcl-asb-c</i> | 80 | <i>piroxicam</i> | 42 |
| ORENCIA CLICKJECT | 93 | PEGASYS | 83 | <i>pitavastatin calcium</i> | 58 |
| ORGOVYX | 25 | <i>peg-electrolyte</i> | 80 | PLASMA-LYTE A | 112 |
| ORKAMBI | 106 | PEMAZYRE | 25 | PLEGRIDY | 83 |
| ORSERDU | 25 | <i>pemetrexed disodium</i> | 25 | PLENAMINE | 112 |
| <i>oseltamivir</i> | 5 | PEN NEEDLES (NON- PREFERRED BRANDS) | 89 | <i>plerixafor</i> | 83 |
| <i>osmitrol 20 %</i> | 54 | PENBRAYA (PF) | 86 | <i>podofilox</i> | 62 |
| OTEZLA | 93 | <i>penciclovir</i> | 64 | POLIVY | 26 |
| OTEZLA STARTER | 93 | <i>penicillamine</i> | 93 | <i>polocaine</i> | 62 |
| <i>oxacillin</i> | 12 | PENICILLIN G POT IN DEXTROSE | 12 | <i>polocaine-mpf</i> | 62 |
| <i>oxacillin in dextrose(iso-osm)</i> | 12 | <i>penicillin g potassium</i> | 12 | <i>polycin</i> | 99 |
| <i>oxaliplatin</i> | 25 | <i>penicillin g sodium</i> | 12 | <i>polymyxin b sulf-trimethoprim</i> | 99 |
| <i>oxaprozin</i> | 42 | <i>penicillin v potassium</i> | 12 | POMALYST | 26 |
| <i>oxcarbazepine</i> | 33 | PENTACEL (PF) | 86 | <i>portia 28</i> | 98 |
| OXERVATE | 100 | <i>pentamidine</i> | 10 | PORTRAZZA | 26 |
| <i>oxybutynin chloride</i> | 108 | PENTASA | 80 | <i>posaconazole</i> | 2 |
| <i>oxycodone</i> | 40 | <i>pentobarbital sodium</i> | 47 | <i>potassium acetate</i> | 110 |
| <i>oxycodone-acetaminophen</i> ... | 40 | <i>pentoxifylline</i> | 57 | <i>potassium chlorid-d5-</i> <i>0.45%nacl</i> | 110 |
| OXYCONTIN | 40, 41 | <i>perindopril erbumine</i> | 54 | <i>potassium chloride</i> | 110 |
| | | <i>perio gard</i> | 69 | <i>potassium chloride in</i> <i>0.9%nacl</i> | 110 |
| | | PERJETA | 25 | <i>potassium chloride in 5 % dex</i> | 110 |
| | | <i>permethrin</i> | 66 | <i>potassium chloride in lr-d5</i> | 110 |
| | | <i>perphenazine</i> | 48 | <i>potassium chloride in water</i> | 110 |
| | | PERSERIS | 48 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | |
|-------------------------------------|---------------------------------------|---------------------------------------|
| <i>potassium chloride-0.45 %</i> | <i>prochlorperazine</i> | <i>ramelteon</i> |
| <i>nacl</i> | <i>prochlorperazine edisylate</i> ... | <i>ramipril</i> |
| <i>potassium chloride-d5-</i> | <i>prochlorperazine maleate oral</i> | <i>ranolazine</i> |
| 0.2% <i>nacl</i> | | <i>rasagiline</i> |
| <i>potassium chloride-d5-</i> | PROCRIT | <i>reclipsen (28)</i> |
| 0.9% <i>nacl</i> | <i>procto-med hc</i> | RECOMBIVAX HB (PF)..... |
| <i>potassium citrate</i> | <i>proctosol hc</i> | RECTIV |
| <i>potassium phosphate m-/d-</i> | <i>proctozone-hc</i> | REGANEX |
| <i>basic</i> | <i>progesterone</i> | RELENZA DISKHALER |
| POTELIGEO..... | <i>progesterone micronized</i> | RELISTOR |
| PRALATREXATE..... | PROGRAF..... | REMICADE |
| <i>pramipexole</i> | PROLASTIN-C | RENACIDIN |
| <i>prasugrel</i> | PROLENSA | <i>repaglinide</i> |
| <i>pravastatin</i> | PROLIA..... | REPATHA..... |
| <i>praziquantel</i> | PROMACTA..... | REPATHA PUSHTRONEX |
| <i>prazosin</i> | <i>promethazine</i> | SURECLICK |
| <i>prednicarbate</i> | <i>propafenone</i> | RETACRIT..... |
| <i>prednisolone</i> | <i>propranolol</i> | RETEVMO..... |
| <i>prednisolone acetate</i> | <i>propylthiouracil</i> | RETROVIR |
| <i>prednisolone sodium</i> | PROQUAD (PF)..... | REVCОВI |
| <i>phosphate</i> | <i>protamine</i> | REVLIMID..... |
| <i>prednisone</i> | <i>protriptyline</i> | <i>revonto</i> |
| <i>prednisone intensol</i> | PULMICORT FLEXHALER | REXULTI..... |
| <i>pregabalin</i> | | REYATAZ |
| PREHEVBRIО (PF)..... | PULMOZYME..... | REZDIFFRA |
| PREMARIN | PURIXAN | REZLIDHIA |
| <i>premasol 10 %</i> | <i>pyrazinamide</i> | REZUROCK..... |
| PREMPHASE | <i>pyridostigmine bromide</i> | RHOPRESSA |
| PREMPRO | <i>pyrimethamine</i> | <i>ribavirin</i> |
| <i>prenatal vitamin oral tablet</i> | Q | RIDAURA |
| <i>prevalite</i> | QINLOCK | <i>rifabutin</i> |
| PREVIDENT 5000 BOOSTER | QTERN..... | <i>rifampin</i> |
| PLUS | QUADRACEL (PF) | <i>riluzole</i> |
| PREVIDENT 5000 DRY | <i>quetiapine</i> | <i>rimantadine</i> |
| MOUTH | <i>quinapril</i> | <i>ringer's</i> |
| PREVYMIS..... | <i>quinapril-hydrochlorothiazide</i> | RINVOQ..... |
| PREZCOBIX..... | | RINVOQ LQ |
| PREZISTA | <i>quinidine sulfate</i> | <i>risedronate</i> |
| PRIFTIN..... | <i>quinine sulfate</i> | RISPERDAL CONSTA |
| PRIMAQUINE..... | QULIPTA | <i>risperidone</i> |
| <i>primidone</i> | QVAR REDIHАLER..... | <i>risperidone microspheres</i> |
| PRIMIDONE..... | R | <i>ritonavir</i> |
| PRIORIX (PF)..... | RABAVERT (PF) | <i>rivastigmine</i> |
| PRIVIGEN | RADICAVA ORS | <i>rivastigmine tartrate</i> |
| <i>probenecid</i> | RADICAVA ORS STARTER | <i>rizatriptan</i> |
| <i>probenecid-colchicine</i> | KIT SUSP..... | ROCKLATAN |
| <i>procainamide</i> | <i>raloxifene</i> | <i>roflumilast</i> |
| | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|---------------------------------------|--------|--|---------|--|--------|
| <i>romidepsin</i> | 26 | <i>silver sulfadiazine</i> | 62 | SPRYCEL..... | 27 |
| <i>ropinirole</i> | 35 | SIMBRINZA | 101 | <i>sps (with sorbitol)</i> | 68 |
| <i>rosuvastatin</i> | 58 | SIMLANDI(CF) | | <i>sronyx</i> | 98 |
| ROTARIX | 86 | AUTOINJECTOR | 94 | <i>ssd</i> | 62 |
| ROTATEQ VACCINE | 86 | SIMULECT | 27 | STEGLATRO..... | 74 |
| <i>roweepra</i> | 34 | <i>simvastatin</i> | 58 | STELARA | 60 |
| ROZLYTREK | 26 | <i>sirolimus</i> | 27 | STIOLTO RESPIMAT | 106 |
| RUBRACA..... | 26 | SIRTURO..... | 10 | STIVARGA..... | 27 |
| <i>rufinamide</i> | 34 | SKYRIZI | 60, 81 | STRENSIQ | 76 |
| RUKOBIA..... | 5 | <i>sodium acetate</i> | 111 | STREPTOMYCIN | 10 |
| RUXIENCE..... | 26 | <i>sodium benzoate-sod</i> | | STRIBILD | 5 |
| RYBELSUS | 74 | <i>phenylacet</i> | 68 | STRIVERDI RESPIMAT .. | 106 |
| RYBREVANT | 26 | <i>sodium bicarbonate</i> | 111 | <i>subvenite</i> | 34 |
| RYDAPT..... | 26 | <i>sodium chloride</i> | 68, 111 | <i>subvenite starter (blue) kit</i> | 34 |
| RYLAZE | 27 | <i>sodium chloride 0.45 %</i> | 111 | <i>subvenite starter (green) kit</i> .. | 34 |
| RYTELO | 27 | <i>sodium chloride 0.9 %</i> | 68 | <i>subvenite starter (orange) kit</i> | 34 |
| S | | <i>sodium chloride 3 %</i> | | SUCRAID..... | 81 |
| <i>sajazir</i> | 106 | <i>hypertonic</i> | 111 | <i>sucralfate</i> | 82 |
| <i>salsalate</i> | 42 | <i>sodium chloride 5 %</i> | | <i>sulfacetamide sodium</i> | 100 |
| SANCUSO | 81 | <i>hypertonic</i> | 111 | <i>sulfacetamide sodium (acne)</i> | 63 |
| SANDOSTATIN LAR | | <i>sodium fluoride 5000 dry</i> | | <i>sulfacetamide-prednisolone</i> | 100 |
| DEPOT | 27 | <i>mouth</i> | 69 | <i>sulfadiazine</i> | 13 |
| SANTYL | 62 | <i>sodium fluoride 5000 plus</i> | 69 | <i>sulfamethoxazole-trimethoprim</i> | |
| <i>sapropterin</i> | 76 | <i>sodium fluoride-pot nitrate</i> ...69 | | | 13 |
| SARCLISA..... | 27 | <i>sodium nitroprusside</i> | 59 | <i>sulfasalazine</i> | 81 |
| SAVELLA..... | 94 | SODIUM OXYBATE | 49 | <i>sulindac</i> | 42 |
| <i>saxagliptin</i> | 74 | <i>sodium phenylbutyrate</i> | 68 | <i>sumatriptan</i> | 36 |
| <i>saxagliptin-metformin</i> | 74 | <i>sodium phosphate</i> | 111 | <i>sumatriptan succinate</i> | 36 |
| SCSEMBLIX..... | 27 | <i>sodium polystyrene sulfonate</i> | 68 | <i>sunitinib malate</i> | 27 |
| <i>scopolamine base</i> | 81 | <i>sodium,potassium,mag sulfates</i> | | SUNLENCA..... | 5 |
| SECUADO | 48 | | 81 | <i>syeda</i> | 98 |
| SEGLUROMET | 74 | <i>solifenacin</i> | 108 | SYMDEKO | 107 |
| <i>selegiline hcl</i> | 35 | SOLQUA 100/33 | 74 | SYMLINPEN 120 | 74 |
| <i>selenium sulfide</i> | 60 | SOLTAMOX..... | 27 | SYMLINPEN 60 | 74 |
| SELZENTRY | 5 | SOMATULINE DEPOT | 27 | SYMPAZAN | 34 |
| <i>sertraline</i> | 48, 49 | SOMAVERT | 76 | SYMTUZA..... | 5 |
| <i>setlakin</i> | 98 | <i>sorafenib</i> | 27 | SYNAGIS..... | 5 |
| <i>sevelamer carbonate</i> | 68 | <i>sorine</i> | 51 | SYNJARDY | 74 |
| <i>sf 69</i> | | <i>sotalol</i> | 51 | SYNJARDY XR..... | 74 |
| <i>sf 5000 plus</i> | 69 | <i>sotalol af</i> | 51 | T | |
| <i>sharobel</i> | 95 | SPIRIVA RESPIMAT | 106 | TABLOID..... | 27 |
| SHINGRIX (PF)..... | 86 | <i>spironolactone</i> | 54 | TABRECTA | 27 |
| SIGNIFOR | 27 | <i>spironolacton-</i> | | <i>tacrolimus</i> | 27, 62 |
| <i>sildenafil</i> | 109 | <i>hydrochlorothiaz</i> | 54 | <i>tadalafil (pulmonary arterial</i> | |
| <i>sildenafil (pulmonary arterial</i> | | SPRAVATO..... | 49 | <i>hypertension) oral tablet 20</i> | |
| <i>hypertension)</i> | 106 | <i>sprintec (28)</i> | 98 | <i>mg</i> | 107 |
| <i>silodosin</i> | 108 | SPRITAM..... | 34 | TAFINLAR | 27 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|--|--------|---|---------|---|-----|
| <i>tafluprost (pf)</i> | 101 | <i>thioridazine</i> | 49 | TRELSTAR..... | 28 |
| TAGRISSO | 27 | <i>thiotepa</i> | 28 | <i>treprostinil sodium</i> | 55 |
| TALTZ AUTOINJECTOR .. | 60 | <i>thiothixene</i> | 49 | <i>tretinoin (antineoplastic)</i> | 28 |
| TALTZ AUTOINJECTOR (2 | | <i>tiadylt er</i> | 54 | <i>tretinoin topical</i> | 63 |
| PACK)..... | 60 | <i>tiagabine</i> | 34 | <i>triamcinolone acetonide</i> 65, 69, | |
| TALTZ AUTOINJECTOR (3 | | TIBSOVO..... | 28 | 71 | |
| PACK)..... | 60 | TICE BCG..... | 87 | <i>triamterene-hydrochlorothiazid</i> | |
| TALTZ SYRINGE..... | 60, 61 | TICOVAC | 87 | | 55 |
| TALVEY..... | 27 | <i>tigecycline</i> | 10 | <i>tridacaine ii</i> | 62 |
| TALZENNA..... | 28 | <i>tilia fe</i> | 98 | <i>tridacaine iii</i> | 62 |
| <i>tamoxifen</i> | 28 | <i>timolol maleate</i> | 54, 100 | <i>triderm</i> | 65 |
| <i>tamsulosin</i> | 108 | <i>tinidazole</i> | 10 | <i>trientine</i> | 68 |
| <i>tarina 24 fe</i> | 98 | <i>tiotropium bromide</i> | 107 | <i>tri-estarylla</i> | 98 |
| <i>tarina fe 1-20 eq (28)</i> | 98 | TIVDAK..... | 28 | <i>trifluoperazine</i> | 49 |
| TASIGNA | 28 | TIVICAY..... | 5 | <i>trifluridine</i> | 99 |
| <i>tazarotene</i> | 63 | TIVICAY PD | 6 | TRIJARDY XR | 75 |
| <i>tazicef</i> | 7 | <i>tizanidine</i> | 38 | TRIKAFTA | 107 |
| TAZVERIK..... | 28 | TOBI PODHALER | 10 | <i>tri-legest fe</i> | 98 |
| TDVAX..... | 86 | TOBRADEX | 102 | <i>tri-linyah</i> | 98 |
| TECENTRIQ..... | 28 | <i>tobramycin</i> | 10, 99 | <i>tri-lo-estarylla</i> | 98 |
| TECVAYLI..... | 28 | <i>tobramycin in 0.225 % nacl</i> . | 10 | <i>tri-lo-marzia</i> | 98 |
| TEFLARO..... | 8 | <i>tobramycin sulfate</i> | 10 | <i>tri-lo-sprintec</i> | 98 |
| <i>telmisartan</i> | 54 | <i>tobramycin-dexamethasone</i> | 102 | <i>trimethoprim</i> | 14 |
| <i>telmisartan-amlodipine</i> | 54 | <i>tolterodine</i> | 108 | <i>trimipramine</i> | 49 |
| <i>telmisartan-hydrochlorothiazid</i> | | <i>tolvaptan</i> | 77 | TRINTELLIX..... | 49 |
| | 54 | <i>topiramate</i> | 34 | <i>tri-sprintec (28)</i> | 98 |
| TEMODAR | 28 | <i>topotecan</i> | 28 | TRIUMEQ..... | 6 |
| <i>temsirolimus</i> | 28 | <i>toremifene</i> | 28 | TRIUMEQ PD..... | 6 |
| TENIVAC (PF) | 86 | <i>torpenz</i> | 28 | <i>trivora (28)</i> | 98 |
| <i>tenofovir disoproxil fumarate</i> . | 5 | <i>torse mide</i> | 54 | TRIZIVIR | 6 |
| TEPMETKO..... | 28 | TOUJEO MAX U-300 | | TRODELVY..... | 28 |
| <i>terazosin</i> | 54 | SOLOSTAR | 75 | TROGARZO | 6 |
| <i>terbinafine hcl</i> | 2 | TOUJEO SOLOSTAR U-300 | | TROPHAMINE 10 %..... | 112 |
| <i>terbutaline</i> | 107 | INSULIN | 75 | <i>trospium</i> | 108 |
| <i>terconazole</i> | 95 | TRADJENTA..... | 75 | TRULANCE..... | 81 |
| <i>teriflunomide</i> | 38 | <i>tramadol</i> | 42 | TRULICITY | 75 |
| TERIPARATIDE | 90 | <i>tramadol-acetaminophen</i> | 42 | TRUMENBA..... | 87 |
| <i>testosterone</i> | 76, 77 | <i>trandolapril</i> | 54 | TRUQAP | 28 |
| <i>testosterone cypionate</i> | 76 | <i>trandolapril-verapamil</i> ...54, 55 | | TUKYSA..... | 28 |
| <i>testosterone enanthate</i> | 76 | <i>tranexamic acid</i> | 96 | TURALIO..... | 29 |
| TETANUS,DIPHThERIA | | <i>tranylcypramine</i> | 49 | <i>turqoz (28)</i> | 98 |
| TOX PED(PF)..... | 87 | <i>travasol 10 %</i> | 112 | TWINRIX (PF)..... | 87 |
| <i>tetrabenazine</i> | 38 | <i>travoprost</i> | 101 | TYENNE | 94 |
| <i>tetracycline</i> | 14 | TRAZIMERA..... | 28 | TYENNE AUTOINJECTOR | |
| THALOMID..... | 28 | <i>trazodone</i> | 49 | | 94 |
| THEO-24..... | 107 | TRECATOR..... | 10 | TYPHIM VI..... | 87 |
| <i>theophylline</i> | 107 | TRELEGY ELLIPTA..... | 107 | TYVASO..... | 107 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | |
|---|---|--|
| TYVASO INSTITUTIONAL START KIT..... 107 | VENCLEXTA STARTING PACK 29 | X XALKORI.....29, 30 |
| TYVASO REFILL KIT 107 | <i>venlafaxine</i> 49, 50 | XARELTO57 |
| TYVASO STARTER KIT .107 | <i>verapamil</i> 55 | XARELTO DVT-PE TREAT 30D START.....57 |
| U | VERQUOVO 59 | XATMEP.....30 |
| UBRELVY 36 | VERSACLOZ 50 | XCOPRI 34, 35 |
| <i>unithroid</i> 77 | VERZENIO 29 | XCOPRI MAINTENANCE PACK 34 |
| UNITUXIN 29 | <i>vestura (28)</i> 98 | XCOPRI TITRATION PACK 35 |
| UPTRAVI..... 55 | V-GO 20 89 | XDEMVY..... 100 |
| <i>ursodiol</i> 81 | V-GO 30 89 | XELJANZ..... 94 |
| UZEDY 49 | V-GO 40 89 | XELJANZ XR 94 |
| V | VIBATIV..... 11 | XERMELO..... 30 |
| <i>valacyclovir</i> 6 | VIBERZI 81 | XGEVA 14 |
| VALCHLOR 62 | <i>vienna</i> 98 | XIAFLEX 68 |
| <i>valganciclovir</i> 6 | <i>vigabatrin</i> 34 | XIFAXAN 11 |
| <i>valproate sodium</i> 34 | <i>vigadrone</i> 34 | XIGDUO XR..... 75 |
| <i>valproic acid</i> 34 | <i>vigpoder</i> 34 | XIIDRA 100 |
| <i>valproic acid (as sodium salt)</i> 34 | <i>vilazodone</i> 50 | XOFLUZA 6 |
| <i>valrubicin</i> 29 | VIMIZIM..... 77 | XOLAIR 107, 108 |
| <i>valsartan</i> 55 | <i>vinblastine</i> 29 | XOSPATA..... 30 |
| <i>valsartan-hydrochlorothiazide</i> 55 | <i>vincristine</i> 29 | XPOVIO 30 |
| VALTOCO..... 34 | <i>vinorelbine</i> 29 | XTANDI..... 30 |
| <i>vancomycin</i> 11 | VIOKACE 81 | <i>xulane</i> 96 |
| VANCOMYCIN 11 | <i>viorele (28)</i> 98 | Y |
| VANCOMYCIN IN 0.9 % SODIUM CHL 10, 11 | VIRACEPT 6 | YERVOY 30 |
| <i>vandazole</i> 96 | VIREAD..... 6 | YF-VAX (PF)..... 87 |
| VANFLYTA 29 | VISTOGARD..... 14 | YONDELIS 30 |
| VAQTA (PF)..... 87 | VITRAKVI..... 29 | <i>yuvafem</i> 95 |
| <i>varenicline</i> 68, 69 | VIVITROL 42 | Z |
| VARIVAX (PF) 87 | VIZIMPRO..... 29 | <i>zafemy</i> 96 |
| VARIZIG 87 | VONJO..... 29 | <i>zafirlukast</i> 108 |
| VARUBI..... 81 | VORANIGO..... 29 | <i>zaleplon</i> 50 |
| VAXCHORA VACCINE 87 | <i>voriconazole</i> 2 | ZALTRAP 30 |
| VECAMYL 59 | VOSEVI 6 | ZANOSAR 30 |
| VECTIBIX 29 | VOTRIENT 29 | ZARXIO 84 |
| VEKLURY..... 6 | VRAYLAR..... 50 | ZEGALOGUE AUTOINJECTOR 75 |
| <i>veletri</i> 55 | VUMERITY 38 | ZEGALOGUE SYRINGE... 75 |
| <i>velivet triphasic regimen (28)</i> 98 | VYNDAMAX 59 | ZEJULA 30 |
| VELPHORO..... 68 | VYXEOS..... 29 | ZELBORAF 30 |
| VELTASSA 68 | W | <i>zenatane</i> 63 |
| VEMLIDY 6 | <i>warfarin</i> 57 | ZENPEP 81 |
| VENCLEXTA..... 29 | <i>water for irrigation, sterile</i> ... 68 | ZEPOSIA..... 38 |
| | WELIREG 29 | |
| | <i>wera (28)</i> 98 | |
| | <i>wescap-pn dha</i> 112 | |
| | <i>wixela inhub</i> 107 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

| | | | | | |
|-----------------------------------|----|---|----|-------------------------------|----|
| ZEPOSIA STARTER KIT (28-DAY)..... | 38 | ZOLADEX..... | 30 | ZUBSOLV..... | 42 |
| ZEPOSIA STARTER PACK (7-DAY)..... | 38 | <i>zoledronic acid</i> | 77 | <i>zumandimine (28)</i> | 98 |
| ZEPZELCA..... | 30 | <i>zoledronic acid-mannitol-water</i> | 68 | ZURZUVAE..... | 50 |
| <i>zidovudine</i> | 6 | ZOLINZA..... | 30 | ZYDELIG..... | 30 |
| ZIEXTENZO..... | 84 | <i>zolmitriptan</i> | 36 | ZYKADIA..... | 30 |
| <i>ziprasidone hcl</i> | 50 | <i>zolpidem</i> | 50 | ZYMFENTRA..... | 81 |
| <i>ziprasidone mesylate</i> | 50 | ZONISADE..... | 35 | ZYNLONTA..... | 30 |
| ZIRABEV..... | 30 | <i>zonisamide</i> | 35 | ZYNYZ..... | 30 |
| ZIRGAN..... | 99 | <i>zovia 1-35 (28)</i> | 98 | ZYPREXA RELPREVV..... | 50 |
| | | ZTALMY..... | 35 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this document.

This drug list was last updated on 11/01/2024

2024 Part D Model Formulary (Comprehensive)

This formulary was updated on 11/1/2024. For more recent information or other questions, please contact Central Health Medicare Plan's Member Service at (877) 657-2498. (TTY users should call (800) 899-2114), 24 hours a day / 7 days a week or visit www.centralhealthplan.com.