

Medical Policy

Supprelin® LA (histrelin)	
MEDICAL POLICY NUMBER	MED_Clin_Ops-110
CURRENT VERSION EFFECTIVE DATE	01/01/2024
APPLICABLE PRODUCT AND MARKET	Individual Family Plan: ALL Small Group: ALL Medicare Advantage: ALL

Brand New Day/Central Health Medicare Plan develops policies and makes coverage determinations using credible scientific evidence including but not limited to MCG™ Health Guidelines, the ASAM Criteria™, and other third party sources, such as peer-reviewed medical literature generally recognized by the relevant medical community, physician specialty society recommendations, and expert opinion as relevant to supplement those sources. Brand New Day/Central Health Medicare Plan Medical Policies, MCG™ Guidelines, and the ASAM Criteria™ are not intended to be used without the independent clinical judgment of a qualified health care provider considering the individual circumstances of each member's case. The treating health care providers are solely responsible for diagnosis, treatment, and medical advice. Members may contact Brand New Day/Central Health Medicare Plan Customer Service at the phone number listed on their member identification card to discuss their benefits more specifically. Providers with questions about this Brand New Day/ Central Health Medicare Plan policy may contact the Health Plan. Brand New Day/Central Health Medicare Plan policies and practices are compliant with federal and state requirements, including mental health parity laws.

If there is a difference between this policy and the member specific plan document, the member benefit plan document will govern. For Medicare Advantage members, Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), govern. Refer to the CMS website at <http://www.cms.gov> for additional information.

Brand New Day/Central Health Medicare Plan medical policies address technology assessment of new and emerging treatments, devices, drugs, etc. They are developed to assist in administering plan benefits and do not constitute an offer of coverage nor medical advice. Brand New Day/Central Health Medicare Plan medical policies contain only a partial, general description of plan or program benefits and do not constitute a contract. Brand New Day/Central Health Medicare Plan does not provide health care services and, therefore, cannot guarantee any results or outcomes. Treating providers are solely responsible for medical advice and treatment of members. Our medical policies are updated based on changes in the evidence and healthcare coding and therefore are subject to change without notice. CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). MCG™ and Care Guidelines® are trademarks of MCG Health, LLC (MCG).

PURPOSE

The purpose of this policy is to establish the clinical review criteria that support the determination of medical necessity for Supprelin® LA (histrelin) therapy.

POLICY

Prior Authorization and Medical Review is required.

Coverage for Supprelin LA will be provided for 12 months and may be renewed.

- Max Units (per dose and over time): 1 billable unit per 12 months

Initial

- A. Patient does not have a hypersensitivity to gonadotropin releasing hormone (GnRH) or GnRH analog type medications; **AND**

Medical Policy

Central Precocious Puberty (CPP)

- A. Patient is between the ages of 2 and less than 13 years; **AND**
- B. Triptodur will not be used in combination with growth hormone; **AND**
- C. Onset of secondary sexual characteristics earlier than age 8 for females and 9 for males associated with pubertal pituitary gonadotropin activation; **AND**
- D. Diagnosis is confirmed by pubertal gonadal sex steroid levels and a pubertal luteinizing hormone (LH) response to stimulation by native GnRH; **AND**
- E. Bone age advanced greater than 2 standard deviations (SD) beyond chronological age; **AND**
- F. Tumor has been ruled out by lab tests such as diagnostic imaging of the brain (to rule out intracranial tumor), pelvic/testicular/adrenal ultrasound (to rule out steroid secreting tumors), and human chorionic gonadotropin levels (to rule out a chorionic gonadotropin secreting tumor)

Gender Dysphoria (formerly Gender Identity Disorder)

- A. Patient has a diagnosis of gender dysphoria as confirmed by a qualified mental health professional (MHP)* OR the Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-V) Criteria**; **AND**
- B. A qualified MHP* has confirmed all of the following:
 - a. Patient has demonstrated a long-lasting and intense pattern of gender nonconformity or gender dysphoria (whether suppressed or expressed); **AND**
 - b. Gender dysphoria worsened with the onset of puberty; **AND**
 - c. Any coexisting psychological, medical, or social problems that could interfere with treatment (e.g., that may compromise treatment adherence) have been addressed, such that the adolescent's situation and functioning are stable enough to start treatment; **AND**
 - d. Patient has sufficient mental capacity to give informed consent to this (reversible) treatment; **AND**
- C. Patient has been informed of the effects and side effects of treatment (including potential loss of fertility if the individual subsequently continues with sex hormone treatment) and options to preserve fertility; **AND**
- D. Patient has given informed consent and (particularly when the adolescent has not reached the age of legal medical consent, depending on applicable legislation) the parents or other caretakers or guardians have consented to the treatment and are involved in supporting the adolescent throughout the treatment process; **AND**
- E. A pediatric endocrinologist or other clinician experienced in pubertal assessment has confirmed all of the following:
 - a. Agreement in the indication for treatment; **AND**
 - b. Puberty has started in the adolescent (e.g., Tanner stage \geq G2/B2); **AND**
 - c. There are no medical contraindications to treatment

*Definition of a qualified mental health professional

Medical Policy

- A master's degree or its equivalent in a clinical behavioral science field. This degree or a more advanced one should be granted by an institution accredited by the appropriate national or regional accrediting board. The mental health professional should also have documented credentials from the relevant licensing board or equivalent; **AND**
- Competence in using the Diagnostic Statistical Manual of Mental Disorders and/or the International Classification of Diseases for diagnostic purposes; **AND**
- Ability to recognize and diagnose co-existing mental health concerns and to distinguish these from gender dysphoria; **AND**
- Knowledgeable about gender nonconforming identities and expressions, and the assessment and treatment of gender dysphoria; **AND**
- Continuing education in the assessment and treatment of gender dysphoria. This may include attending relevant professional meetings, workshops, or seminars; obtaining supervision from a mental health professional with relevant experience; or participating in research related to gender nonconformity and gender dysphoria.

****DSM-V Criteria for Gender Dysphoria**

- A marked incongruence between one's experienced/expressed gender and natal gender of at least 6mo in duration, as manifested by at least TWO of the following:
 - A marked incongruence between one's experienced/expressed gender and primary and/or secondary sex characteristics (or in young adolescents, the anticipated secondary sex characteristics)
 - A strong desire to be rid of one's primary and/or secondary sex characteristics because of a marked incongruence with one's experienced/expressed gender (or in young adolescents, a desire to prevent the development of the anticipated secondary sex characteristics)
 - A strong desire for the primary and/or secondary sex characteristics of the other gender
 - A strong desire to be of the other gender (or some alternative gender different from one's designated gender)
 - A strong desire to be treated as the other gender (or some alternative gender different from one's designated gender)
 - A strong conviction that one has the typical feelings and reactions of the other gender (or some alternative gender different from one's designated gender); **AND**
- The condition is associated with clinically significant distress or impairment in social, occupational, or other important areas of functioning; **AND**
- Specify one of the following:
 - The condition exists with a disorder of sex development; **OR**
 - The condition is post-transitional, in that the individual has transitioned to full-time living in the desired gender (with or without legalization of gender change) and has undergone (or is preparing to have) at least one sex-related medical procedure or treatment regimen—namely, regular sex hormone treatment or gender reassignment surgery confirming the desired gender (e.g., penectomy, vaginoplasty in natal males; mastectomy or phalloplasty in natal females).

Medical Policy

Renewal

- A. Patient continues to meet initial criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc.; **AND**
- B. Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: severe implant site reactions, convulsions/seizures, development or worsening of psychiatric symptoms, etc.; **AND**

Central Precocious Puberty (CPP) (J1950 and J1951 [Fensolvi only])

- A. Patient is less than 13 years of age; **AND**
- B. Disease response as indicated by lack of progression or stabilization of secondary sexual characteristics, decrease in height velocity, a decrease in the ratio of bone age to chronological age (BA:CA), and improvement in final height prediction; **AND**
- C. Will not be used in combination with growth hormone.

Gender Dysphoria

- A. Patient has shown a beneficial response to treatment as evidenced by routine monitoring of clinical pubertal development and applicable laboratory parameters.

LIMITATIONS/EXCLUSIONS

- 1. Any indication other than those listed above due to insufficient evidence of therapeutic value

DEFINITIONS

- A. SUPPRELIN LA (histrelin acetate) subcutaneous implant. Initial U.S. Approval: 1991

CODING

Applicable NDC Codes	
67979-0002-xx	Supprelin LA 50mg implant

Applicable Procedure Code	
J9226	Histrelin implant (Supprelin LA), 50 mg: 1 billable unit = 50 mg

Applicable ICD-10 Codes	
E30.1	Precocious puberty
E30.8	Other disorders of puberty
F64.0	Transsexualism
F64.1	Dual role transvestism
F64.2	Gender identity disorder of childhood
F64.8	Other gender identity disorders
F64.9	Gender identity disorder, unspecified

Medical Policy

EVIDENCE BASED REFERENCES

1. Supprelin LA [package insert]. Chadds Ford, PA; Endo Pharmaceuticals Solutions; November 2019. Accessed February 2022.

POLICY HISTORY

Original Effective Date	5/24/2022
Revised Date	March 1, 2023: Adopted by MA UM Committee – no changes made. January 1, 2024 - Updated to Brand New Day/Central Health Medicare Plan/Central Health Medicare Plan
P&T Committee Endorsement	5/24/2022